



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

Welcome and Thank You.

**Thank you for participating in 'Round 1' of our survey.
It is now time for 'Round 2' - the last round prior to the 'Consensus Meeting'**

I am pleased to inform you that consensus has been achieved for **18 outcomes** after the first round of the survey.

For this second round, we will only include outcomes for which consensus has not been reached. We will present the score you have given for each individual outcome in round 1 as well as the median score from each stakeholder group. You may choose to keep your original score or you might change it after taking into consideration the scores from the stakeholder groups.

Similarly to round 1, you will be asked to score each outcome on a scale from 1 (Limited Importance) to 9 (Critical Importance).

Please use the 'Short Explanation of Outcomes' document if you wish any clarification regarding any outcome. You may print this document prior to starting the survey and refer to it as you go along.

Outcomes are listed alphabetically to avoid potential weighting of outcomes caused by the order in which they are displayed. We have included new outcomes that were suggested by participants in round 1

This is the round 2 of 2 (Final).



Outcome Measures for the Woman

*** 1. Outcome measures for the woman:**

Please score the following events or conditions that may occur before, during or after the induction of labour from **1 (Limited Importance)** to **9 (Critical Importance)** in terms of their short-term impact on a labouring woman that undergoes induction of labour.

NOTE: How important is it to you that these outcomes are looked into in future research regarding induction of labour?

| | | | | | | | | |
|-------------|-------------|-------------|-----------|----------|----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | | | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | Critical | Critical | Critical | Critical | Critical | Critical |

abnormal extension of the uterine incision

Your previous score - 8
 Obstetricians - 4
 Neonatologists - 5
 Midwives - 4
 Women
 Representatives-6

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

adult respiratory distress syndrome

Your previous score - 3
 Obstetricians - 4
 Neonatologists - 7
 Midwives - 4
 Women
 Representatives-7

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

anxiety after birth

Your previous score - 6
 Obstetricians - 5
 Neonatologists - 5
 Midwives - 7
 Women
 Representatives-8

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

4 - 5 - 6 -
 Important Important Important
 1 - Limited 2 - Limited 3 - Limited but not but not but not 7 - 8 - 9 -
 Importance Importance Importance Critical Critical Critical Critical Critical Critical

anxiety before birth

Your previous score -

6

Obstetricians - 5

Neonatologists - 4

Midwives - 7

Women

Representatives-7

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

bowel obstruction

Your previous score -

1

Obstetricians - 4

Neonatologists - 7

Midwives - 5

Women

Representatives-7

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

breastfeeding at discharge

Your previous score -

6

Obstetricians - 5

Neonatologists - 6

Midwives - 7

Women

Representatives-6

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

cardiac arrest

Your previous score -

6

Obstetricians - 7

Neonatologists - 9

Midwives - 7

Women

Representatives-9

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

cervical laceration extending to the lower uterine segment

Your previous score -

8

Obstetricians - 6

Neonatologists - 7

Midwives - 6

Women

Representatives-7

| | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

| | | | | | | | | | |
|-------------|-------------|-------------|--|-----------|-----------|-----------|----------|----------|----------|
| | | | | 4 - | 5 - | 6 - | | | |
| | | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | | Critical | Critical | Critical | Critical | Critical | Critical |

chorioamnionitis

Your previous score -
9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

coagulopathy

Your previous score -
9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

*** 2. Please score the following *outcome measures for the woman* from 1 (Limited Importance) to 9 (Critical Importance), continued.**

| | | | | | | | | | |
|-------------|-------------|-------------|--|-----------|-----------|-----------|----------|----------|----------|
| | | | | 4 - | 5 - | 6 - | | | |
| | | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | | Critical | Critical | Critical | Critical | Critical | Critical |

damage to internal organs (bowel, bladder or ureters)

Your previous score -
6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 8 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-8 | | | | | | | | | |

deep vein thrombosis

Your previous score -
8

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

4 - 5 - 6 -
 Important Important Important
 but not but not but not
 Critical Critical Critical 7 - 8 - 9 -
 Importance Importance Importance Critical Critical Critical

endometritis

Your previous score -
6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

**evacuation of the
uterus after
childbirth**

Your previous score -
6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

**impact on
maternal-newborn
bonding**

Your previous score -
6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-8 | | | | | | | | | |

**impact on maternal
mood**

Your previous score -
6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 5 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-8 | | | | | | | | | |

*** 3. Please score the following *outcome measures for the woman* from 1 (Limited Importance) to 9 (Critical Importance), continued.**

4 - 5 - 6 -
 Important Important Important
 1 - Limited 2 - Limited 3 - Limited but not but not but not 7 - 8 - 9 -
 Importance Importance Importance Critical Critical Critical Critical Critical Critical

maternal diarrhoea

Your previous score -

4

Obstetricians - 4

Neonatologists - 3

Midwives - 4

Women

Representatives-4

maternal nausea

Your previous score -

4

Obstetricians - 4

Neonatologists - 3

Midwives - 4

Women

Representatives-4

maternal pyrexia

Your previous score -

9

Obstetricians - 5

Neonatologists - 4

Midwives - 6

Women

Representatives-5

maternal vomiting

Your previous score -

4

Obstetricians - 4

Neonatologists - 4

Midwives - 4

Women

Representatives-4

mode of delivery

Your previous score -

9

Obstetricians - 7

Neonatologists - 7

Midwives - 7

Women

Representatives-6

| | | | | | | | | |
|-------------|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | Critical | Critical | Critical | Critical | Critical | Critical |

occurrence of a fistula involving the genital tract, urinary or gastrointestinal tract

Your previous score -

4

Obstetricians - 6

Neonatologists - 8

Midwives - 7

Women

Representatives-7

*** 4. Please score the following *outcome measures for the woman* from 1 (Limited Importance) to 9 (Critical Importance), continued.**

| | | | | | | | | |
|-------------|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | Critical | Critical | Critical | Critical | Critical | Critical |

pain relief requirements

Your previous score -

6

Obstetricians - 6

Neonatologists - 6

Midwives - 8

Women

Representatives-7

paralytic ileus

Your previous score -

4

Obstetricians - 5

Neonatologists - 6

Midwives - 6

Women

Representatives-6

perineal trauma

Your previous score -

9

Obstetricians - 6

Neonatologists - 7

Midwives - 7

Women

Representatives-7

| | | | | | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|
| | | | | 4 - | 5 - | 6 - | | | |
| | | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | 4 - Limited | 5 - Limited | 6 - Limited | 7 - Limited | 8 - Limited | 9 - Limited | 10 - Limited |
| Importance | Importance | Importance | Importance | Importance | Importance | Importance | Importance | Importance | Importance |
| | | | | but not | but not | but not | | | |
| | | | | Critical | Critical | Critical | | | |

postnatal depression

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-8 | | | | | | | | | |

puerperal infection

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

pulmonary embolus

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 8 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

pulmonary oedema

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 8 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

stroke (acute neurological deficit greater than 24 hours)

Your previous score - 6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 8 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 9 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-9 | | | | | | | | | |

*** 5. Please score the following *outcome measures for the woman* from 1 (Limited Importance) to 9 (Critical Importance), final.**

1 - Limited Importance 2 - Limited Importance 3 - Limited Importance 4 - Important but not Critical 5 - Important but not Critical 6 - Important but not Critical 7 - Critical 8 - Critical 9 - Critical

uterine

hyperstimulation

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

uterine scar dehiscence

(defined as clinically asymptomatic disruption of the uterus that is discovered incidentally at surgery)

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

vulval or perineal haematoma requiring evacuation

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 5 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |



**Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL
Round 2**

Thank you for scoring the outcome measures for the woman.

You will now be asked to score the outcome measures for the infant.



Outcome Measures for the Infant.

*** 6. Outcome measures for the infant.**

Please score the following events or conditions that may occur before, during or after the induction of labour from **1 (Limited Importance)** to **9 (Critical Importance)** in terms of their short-term impact to the baby born following induction of labour.

NOTE: How important is it to you that these outcomes are looked into in future research regarding induction of labour?

| | | | | | | | | | |
|-------------|-------------|-------------|--|-----------|-----------|-----------|----------|----------|----------|
| | | | | 4 - | 5 - | 6 - | | | |
| | | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | | Critical | Critical | Critical | Critical | Critical | Critical |

admission to the neonatal unit

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 8 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 8 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

apgar score less than seven at five minutes

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

birthweight

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 5 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 4 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-5 | | | | | | | | | |

4 - 5 - 6 -
 Important Important Important
 1 - Limited 2 - Limited 3 - Limited but not but not but not 7 - 8 - 9 -
 Importance Importance Importance Critical Critical Critical Critical Critical Critical

**laceration to baby
 at time of birth**

Your previous score -
 1

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 5 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

**meconium-stained
 liquor**

Your previous score -
 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 5 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 4 | | | | | | | | | |
| Midwives - 5 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

* 7. Please score the following *outcome measures for the infant* from 1 (Limited Importance) to 9 (Critical Importance), continued.

4 - 5 - 6 -
 Important Important Important
 1 - Limited 2 - Limited 3 - Limited but not but not but not 7 - 8 - 9 -
 Importance Importance Importance Critical Critical Critical Critical Critical Critical

**necrotising
 enterocolitis**

Your previous score -
 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-8 | | | | | | | | | |

use of tube feeding

Your previous score -
 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 5 | | | | | | | | | |
| Midwives - 5 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

Thank you for completing the outcome measures for the infant.

The following section regards the long-term outcomes for the woman and the infant.



Long-term Outcomes to the Woman.

*** 8. Long-term outcomes to the woman.**

Please score the following events or conditions that may occur before, during or after the induction of labour from **1 (Limited Importance)** to **9 (Critical Importance)** in terms of their long-term impact on a labouring woman that undergoes induction of labour.

NOTE: How important is it to you that these outcomes are looked into in future research regarding induction of labour?

| | | | | | | | | | |
|-------------|-------------|-------------|--|-----------|-----------|-----------|----------|----------|----------|
| | | | | 4 - | 5 - | 6 - | | | |
| | | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | | Critical | Critical | Critical | Critical | Critical | Critical |

development of morbidly adherent placenta in subsequent pregnancies

Your previous score - 9

Obstetricians - 7

Neonatologists - 6

Midwives - 6

Women

Representatives-6

future fertility (both voluntary and involuntary)

Your previous score - 9

Obstetricians - 6

Neonatologists - 6

Midwives - 6

Women

Representatives-7

1 - Limited Importance 2 - Limited Importance 3 - Limited Importance 4 - Important but not Critical 5 - Important but not Critical 6 - Important but not Critical 7 - Critical 8 - Critical 9 - Critical

health and well-being assessment

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 5 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

mode of birth in subsequent pregnancy

Your previous score - 7

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 5 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

need for operative pelvic floor repair

Your previous score - 9

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-7 | | | | | | | | | |

relationship with partner and child(ren)

Your previous score - 6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 8 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-8 | | | | | | | | | |

return to 'normal' activities

Your previous score - 6

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | | |
| Midwives - 6 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

4 - 5 - 6 -
 Important Important Important
 but not but not but not
 1 - Limited 2 - Limited 3 - Limited 4 - Critical 5 - Critical 6 - Critical 7 - Critical 8 - Critical 9 - Critical
 Importance Importance Importance

sexual health

Your previous score -

6

Obstetricians - 6

Neonatologists - 7

Midwives - 6

Women

Representatives-6

○ ○ ○ ○ ○ ○ ○ ○ ○ ○

symptoms related to pelvic floor damage

Your previous score -

9

Obstetricians - 6

Neonatologists - 7

Midwives - 7

Women

Representatives-7

○ ○ ○ ○ ○ ○ ○ ○ ○ ○



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

Thank you for completing the long-term outcomes section.

The last section refers to measures of satisfaction, effectiveness and costs.



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

Measures of Satisfaction.

*** 9. Please score how important you think it is for the mother and the caregiver to be satisfied with the induction of labour process from 1 (Limited Importance) to 9 (Critical Importance).**

| | | | | | | | | |
|-------------|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | Critical | Critical | Critical | Critical | Critical | Critical |

caregiver satisfaction

Your previous score - 8

Obstetricians - 5

Neonatologists - 6

Midwives - 6

Women

Representatives-6

| | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

Measures of Effectiveness.

* 10. Please score the following *measures of effectiveness* from 1 (Limited Importance) to 9 (Critical Importance).

NOTE: Score the following indicators in terms of how important you think they are in assessing how effective a drug is in bringing about induction of labour.

| | | | | | | | | |
|-------------|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | Important | Important | | | |
| | | | but not | but not | but not | | | |
| | | | Critical | Critical | Critical | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | | | | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | | | | Critical | Critical | Critical |

more than one induction agent required

Your previous score - 9

| | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | |
| Midwives - 7 | | | | | | | | |
| Women | | | | | | | | |
| Representatives-6 | | | | | | | | |

length of hospital stay

Your previous score - 9

| | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 6 | | | | | | | | |
| Midwives - 7 | | | | | | | | |
| Women | | | | | | | | |
| Representatives-6 | | | | | | | | |

oxytocin augmentation

Your previous score - 9

| | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Obstetricians - 6 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Neonatologists - 7 | | | | | | | | |
| Midwives - 7 | | | | | | | | |
| Women | | | | | | | | |
| Representatives-7 | | | | | | | | |

| | | | | | | | | |
|-------------|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | Critical | Critical | Critical | Critical | Critical | Critical |

**time from induction
of labour to
delivery**

Your previous score -

9

Obstetricians - 8

Neonatologists - 7

Midwives - 7

Women

Representatives-8

| | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

Measures of Costs.

* 11. Please score the following *measures of costs* from 1 (Limited Importance) to 9 (Critical Importance).

1 - Limited Importance 2 - Limited Importance 3 - Limited Importance 4 - Important but not Critical 5 - Important but not Critical 6 - Important but not Critical 7 - Critical 8 - Critical 9 - Critical

costs associated with elective repeat caesarean birth versus induction of labour

Your previous score - 9
 Obstetricians - 6
 Neonatologists - 7
 Midwives - 7
 Women
 Representatives-6

costs associated with prolonged length of stay of baby

Your previous score - 9
 Obstetricians - 6
 Neonatologists - 6
 Midwives - 7
 Women
 Representatives-6

costs associated with prolonged length of stay of mother

Your previous score - 9
 Obstetricians - 6
 Neonatologists - 7
 Midwives - 8
 Women
 Representatives-6

| | | | | | | | | |
|-------------|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | Critical | Critical | Critical | Critical | Critical | Critical |

**costs associated
with readmission of
baby**

Your previous score -

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 9 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Obstetricians - 6 | | | | | | | | | |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |

**costs associated
with readmission of
mother**

Your previous score -

| | | | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 9 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Obstetricians - 6 | | | | | | | | | |
| Neonatologists - 6 | | | | | | | | | |
| Midwives - 7 | | | | | | | | | |
| Women | | | | | | | | | |
| Representatives-6 | | | | | | | | | |



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

New Outcomes

* 12. Please score the following *measures of costs* from 1 (Limited Importance) to 9 (Critical Importance).

| | | | | | | | | |
|-------------|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|
| | | | 4 - | 5 - | 6 - | | | |
| | | | Important | Important | Important | | | |
| 1 - Limited | 2 - Limited | 3 - Limited | but not | but not | but not | 7 - | 8 - | 9 - |
| Importance | Importance | Importance | Critical | Critical | Critical | Critical | Critical | Critical |

umbilical cord pH

The pH level on the baby's blood after birth (taken from the umbilical cord). If a baby was in distress during labour/delivery, the pH can be low (acidosis)

| | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

need for therapeutic hypothermia

in therapeutic hypothermia, an infant's total body temperature is reduced shortly after birth in order to reduce the chances of severe brain damage and slow down disease progression if there were concerns during labour

| | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

| 1 - Limited Importance | 2 - Limited Importance | 3 - Limited Importance | 4 - Important but not Critical | 5 - Important but not Critical | 6 - Important but not Critical | 7 - Critical | 8 - Critical | 9 - Critical |
|------------------------|------------------------|------------------------|--------------------------------|--------------------------------|--------------------------------|--------------|--------------|--------------|
|------------------------|------------------------|------------------------|--------------------------------|--------------------------------|--------------------------------|--------------|--------------|--------------|

amniotic fluid embolism

rare emergency in which amniotic fluid, fetal cells, hair, or other debris enters the mother's blood stream via the placental bed of the uterus and triggers an allergic-like reaction. It has a high mortality rate

| | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|

intrapartum stillbirth

when a baby passes away during the labour/delivery process

| | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|



Copy of Development of a Core Outcome Set for Trials on Induction of Labour - COSIOL Round 2

Thank You + Comments.

Thank you for taking the time to complete this survey.
You will be informed of the results soon.
If you have any comments or suggestions, please write them below.

13. Any comments or suggestions?