



# Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV with the ATLAS detector



ATLAS Collaboration\*

## ARTICLE INFO

## Article history:

Received 11 June 2014

Received in revised form 27 October 2014

Accepted 30 October 2014

Available online 4 November 2014

Editor: D.F. Geesaman

## ABSTRACT

Measurements of charged-particle fragmentation functions of jets produced in ultra-relativistic nuclear collisions can provide insight into the modification of parton showers in the hot, dense medium created in the collisions. ATLAS has measured jets in  $\sqrt{s_{\text{NN}}} = 2.76$  TeV Pb+Pb collisions at the LHC using a data set recorded in 2011 with an integrated luminosity of  $0.14 \text{ nb}^{-1}$ . Jets were reconstructed using the anti- $k_t$  algorithm with distance parameter values  $R = 0.2, 0.3$ , and  $0.4$ . Distributions of charged-particle transverse momentum and longitudinal momentum fraction are reported for seven bins in collision centrality for  $R = 0.4$  jets with  $p_T^{\text{jet}} > 100 \text{ GeV}$ . Commensurate minimum  $p_T$  values are used for the other radii. Ratios of fragment distributions in each centrality bin to those measured in the most peripheral bin are presented. These ratios show a reduction of fragment yield in central collisions relative to peripheral collisions at intermediate  $z$  values,  $0.04 \lesssim z \lesssim 0.2$ , and an enhancement in fragment yield for  $z \lesssim 0.04$ . A smaller, less significant enhancement is observed at large  $z$  and large  $p_T$  in central collisions.

© 2014 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/3.0/>). Funded by SCOAP<sup>3</sup>.

## 1. Introduction

Collisions between lead nuclei at the LHC are thought to produce a quark-gluon plasma (QGP), a form of strongly interacting matter in which quarks and gluons become locally deconfined. One predicted consequence of QGP formation is the “quenching” of jets generated in hard-scattering processes during the initial stages of the nuclear collisions [1]. Jet quenching refers, collectively, to a set of possible modifications of parton showers by the QGP through interactions of the constituents of the shower with the colour charges in the plasma [2,3]. In particular, quarks and gluons in the shower may be elastically or inelastically scattered resulting in both deflection and energy loss of the constituents of the shower. The deflection and the extra radiation associated with inelastic processes may broaden the parton shower and eject partons out of an experimental jet cone [4–9]. As a result, jet quenching can potentially both soften the spectrum of the momentum of hadrons inside the jet and reduce the total energy of the reconstructed jet. A complete characterization of the effects of jet quenching therefore requires measurements of both the single-jet suppression and the jet fragment distributions.

Observations of modified dijet asymmetry distributions [10–12], modified balance-jet transverse momentum ( $p_T$ ) distributions in  $\gamma + \text{jet}$  events [13], and suppressed inclusive jet yield in Pb+Pb collisions at the LHC [14,15] are consistent with theoretical calcu-

lations of jet quenching. However, it has been argued that those measurements do not sufficiently discriminate between calculations that make different assumptions regarding the relative importance of the contributions described above [16]. Based on the above arguments, theoretical analyses are incomplete without experimental constraints on the theoretical description of jet fragment distributions.

This Letter presents measurements of charged-particle jet fragmentation functions in  $\sqrt{s_{\text{NN}}} = 2.76$  TeV Pb+Pb collisions using  $0.14 \text{ nb}^{-1}$  of data recorded in 2011. The jets used in the measurements were reconstructed with the anti- $k_t$  [17] algorithm using distance parameter values  $R = 0.2, 0.3$ , and  $0.4$ . Results are presented for the charged-particle transverse momentum ( $\vec{p}_T^{\text{ch}}$ ) and longitudinal momentum fraction ( $z \equiv \vec{p}_T^{\text{ch}} \cdot \vec{p}_T^{\text{jet}} / |\vec{p}_T^{\text{jet}}|^2$ ) distributions,

$$D(p_T) \equiv \frac{1}{N_{\text{jet}}} \frac{dN_{\text{ch}}}{dp_T^{\text{ch}}}, \quad (1)$$

$$D(z) \equiv \frac{1}{N_{\text{jet}}} \frac{dN_{\text{ch}}}{dz}, \quad (2)$$

of charged particles with  $p_T^{\text{ch}} > 2 \text{ GeV}$  produced within an angular range  $\Delta R = 0.4$  of the reconstructed jet directions for jets with  $p_T^{\text{jet}} > 85, 92$ , and  $100 \text{ GeV}$  for  $R = 0.2, 0.3$ , and  $0.4$ , respectively. Here,  $\Delta R = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2}$  where  $\Delta\phi$  ( $\Delta\eta$ ) is the difference in azimuthal angles (pseudorapidities) between the charged

\* E-mail address: [atlas.publications@cern.ch](mailto:atlas.publications@cern.ch).

particle and jet directions.<sup>1</sup> The  $p_T^{\text{jet}}$  thresholds for the three  $R$  values were chosen to match the  $R$ -dependence of the measured transverse momentum of a typical jet. For simplicity, the terms “fragmentation functions” are used to describe the distributions defined in Eq. (2) with the understanding that  $D(z)$  is different from a theoretical fragmentation function,  $D(z, Q^2)$ , calculated using unquenched jet energies and with no restriction on the angles of particles with respect to the jet axis. Earlier measurements by CMS of jet fragmentation functions [18] in Pb+Pb collisions at the LHC show no significant modification, but the uncertainties on that measurement were not sufficient to exclude modifications at the level of  $\sim 10\%$ . CMS recently released a new result [19] using higher statistics data from 2011 that show fragmentation function modifications which are consistent with the results presented in this Letter.

## 2. Experimental setup

The measurements presented in this Letter were performed using the ATLAS calorimeter, inner detector, muon spectrometer, trigger, and data acquisition systems [20]. The ATLAS calorimeter system consists of a liquid argon (LAr) electromagnetic (EM) calorimeter covering  $|\eta| < 3.2$ , a steel-scintillator sampling hadronic calorimeter covering  $|\eta| < 1.7$ , a LAr hadronic calorimeter covering  $1.5 < |\eta| < 3.2$ , and two LAr forward calorimeters (FCal) covering  $3.2 < |\eta| < 4.9$ . The hadronic calorimeter has three sampling layers longitudinal in shower depth and has a  $\Delta\eta \times \Delta\phi$  granularity of  $0.1 \times 0.1$  for  $|\eta| < 2.5$  and  $0.2 \times 0.2$  for  $2.5 < |\eta| < 4.9$ .<sup>2</sup> The EM calorimeters are segmented longitudinally in shower depth into three compartments with an additional pre-sampler layer. The EM calorimeter has a granularity that varies with layer and pseudorapidity, but which is generally much finer than that of the hadronic calorimeter. The middle sampling layer, which typically has the largest energy deposit in EM showers, has a granularity of  $0.025 \times 0.025$  over  $|\eta| < 2.5$ .

The inner detector [21] measures charged particles within the pseudorapidity interval  $|\eta| < 2.5$  using a combination of silicon pixel detectors, silicon microstrip detectors (SCT), and a straw-tube transition radiation tracker (TRT), all immersed in a 2 T axial magnetic field. All three detectors are composed of a barrel and two symmetrically placed end-cap sections. The pixel detector is composed of 3 layers of sensors with nominal feature size  $50 \mu\text{m} \times 400 \mu\text{m}$ . The SCT barrel section contains 4 layers of modules with  $80 \mu\text{m}$  pitch sensors on both sides, while each end-cap consists of nine layers of double-sided modules with radial strips having a mean pitch of  $80 \mu\text{m}$ . The two sides of each SCT layer in both the barrel and the end-caps have a relative stereo angle of 40 mrad. The TRT contains up to 73 (160) layers of staggered straws interleaved with fibres in the barrel (end-cap). Charged particles with  $p_T^{\text{ch}} \gtrsim 0.5 \text{ GeV}$  typically traverse three layers of pixel sensors, four layers of double-sided SCT sensors, and, in the case of  $|\eta| < 2.0$ , 36 TRT straws.

Minimum bias Pb+Pb collisions were identified using measurements from the zero degree calorimeters (ZDCs) and the minimum-bias trigger scintillator (MBTS) counters [20]. The ZDCs are located symmetrically at  $z = \pm 140 \text{ m}$  and cover  $|\eta| > 8.3$ .

<sup>1</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$  axis points upward. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ .

<sup>2</sup> An exception is the third sampling layer that has a segmentation of  $0.2 \times 0.1$  up to  $|\eta| = 1.4$ .

In Pb+Pb collisions the ZDCs measure primarily “spectator” neutrons, which originate from the incident nuclei and do not interact hadronically. The MBTS detects charged particles over  $2.1 < |\eta| < 3.9$  using two counters placed at  $z = \pm 3.6 \text{ m}$ . MBTS counters are divided into 16 modules with 8 different positions in azimuth and covering 2 different  $|\eta|$  intervals. Each counter provides measurement of both the pulse heights and arrival times of ionization energy deposits.

Events used in this analysis were selected for recording by a combination of Level-1 minimum-bias and High Level Trigger (HLT) jet triggers. The Level-1 trigger required a total transverse energy measured in the calorimeter of greater than  $10 \text{ GeV}$ . The HLT jet trigger ran the offline Pb+Pb jet reconstruction algorithm, described below, for  $R = 0.2$  jets except for the application of the final hadronic energy scale correction. The HLT trigger selected events containing an  $R = 0.2$  jet with transverse energy  $E_T > 20 \text{ GeV}$ .

## 3. Event selection and data sets

This analysis uses a total integrated luminosity of  $0.14 \text{ nb}^{-1}$  of Pb+Pb collisions recorded by ATLAS in 2011. Events selected by the HLT jet trigger were required to have a reconstructed primary vertex and a time difference between hits in the two sides of the MBTS detector of less than 3 ns. The primary vertices were reconstructed from charged-particle tracks with  $p_T^{\text{ch}} > 0.5 \text{ GeV}$ . The tracks were reconstructed from hits in the inner detector using the ATLAS track reconstruction algorithm described in Ref. [22] with settings optimized for the high hit density in heavy-ion collisions [23]. A total of 14.2 million events passed the described selections.

The centrality of Pb+Pb collisions was characterized by  $\sum E_T^{\text{FCal}}$ , the total transverse energy measured in the forward calorimeters [23]. Jet fragmentation functions were measured in seven centrality bins defined according to successive percentiles of the  $\sum E_T^{\text{FCal}}$  distribution ordered from the most central to the most peripheral collisions: 0–10%, 10–20%, 20–30%, 30–40%, 40–50%, 50–60%, and 60–80%. The percentiles were defined after correcting the  $\sum E_T^{\text{FCal}}$  distribution for a 2% minimum-bias trigger inefficiency that affects the most peripheral events which are not included in this analysis.

The performance of the ATLAS detector and offline analysis in measuring jets and charged particles in the environment of Pb+Pb collisions was evaluated using a large Monte Carlo (MC) event sample obtained by overlaying simulated [24] PYTHIA [25]  $pp$  hard-scattering events at  $\sqrt{s} = 2.76 \text{ TeV}$  onto 1.2 million minimum-bias Pb+Pb events recorded in 2011. The same number of PYTHIA events was produced for each of five intervals of  $\hat{p}_T$ , the transverse momentum of outgoing partons in the  $2 \rightarrow 2$  hard-scattering, with boundaries 17, 35, 70, 140, 280, and 560 GeV. The detector response to the PYTHIA events was simulated using Geant4 [26], and the simulated hits were combined with the data from the minimum-bias Pb+Pb events to produce 1.2 million overlaid events for each  $\hat{p}_T$  interval.

## 4. Jet and charged-particle analysis

Charged particles included in the fragmentation measurements were required to have at least two hits in the pixel detector, including a hit in the first pixel layer if the track trajectory makes such a hit expected, and seven hits in the silicon microstrip detector. In addition, the transverse ( $d_0$ ) and longitudinal ( $z_0 \sin \theta$ ) impact parameters of the tracks measured with respect to the primary vertex were required to satisfy  $|d_0/\sigma_{d_0}| < 3$  and  $|z_0 \sin \theta/\sigma_z| < 3$ , where  $\sigma_{d_0}$  and  $\sigma_z$  are uncertainties on  $d_0$  and  $z_0 \sin \theta$ , respectively, obtained from the track-fit covariance matrix.

**Table 1**

Number of jets for two centrality bins in data as a function of the selection criteria applied. Each line specifies the number of jets passing all cuts for the given line and above.

Cut description	$N_{\text{jet}}$	
	0–10%	60–80%
All jets	41 191	2579
UE jet rejection	41 116	2570
Isolation	40 986	2554
Muon rejection	40 525	2523
Inactive area exclusion	39 548	2458
Trigger jet match	39 548	2458

Jets were reconstructed using the techniques described in Ref. [14], which are briefly summarized here.

The anti- $k_t$  algorithm was first run in four-momentum recombination mode, on  $\Delta\eta \times \Delta\phi = 0.1 \times 0.1$  logical towers and for three values of the anti- $k_t$  distance parameter,  $R = 0.2, 0.3$ , and  $0.4$ . The tower kinematics were obtained by summing electromagnetic-scale energies of calorimeter cells within the tower boundaries. Then, an iterative procedure was used to estimate a layer- and  $\eta$ -dependent underlying event (UE) energy density while excluding actual jets from that estimate. The UE energy was subtracted from each calorimeter cell within the towers included in the reconstructed jet. The correction takes into account a  $\cos 2\phi$  modulation of the calorimeter response due to elliptic flow of the medium [23] which is estimated by measurement of the amplitude of that modulation in the calorimeter. The final jet kinematics were calculated via a four-momentum sum of all (assumed massless) cells contained within the jets using subtracted  $E_T$  values. A correction was applied to the reconstructed jet to account for jets not excluded or only partially excluded from the UE estimate. Then, a final jet  $\eta$ - and  $E_T$ -dependent hadronic energy scale calibration factor was applied.

After the reconstruction, additional selections were applied for the purposes of this analysis. “UE jets” generated by fluctuations in the underlying event, were removed using techniques described in Ref. [14].

To prevent neighbouring jets from distorting the measurement of the fragmentation functions, jets were required to be isolated. The isolation cut required that there be no other jet within  $\Delta R = 1$  having  $p_T > p_T^{\text{iso}}$  where  $p_T^{\text{iso}}$ , the isolation threshold, is set to half of the analysis threshold for each  $R$  value,  $p_T^{\text{iso}} = 42.5, 46$ , and  $50$  GeV for  $R = 0.2, 0.3$ , and  $0.4$ , respectively. To prevent muons from semileptonic heavy-flavour decays from influencing the measured fragmentation functions, all jets with reconstructed muons having  $p_T > 4$  GeV within a cone of size  $\Delta R = 0.4$  were excluded from the analysis. To prevent inactive regions in the calorimeters from producing artificial high  $z$  fragments, jets were required to have more than 90% of their energy contained within fully functional regions of the calorimeter. Finally, all jets included in the analysis were required to match HLT jets reconstructed with transverse momenta greater than the trigger threshold of 20 GeV. The HLT jets were found to be fully efficient for the jet kinematic selection used in this analysis. Table 1 shows the impact of the cuts on the number of measured jets in central (0–10%) and peripheral (60–80%) collisions. All these cuts together retain more than 96% of all jets.

## 5. Jet and track reconstruction performance

The performance of the ATLAS detector and analysis procedures in measuring jets was evaluated from the MC sample using the procedures described in Ref. [14]. Reconstructed MC jets were matched to “truth” jets obtained by separately running the anti- $k_t$

**Table 2**

The relationship between the mean truth-jet transverse momenta,  $\langle p_{T\text{true}}^{\text{jet}} \rangle$ , and corresponding reconstructed jet transverse momenta,  $p_{T\text{rec}}^{\text{jet}}$ . Sample values of  $\alpha$  and  $\beta$  obtained from linear fits to  $\langle p_{T\text{true}}^{\text{jet}} \rangle(p_{T\text{rec}}^{\text{jet}})$  (see text) according to Eq. (3) and the resulting  $\langle p_{T\text{true}}^{\text{jet}} \rangle$  for  $p_{T\text{rec}}^{\text{jet}} = 100$  GeV.

Centrality	Jet $R$	$\alpha$	$\beta$ (GeV)	$\langle p_{T\text{true}}^{\text{jet}} \rangle$ (100 GeV)
0–10%	0.2	$0.995 \pm 0.003$	$-7.6 \pm 0.5$	91.9 GeV
60–80%	0.2	$0.989 \pm 0.002$	$-6.0 \pm 0.3$	92.9 GeV
0–10%	0.4	$1.027 \pm 0.004$	$-17.7 \pm 0.5$	85.0 GeV
60–80%	0.4	$0.964 \pm 0.002$	$-2.3 \pm 0.2$	94.1 GeV

algorithm on the final-state PYTHIA particles<sup>3</sup> for the three jet  $R$  values used in this analysis. For the jet fragmentation measurements, the most important aspect of the jet performance is the jet energy resolution (JER). For jet energies  $\gtrsim 100$  GeV, the JER in central (0–10%) collisions for  $R = 0.4$  jets has comparable contributions from UE fluctuations and “intrinsic” resolution of the calorimetric jet measurement. For peripheral collisions and  $R = 0.2$  jets, the intrinsic calorimeter resolution dominates the JER. The value of JER evaluated for jets with  $p_T = 100$  GeV in 0–10% collisions is 0.18, 0.15, and 0.13 for  $R = 0.4$ ,  $R = 0.3$ , and  $R = 0.2$  jets, respectively.

The combination of the finite JER and the steeply falling jet  $p_T$  spectrum produces a net migration of jets from lower  $p_T$  to higher  $p_T$  values (hereafter referred to as “upfeeding”) such that a jet reconstructed with a given  $p_{T\text{rec}}^{\text{jet}}$  corresponds, on average, to a lower truth-jet  $p_T$ ,  $\langle p_{T\text{true}}^{\text{jet}} \rangle$ . The relationship between  $\langle p_{T\text{true}}^{\text{jet}} \rangle$  and  $p_{T\text{rec}}^{\text{jet}}$  was evaluated from the MC data set for the different centrality bins and three  $R$  values used in this analysis. For the jet  $p_{T\text{rec}}^{\text{jet}}$  values used in this analysis, that relationship is well described by a linear dependence,


$$\langle p_{T\text{true}}^{\text{jet}} \rangle = \alpha p_{T\text{rec}}^{\text{jet}} + \beta. \quad (3)$$

Sample values for  $\alpha$  and  $\beta$  and the resulting  $\langle p_{T\text{true}}^{\text{jet}} \rangle$  values for  $R = 0.2$  and  $R = 0.4$  jets in peripheral and central collisions are listed in Table 2. The extracted relationships between  $p_{T\text{rec}}^{\text{jet}}$  and  $\langle p_{T\text{true}}^{\text{jet}} \rangle$  will be used in the fragmentation analysis to correct for the average shift in the measured jet energy.

MC studies indicate that the efficiency for PYTHIA jets to be reconstructed and to pass UE jet rejection exceeds 98% for  $p_T^{\text{jet}} > 60$  GeV in the 0–10% centrality bin. For kinematic selection of jets used in this study, the jet reconstruction was fully efficient.

The efficiency for reconstructing charged particles within jets in Pb+Pb collisions was evaluated using the MC sample. Fig. 1 shows comparisons of distributions of four important track-quality variables between data and MC simulation for reconstructed tracks over a narrow  $p_T^{\text{ch}}$  interval,  $5 < p_T^{\text{ch}} < 7$  GeV, to minimize the impact of differences in MC and data charged-particle  $p_T^{\text{ch}}$  distributions. The ratios of the data to MC distributions also shown in the figure indicate better than 1% agreement in the  $\eta$  dependence of the average number of pixel and SCT hits associated with the tracks. The distributions of  $d_0$  and  $z_0 \sin \theta$  agree to  $\lesssim 10\%$  except in the tails of the distributions, which contribute a negligible fraction of the distribution. For the purpose of evaluating the track reconstruction performance and for the evaluation of response matrices that are used in the unfolding (described below), the reference “truth” particles were taken from the set of final-state PYTHIA charged particles. These were matched to re-

<sup>3</sup> Final-state PYTHIA particles are defined as all generated particles with lifetimes longer than  $0.3 \cdot 10^{-10}$  s originating from the primary interaction or from subsequent decay of particles with shorter lifetimes.



**Fig. 1.** Comparison between data and MC distributions for four different charged-particle reconstruction selection parameters. The distributions are shown for the 0–10% centrality bin and for charged-particle transverse momenta in the range  $5 < p_T^{\text{ch}} < 7 \text{ GeV}$ . Top: average number of pixel (left) and SCT (right) hits per track. Bottom: distribution of track impact parameters with respect to the reconstructed primary vertex; both transverse,  $d_0$  (left), and longitudinal,  $z_0 \sin \theta$  (right), impact parameters are shown. Ratios of distributions in data to those in MC simulation are shown for each quantity.


constructed charged particles using associations between detector hits and truth tracks recorded by the ATLAS Geant4 simulations. Truth particles for which no matching reconstructed particle was found were considered lost due to inefficiency.

The charged-particle reconstruction efficiency,  $\varepsilon(p_T, \eta)$ , was evaluated separately in each of the seven centrality bins used in this analysis for truth particles within  $\Delta R = 0.4$  of  $R = 0.4$  truth jets having  $p_T^{\text{jet}} > 100 \text{ GeV}$ . Fig. 2 shows the efficiency as a function of truth-particle  $p_T$  averaged over  $|\eta| < 1$  (top) and  $1 < |\eta| < 2.5$  (bottom) for the 0–10% and 60–80% centrality bins. For  $p_T < 8 \text{ GeV}$ ,  $\varepsilon(p_T, \eta)$  was directly evaluated using fine bins in  $p_T$  and  $\eta$ . For  $p_T > 8 \text{ GeV}$  the  $p_T$  dependence of the efficiencies were parameterized separately in the two pseudorapidity intervals shown in Fig. 2 using a functional form that describes trends at low  $p_T$  as well as at high  $p_T$ . An example of the resulting parameterizations is shown by the solid curves in Fig. 2. A centrality-dependent systematic uncertainty in the parameterized efficiencies, shown by the shaded bands in Fig. 2, was evaluated based on both the uncertainties in the parameterization and on observed variations of the efficiency with  $p_T$ , which largely result from loss of hits in the SCT at higher detector occupancy. Thus, the systematic uncertainty in the 60–80% centrality bin is small because no significant variation of the efficiency is observed at low detector occupancy, while the uncertainties are largest for the 0–10% centrality bin with the largest detector occupancies.

The efficiencies shown in Fig. 2 decrease by about 12% between the  $|\eta| < 1$  interval covered by the SCT barrel and the  $1 < |\eta| < 2.5$  interval covered primarily by the SCT end-cap. More significant localized drops in efficiency of about 20% are observed over  $1 < |\eta| < 1.2$  and  $2.3 < |\eta| < 2.5$  corresponding to the transition between the SCT barrel and end-cap and the detector edge respectively. To account for this and other localized variations of the high  $p_T$  reconstruction efficiency with pseudorapidity, the parameterizations in Fig. 2 for  $p_T > 8 \text{ GeV}$  are multiplied by an  $\eta$ -dependent factor evaluated in intervals of 0.1 units to produce  $\varepsilon(p_T, \eta)$ .

## 6. Fragmentation functions and unfolding

Jets used for the fragmentation measurements presented here were required to have  $p_T^{\text{jet}} > 85, 92$  and  $100 \text{ GeV}$  for  $R = 0.2, 0.3$ , and  $0.4$  jets, respectively. The jet thresholds for  $R = 0.3$  and  $R = 0.2$  jets represent the typical energy measured with the smaller jet radii for an  $R = 0.4$  jet with  $p_T = 100 \text{ GeV}$ . Jets were also required to have either  $0 < |\eta| < 1$  or  $1.2 < |\eta| < 1.9$ . The restriction of the measurement to  $|\eta| < 1.9$  avoids the region at the detector edge with reduced efficiency ( $|\eta| > 2.3$ ). The exclusion of the range  $1 < |\eta| < 1.2$  removes from the measurement jets whose large- $z$  fragments, which are typically collinear with the jet axis, would be detected in the lower-efficiency  $\eta$  region spanning the gap between SCT barrel and end-cap. While this exclusion does



**Fig. 2.** Charged-particle reconstruction efficiency as a function of truth  $p_T$ , for 0–10% (red) and 60–80% (blue) centrality bins in the region  $|\eta| < 1$  (top) and  $1 < |\eta| < 2.5$  (bottom). The  $p_T$  values for the 0–10% points are shifted for clarity. The solid curves show parameterizations of efficiencies. The shaded bands show the systematic uncertainty in the parameterized efficiencies (see text). (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

not significantly change the result of the measurement, it reduces the systematic uncertainties at large  $z$  or  $p_T^{\text{ch}}$ .

The fragmentation functions were measured for charged particles with  $p_T^{\text{ch}} > 2$  GeV within an angular range  $\Delta R = 0.4$  of the jet direction for all three  $R$  values used in the jet reconstruction. To reduce the effects of the UE broadening of the jet position measurement, for  $R = 0.3$  and  $R = 0.4$  jets, the jet direction was taken from that of the closest matching  $R = 0.2$  jet within  $\Delta R = 0.3$  when such a matching jet was found. For each charged particle, the longitudinal jet momentum fraction,  $z$ , was calculated according to

$$z = \frac{p_T^{\text{ch}}}{p_T^{\text{jet}}} \cos \Delta R, \quad (4)$$

where  $\Delta R$  here represents the angle between the charged particle and jet directions.<sup>4</sup>

Charged particles from the UE contribute a  $p_T^{\text{ch}}$ - and centrality-dependent background to the measurement that must be subtracted to obtain the true fragmentation functions. The contribution of the UE background was separately evaluated for  $R = 0.2$ , 0.3, and 0.4 jets in events having at least one such jet above the jet  $p_T$  thresholds using a grid of  $\Delta R = 0.4$  cones that spanned the full coverage of the inner detector. Any such cone having a charged particle with  $p_T^{\text{ch}} > 6$  GeV was assumed to be associated

with a real jet in the event and was excluded from the UE background determination. The threshold of 6 GeV was chosen to be high enough to avoid bias of the UE  $p_T^{\text{ch}}$  distribution.

The resulting per-jet UE charged-particle yields,  $dn_{\text{ch}}^{\text{UE}}/dp_T^{\text{ch}}$  were evaluated over  $2 < p_T^{\text{ch}} < 6$  GeV as a function of  $p_T^{\text{ch}}$ ,  $p_T^{\text{jet}}$ , and  $\eta^{\text{jet}}$ , averaged over all cones in all events within a given centrality bin according to:

$$\frac{dn_{\text{ch}}^{\text{UE}}}{dp_T^{\text{ch}}} = \frac{1}{N_{\text{cone}}} \frac{\Delta N_{\text{ch}}^{\text{cone}}(p_T^{\text{ch}}, p_T^{\text{jet}}, \eta^{\text{jet}})}{\Delta p_T^{\text{ch}}}. \quad (5)$$

Here  $N_{\text{cone}}$  represents the number of background cones having a jet of a given radius above the corresponding  $p_T^{\text{jet}}$  threshold, and  $\Delta N_{\text{ch}}^{\text{cone}}$  represents the number of charged particles in a given  $p_T^{\text{ch}}$  bin in all such cones evaluated for jets with a given  $p_T^{\text{jet}}$  and  $\eta^{\text{jet}}$ . Not shown in Eq. (5) is a correction factor that was applied to each background cone to correct for the difference in the average UE-particle yield at a given  $p_T^{\text{ch}}$  between the  $\eta$  position of the cone and  $\eta^{\text{jet}}$ , and a separate correction factor to account for the difference in the elliptic flow modulation at the  $\phi$  position of the UE cone and  $\phi^{\text{jet}}$ . That correction was based on a parameterization of the  $p_T^{\text{ch}}$  and centrality dependence of previously measured elliptic flow coefficients,  $v_2$  [23].

By evaluating the UE contribution only from events containing jets included in the analysis, the background automatically has the correct distribution of centralities within a given centrality bin. The  $dn_{\text{ch}}^{\text{UE}}/dp_T^{\text{ch}}$  is observed to be independent of  $p_T^{\text{jet}}$  both in the data and MC simulation. That observation excludes the possibility that the upfeeding of jets in  $p_T^{\text{jet}}$  due to the finite JER could induce a dependence of the UE on jet  $p_T$ . However, such upfeeding was observed to induce in the MC events a  $p_T^{\text{jet}}$ -independent, but centrality-dependent mismatch between the extracted  $dn_{\text{ch}}^{\text{UE}}/dp_T^{\text{ch}}$  and the actual UE contribution to reconstructed jets. That mismatch was found to result from intrinsic correlations between the charged-particle density in the UE and the MC  $p_T^{\text{jet}}$  error,  $\Delta p_T^{\text{jet}} = p_{T\text{rec}} - p_{T\text{true}}$ . In particular, jets with positive (negative)  $\Delta p_T^{\text{jet}}$  are found to have an UE contribution larger (smaller) than jets with  $\Delta p_T^{\text{jet}} \sim 0$ . Due to the net upfeeding on the falling jet spectrum, the selection of jets above a given  $p_T^{\text{jet}}$  threshold causes the UE contribution to be larger than that estimated from the above-described procedure. The average fractional mismatch in the estimated UE background was found to be independent of  $p_T^{\text{ch}}$  and to vary with centrality by factors between 1.04–1.08, 1.07–1.10, and 1.12–1.15 for  $R = 0.2$ , 0.3, and 0.4, respectively. The measured  $dn_{\text{ch}}^{\text{UE}}/dp_T^{\text{ch}}$  values in the data were corrected by these same factors before being subtracted.

Two different sets of charged-particle fragmentation distributions were measured for each centrality bin and  $R$  value:


$$D^{\text{meas}}(p_T) \equiv \frac{1}{\varepsilon} \left( \frac{1}{N_{\text{jet}}} \frac{\Delta N_{\text{ch}}}{\Delta p_T^{\text{ch}}} - \frac{dn_{\text{ch}}^{\text{UE}}}{dp_T^{\text{ch}}} \right), \quad (6)$$

and


$$D^{\text{meas}}(z) \equiv \frac{1}{\varepsilon} \left( \frac{1}{N_{\text{jet}}} \frac{\Delta N_{\text{ch}}}{\Delta z} - \frac{dn_{\text{ch}}^{\text{UE}}}{dp_T^{\text{ch}}} \Big|_{p_T^{\text{ch}}=zp_T^{\text{jet}}} \right), \quad (7)$$

where  $N_{\text{jet}}$  represents the total number of jets passing the above-described selection cuts in a given centrality bin, and  $\Delta N_{\text{ch}}$  represents the number of measured charged particles within  $\Delta R = 0.4$  of the jets in given bins of  $p_T^{\text{ch}}$  and  $z$ , respectively. The efficiency correction,  $1/\varepsilon$ , was applied on a per-particle basis using the parameterized MC efficiency,  $\varepsilon(p_T, \eta)$ , assuming  $p_T^{\text{ch}} = p_{T\text{rec}}$ . While

<sup>4</sup> The  $\Delta R$  is a boost-invariant replacement for the polar angle  $\theta$ .



**Fig. 3.** Measured and unfolded  $D(z)$  distributions for  $R = 0.4$  and  $R = 0.2$  jets in central (0–10%) and peripheral (60–80%) collisions. Top left:  $R = 0.4$   $D^{\text{meas}}(z)$  and  $D(z)$  distributions, bottom left: ratios of measured to unfolded  $R = 0.4$   $D(z)$  distributions with the 0–10% shifted by +1 for clarity. Top middle and right: central-to-peripheral ratios of measured ( $R_{D(z)}^{\text{meas}}$ ) and unfolded ( $R_{D(z)}$ ) distributions for  $R = 0.4$  and  $R = 0.2$ , respectively. Bottom middle and right: ratio of  $R_{D(z)}^{\text{meas}}$  to  $R_{D(z)}$  for  $R = 0.4$  and  $R = 0.2$ , respectively.



**Fig. 4.** Measured and unfolded  $D(p_T)$  distributions for  $R = 0.4$  and  $R = 0.2$  jets in central (0–10%) and peripheral (60–80%) collisions. Top left:  $R = 0.4$   $D^{\text{meas}}(p_T)$  and  $D(p_T)$  distributions, bottom left: ratios of measured to unfolded  $R = 0.4$   $D(p_T)$  distributions with the 0–10% shifted by +1 for clarity. Top middle and right: central-to-peripheral ratios of measured ( $R_{D(p_T)}^{\text{meas}}$ ) and unfolded ( $R_{D(p_T)}$ ) distributions for  $R = 0.4$  and  $R = 0.2$ , respectively. Bottom middle and right: ratio of  $R_{D(p_T)}^{\text{meas}}$  to  $R_{D(p_T)}$  for  $R = 0.4$  and  $R = 0.2$ , respectively.

that assumption is not strictly valid, the efficiency varies sufficiently slowly with  $p_{T\text{true}}^{\text{ch}}$  that the error introduced by this assumption is  $\lesssim 1\%$  everywhere.

The measured  $D^{\text{meas}}(z)$  distributions for  $R = 0.4$  jets in the 0–10% and 60–80% centrality bins are shown in the top left panel in Fig. 3. The top middle panel shows the ratio of  $D^{\text{meas}}(z)$  between central (0–10%) and peripheral (60–80%) collisions,  $R_{D(z)}^{\text{meas}} \equiv D^{\text{meas}}(z)|_{0-10}/D^{\text{meas}}(z)|_{60-80}$ . For comparison, the  $D^{\text{meas}}(z)$  ratio is shown on the top right panel for  $R = 0.2$  jets. Similar plots are shown in Fig. 4 but for  $D^{\text{meas}}(p_T)$ . The  $D^{\text{meas}}(z)$  ratios for both  $R = 0.2$  and  $R = 0.4$  indicate an enhanced fragment yield at low  $z$ ,  $z \lesssim 0.04$ , in jets in the 0–10% centrality bin compared to jets in the 60–80% centrality bin and a suppressed yield of fragments with  $z \sim 0.1$ . Similar results are observed in the  $D^{\text{meas}}(p_T)$  ratios over the corresponding  $p_T$  ranges. The  $R = 0.2$   $D^{\text{meas}}(z)$  and the  $R = 0.2$  and  $R = 0.4$   $D^{\text{meas}}(p_T)$  ratios rise above one for  $z \gtrsim 0.2$

or  $p_T \gtrsim 25$  GeV. However, the ratios differ from one by only  $1\text{--}2\sigma(\text{stat})$ . No such variations of the  $D^{\text{meas}}(z)$  and  $D^{\text{meas}}(p_T)$  distributions with centrality as seen in the data are observed in the MC simulation. The central-to-peripheral ratios of MC  $D^{\text{meas}}(z)$  and  $D^{\text{meas}}(p_T)$  distributions for  $R = 0.4$  and  $R = 0.2$  jets (not shown) are within 3% of one for all  $z$  and  $p_T$ .

The  $D^{\text{meas}}(p_T)$  and  $D^{\text{meas}}(z)$  distributions were unfolded using a one-dimensional Singular Value Decomposition (SVD) method [27] implemented in `RooUnfold` [28] to remove the effects of charged particle and jet  $p_T$  resolution. The SVD method implements a regularized matrix-based unfolding that attempts to “invert” the equation  $\mathbf{b} = \mathbf{A}\mathbf{x}$ , where  $\mathbf{x}$  is a true spectrum,  $\mathbf{b}$  is an observed spectrum, and  $\mathbf{A}$  is the “response matrix” that describes the transformation of  $\mathbf{x}$  to  $\mathbf{b}$ . For  $D(p_T)$ , the unfolding accounts only for the charged-particle  $p_T$  resolution and uses a response matrix derived from the MC data set that describes the distri-

bution of reconstructed  $p_T^{\text{ch}}$  as a function of MC truth  $p_T^{\text{ch}}$ . The response matrix  $\mathbf{A}(p_{T\text{rec}}^{\text{ch}}, p_{T\text{true}}^{\text{ch}})$  is filled using the procedures described in Section 5. The  $D(z)$  unfolding simultaneously accounts for both charged particle and jet resolution using a response matrix  $\mathbf{A}(z^{\text{rec}}, z^{\text{true}})$  with  $z^{\text{true}}$  ( $z^{\text{rec}}$ ) calculated using purely truth (fully reconstructed) quantities. A cross-check was performed for the  $D(z)$  unfolding that included only the jet energy resolution to ensure that the combination of the two sources of resolution in the one-dimensional unfolding did not distort the result. Because the  $D^{\text{meas}}(z)$  and  $D^{\text{meas}}(p_T)$  distributions were already corrected for the charged-particle reconstruction efficiency, the response matrices were only populated with truth particles for which a reconstructed particle was obtained and each entry was corrected for reconstruction efficiency so as to not distort the shape of the true distributions.

To ensure that statistical fluctuations in the MC  $p_T^{\text{jet}}$  or  $z^{\text{true}}$  distributions do not distort the unfolding, those distributions were smoothed by fitting them to appropriate functional forms. The truth  $D(p_T)$  distributions were fit to polynomials in  $\ln(p_T)$ . The truth  $D(z)$  distributions were parameterized using an extension of a standard functional form [29],

$$D(z) = a \cdot z^{d_1} (1 + c - z)^{d_2} \cdot (1 + b \cdot (1 - z)^{d_3}), \quad (8)$$

where  $a, b, c, d_i$  were free parameters of the fit. The non-standard additional parameter “ $c$ ” was added to improve the description of the truth distribution at large  $z$ . When filling the truth spectra and response matrices, the entries were weighted to match the truth spectra to the fit functions.

The SVD unfolding was performed using a regularization parameter obtained from the ninth singular value ( $k = 9$ ) of the unfolding matrix. Systematic uncertainties in the unfolding due to regularization were evaluated by varying  $k$  over the range 5–12 for which the unfolding was observed to be neither significantly biased by regularization nor unstable. The statistical uncertainties in the unfolded spectra were obtained using the pseudo-experiment method [27]. The largest absolute uncertainty obtained over  $5 \leq k \leq 12$  was taken to be the statistical uncertainty in the unfolded result.

Unfolded fragmentation functions,  $D(z)$ , are shown in the top left panel in Fig. 3 and compared to the corresponding  $D^{\text{meas}}(z)$  distributions for  $R = 0.4$  jets in central (0–10%) and peripheral (60–80%) collisions. Similar results for  $D(p_T)$  are shown in Fig. 4. For both figures, the ratios of unfolded to measured distributions are shown in the bottom left panel with the ratio for 0–10% centrality bin offset by +1. Those ratios show that the unfolding has minimal impact on the fragmentation functions in both peripheral and central collisions. Only the largest  $z$  point in the 0–10% bin changes by more than 20%.

The middle and top right panels in Fig. 3 (Fig. 4) show for  $R = 0.4$  and  $R = 0.2$  jets, respectively the ratios of unfolded  $D(z)$  ( $D(p_T)$ ) distributions,  $R_{D(z)} \equiv D(z)|_{0-10}/D(z)|_{60-80}$  ( $R_{D(p_T)} \equiv D(p_T)|_{0-10}/D(p_T)|_{60-80}$ ), compared to the ratios before unfolding. The unfolding reduces the  $D(z)$  ratio slightly at low  $z$  but otherwise leaves the shapes unchanged. To evaluate the impact of the unfolding on the difference between central and peripheral fragmentation functions, the middle and bottom right panels in Fig. 3 (Fig. 4) show the ratio of  $R_{D(z)}^{\text{meas}}$  ( $R_{D(p_T)}^{\text{meas}}$ ) to  $R_{D(z)}(R_{D(p_T)})$ . Except for the lowest  $z$  point, the ratio is consistent with one over the entire  $z$  range. Thus, the features observed in  $R_{D(z)}^{\text{meas}}$  ( $R_{D(p_T)}^{\text{meas}}$ ), namely the enhancement at low  $z$  ( $p_T$ ) in central collisions relative to peripheral collisions, the suppression at intermediate  $z$  ( $p_T$ ), and the rise above one at large  $z$  ( $p_T$ ) are robust with respect to the effects of the charged particle and jet  $p_T$  resolution.

## 7. Systematic uncertainties


Systematic uncertainties in the unfolded  $D(z)$  and  $D(p_T)$  distributions can arise due to uncertainties in the jet energy scale and jet energy resolution, from systematic uncertainties in the unfolding procedure including uncertainties in the shape of the truth distributions, uncertainties in the charged particle reconstruction, and from the UE subtraction procedure.

The systematic uncertainty due to the jet energy scale (JES) has two contributions, an absolute JES uncertainty and an uncertainty in the variation of the JES from peripheral to more central collisions. The absolute JES uncertainty was determined by shifting the transverse momentum of the reconstructed jets according to the evaluation of the jet energy scale uncertainty in Ref. [30]. The typical size of the JES uncertainty for jets used in this study is 2%. The shift in the JES has negligible impact on the ratios between central and peripheral events of  $D(p_T)$  and  $D(z)$  distributions whereas it has a clear impact on the  $D(p_T)$  and  $D(z)$  distributions. At high  $p_T$  or  $z$  the resulting uncertainty reaches 15%. The evaluation of centrality-dependent uncertainty on JES uses the estimates from Ref. [14]. The centrality-dependent JES uncertainty is largest for the most central collisions where it reaches 1.5%. The evaluation of the jet energy resolution (JER) uncertainty follows the procedure applied in proton-proton jet measurements [31]. The typical size of JER uncertainty for jets used in the study is less than 2%. This uncertainty is centrality independent since the dijets in MC are overlayed to real data. The resulting combined systematic uncertainty from JER and centrality-dependent JES on the ratios reaches 6% at high  $p_T$  and 10% at high  $z$  and it has a similar size in the case of  $D(p_T)$  or  $D(z)$  distributions as in the case of their ratios.


The systematic uncertainty associated with the unfolding is connected with the sensitivity of the unfolding procedure to the choice of regularization parameter and to the parameterization of the truth distribution. The uncertainty due to the choice of regularization parameter was evaluated by varying  $k$  over the range 5–12. The typical systematic uncertainty is found to be smaller than 3% or 2% for the  $D(z)$  or  $D(p_T)$ , respectively. The systematic uncertainty due to the parameterization of the truth distribution was determined from the statistical uncertainties of the fits to these distributions. This systematic uncertainty is below 1% or 2% for the  $D(z)$  or  $D(p_T)$ , respectively.

The estimate of systematic uncertainty due to the tracking efficiency follows methods of the inclusive charged particle measurement [23]. The uncertainty is quantified using the error of the fit of tracking efficiency and by varying the tracking selection criteria. In the intermediate- $p_T$  region the systematic uncertainty is less than 2%. In the low and high  $p_T$  region the systematic uncertainty is larger, but less than 8%.

An independent evaluation of potential systematic uncertainties in the central-to-peripheral ratios of  $D(z)$  and  $D(p_T)$ , due to all aspects of the analysis, was obtained by evaluating the deviation from unity of the MC central (0–10%) to peripheral (60–80%) ratios of the fragmentation functions. Since there is no jet quenching employed in MC simulation, the ratios are expected not to show any deviation from unity. No deviation from unity is indeed observed, the largest localized deviation is  $\lesssim 4\%$ . To quantify the deviations from unity, the MC  $R_{D(z)}$  and  $R_{D(p_T)}$  ratios were fit by piecewise continuous functions composed of linear functions defined over the  $z$  ( $p_T$ ) ranges  $z = 0.02\text{--}0.06$  ( $p_T = 2\text{--}6$  GeV),  $z = 0.06\text{--}0.3$  ( $p_T = 6\text{--}30$  GeV), and  $z > 0.3$  ( $p_T > 30$  GeV) with parameters constrained such that the linear functions match at the boundaries. The resulting fits are used as estimates of the systematic uncertainties on all measured  $R_{D(z)}$  and  $R_{D(p_T)}$  ratios reported in Section 8. This systematic uncertainty is certainly correlated with and may overlap with other systematic uncertainties described above.



**Fig. 5.** Unfolded  $R = 0.4$  longitudinal charged particle fragmentation function,  $D(z)$  and the charged particle transverse momentum distribution,  $D(p_T)$ , for the seven centrality bins included in this analysis. The statistical uncertainties are everywhere smaller than the points. The yellow shaded error bars indicate systematic uncertainties. Grey lines connecting the central values of distributions are to guide the eye. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)




**Fig. 6.** Ratios of  $D(z)$  for six bins in collision centrality to those in peripheral (60–80%) collisions,  $D(z)|_{\text{cent}}/D(z)|_{60-80}$ , for  $R = 0.4$  jets. The error bars on the data points indicate statistical uncertainties while the yellow shaded bands indicate systematic uncertainties. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

## 8. Results

The unfolded fragmentation functions,  $D(z)$  and  $D(p_T)$ , for  $R = 0.4$  jets are shown in Fig. 5 for the seven centrality bins included in the analysis with the distributions for different centralities multiplied by successive values of two for presentation purposes. The shaded error bands indicate systematic uncertainties as discussed in the previous section. The  $D(p_T)$  and  $D(z)$  distributions have

similar shapes that are characteristic of fragmentation functions with a steep drop at the endpoint.

To evaluate the centrality dependence of the fragmentation functions, ratios were calculated of the  $R = 0.4$   $D(z)$  distributions for all centrality bins excluding the peripheral bin to the  $D(z)$  measured in the peripheral, 60–80% centrality bin. The results are shown in Fig. 6. The ratios for all centralities show an enhanced yield of low  $z$  fragments and a suppressed yield of fragments at



**Fig. 7.** Ratios of unfolded  $D(p_T)$  distributions for six bins in collision centrality to those in peripheral (60–80%) collisions,  $D(p_T)|_{\text{cent}}/D(p_T)|_{60-80}$ , for  $R = 0.4$  jets. The error bars on the data points indicate statistical uncertainties while the yellow shaded bands indicate systematic uncertainties. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

intermediate  $z$  values in more central collisions relative to the 60–80% centrality bin. For the 0–10% centrality bin, the yield of fragments at  $z = 0.02$  is enhanced relative to that in the 60–80% centrality bin by 25% while the yield at  $z = 0.1$  is suppressed by about 10%. The size of the observed modifications at low, intermediate, and high  $z$  decreases gradually from central to peripheral collisions.

The statistical and systematic uncertainties on  $R_{D(z)}$  grow as  $z \rightarrow 1$  due to the statistical fluctuations on the  $D(z)$  distributions at large  $z$  and due to the sensitivity of the steeply falling  $D(z)$  distributions to JER and JES systematic uncertainties. The results in Fig. 6 show central values for  $R_{D(z)}$  above one at high  $z$  for the 0–10% through the 30–40% centrality bins but the  $R_{D(z)}$  values differ from one by typically  $1\sigma(\text{stat})$ . Fig. 7 shows ratios of  $R = 0.4$   $D(p_T)$  distributions from non-peripheral centrality bins to those in the peripheral, 60–80% centrality bin. The ratios in the figure show the same features as the  $D(z)$  ratios, namely an enhancement at low  $p_T$ , a suppression at intermediate  $p_T$ , and an increase above one at large  $p_T$  that is more significant than that seen for  $D(z)$ . The magnitudes of the deviations from one in the  $D(z)$  and  $D(p_T)$  ratios are similar in the low, intermediate, and high  $z$  and  $p_T$  regions. This demonstrates that the modifications observed in Fig. 6 do not result from distortions of the  $z$  measurement due to JER and JES.


To further demonstrate that the centrality-dependent modifications observed in  $D(z)$  and  $D(p_T)$  do not result from unknown UE effects not included in the systematic uncertainties, Fig. 8 shows ratios of  $D(z)$  and  $D(p_T)$  distributions between central (0–10%) and peripheral (60–80%) collisions for  $R = 0.2$  and  $R = 0.3$  jets. The fluctuations in the UE are a factor of approximately 100% (30%) smaller for  $R = 0.2$  ( $R = 0.3$ ) jets than they are for  $R = 0.4$  jets. Nonetheless, the features seen in the  $R = 0.4$   $D(z)$  or  $D(p_T)$  ratios are also present in the  $R = 0.2$  and  $R = 0.3$  ratios with the same magnitudes. Due to the reduced systematic uncertainties on  $D(z)$  and  $D(p_T)$  for  $R = 0.2$  and  $R = 0.3$  jets compared to  $R = 0.4$  jets,

the enhancement in the fragmentation functions at large  $z$  or  $p_T$  in central collisions is more significant for the smaller jet sizes.

## 9. Discussion

To quantify the effects of the modifications observed in Fig. 8 on the actual distribution of fragments within the measured jets, the differences in fragmentation functions,  $\Delta D(z) = D(z)|_{\text{cent}} - D(z)|_{60-80}$  were calculated and integrals of these distributions,  $\int \Delta D(z) dz$  taken over three  $z$  ranges chosen to match the observations: 0.02–0.04, 0.04–0.2, and 0.4–1. The last interval was chosen to focus on the region where  $R_{D(z)} > 1$ . The results are given in Tables 3 and 4 for  $R = 0.3$  and  $R = 0.2$  jets, respectively. Similar results were obtained for  $R = 0.4$  jets but with larger uncertainties. The results presented in the tables indicate an increase in the number of particles with  $0.02 < z < 0.04$  of less than one particle per jet in the 0–10% centrality bin relative to the 60–80% centrality bin. A decrease of about 1.5 particles per jet is observed for  $0.04 < z < 0.2$ . The differences between the integrals of the fragmentation functions over  $0.4 < z < 1$  are not significant relative to the uncertainties. The results for  $\int \Delta D(z) dz$  shown in the two tables indicate that in the most central collisions a small fraction, < 2%, of the jet transverse momentum is carried by the excess particles in  $0.02 < z < 0.04$  for central collisions, but that the depletion in fragment yield in  $0.04 < z < 0.2$  accounts on average for about 14% of  $p_T^{\text{jet}}$ .

To better evaluate the significance of the increase in  $R_{D(z)}$  and  $R_{D(p_T)}$  above one at large  $z$  or  $p_T$ , average  $R_{D(z)}$  and  $R_{D(p_T)}$  ratios were calculated by summing the central and peripheral  $D(z)$  or  $D(p_T)$  distributions over different regions corresponding to the last  $n$  points in the measured distributions,  $n = 2–6$ . For each resulting average ratio,  $\bar{R}_{D(z)}$  or  $\bar{R}_{D(p_T)}$ , the significance of the deviation from one was evaluated as  $(\bar{R}_{D(z)} - 1)/\sigma(\bar{R}_{D(z)})$  or  $(\bar{R}_{D(p_T)} - 1)/\sigma(\bar{R}_{D(p_T)})$  where  $\sigma$  represents the combined



**Fig. 8.** Ratios of unfolded fragmentation functions,  $D(z)$  (top) and  $D(p_T)$  (bottom), for central (0–10%) collisions to those in peripheral (60–80%) collisions for  $R = 0.2$  (left) and  $R = 0.3$  (right) jets. The fragmentation functions were evaluated using charged hadrons within  $\Delta R = 0.4$  of the jet axis. The error bars on the data points indicate statistical uncertainties while the yellow shaded bands indicate systematic uncertainties. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

**Table 3**

Differences of  $D(z)$  distributions in different centralities with respect to peripheral events for  $R = 0.3$  jets. The errors represent combined statistical and systematic uncertainties.

Centrality	$z = 0.02\text{--}0.04$		$z = 0.04\text{--}0.2$		$z = 0.4\text{--}1.0$	
	$\int \Delta D(z) dz$	$\int z \Delta D(z) dz$	$\int \Delta D(z) dz$	$\int z \Delta D(z) dz$	$\int \Delta D(z) dz$	$\int z \Delta D(z) dz$
0–10%	$0.79^{+0.19}_{-0.25}$	$0.020^{+0.005}_{-0.007}$	$-1.7^{+0.6}_{-0.8}$	$-0.14^{+0.04}_{-0.06}$	$0.06^{+0.05}_{-0.04}$	$0.033^{+0.026}_{-0.021}$
10–20%	$0.66^{+0.17}_{-0.18}$	$0.016^{+0.005}_{-0.005}$	$-1.6^{+0.7}_{-0.8}$	$-0.12^{+0.05}_{-0.06}$	$0.05^{+0.05}_{-0.04}$	$0.029^{+0.026}_{-0.021}$
20–30%	$0.52^{+0.13}_{-0.18}$	$0.013^{+0.004}_{-0.005}$	$-1.3^{+0.6}_{-0.6}$	$-0.12^{+0.04}_{-0.04}$	$0.04^{+0.04}_{-0.04}$	$0.025^{+0.024}_{-0.020}$
30–40%	$0.39^{+0.12}_{-0.17}$	$0.009^{+0.004}_{-0.005}$	$-1.3^{+0.6}_{-0.7}$	$-0.10^{+0.04}_{-0.05}$	$0.06^{+0.04}_{-0.04}$	$0.036^{+0.020}_{-0.019}$
40–50%	$0.38^{+0.11}_{-0.15}$	$0.009^{+0.003}_{-0.004}$	$-0.6^{+0.6}_{-0.8}$	$-0.07^{+0.04}_{-0.06}$	$-0.01^{+0.04}_{-0.04}$	$-0.005^{+0.024}_{-0.021}$
50–60%	$0.28^{+0.15}_{-0.21}$	$0.006^{+0.004}_{-0.006}$	$-1.2^{+0.9}_{-0.7}$	$-0.08^{+0.06}_{-0.06}$	$0.04^{+0.04}_{-0.04}$	$0.025^{+0.021}_{-0.021}$

**Table 4**

Differences of  $D(z)$  distributions in different centralities with respect to peripheral events for  $R = 0.2$  jets. The errors represent combined statistical and systematic uncertainties.

Centrality	$z = 0.02\text{--}0.04$		$z = 0.04\text{--}0.2$		$z = 0.4\text{--}1.0$	
	$\int \Delta D(z) dz$	$\int z \Delta D(z) dz$	$\int \Delta D(z) dz$	$\int z \Delta D(z) dz$	$\int \Delta D(z) dz$	$\int z \Delta D(z) dz$
0–10%	$0.65^{+0.21}_{-0.20}$	$0.017^{+0.006}_{-0.005}$	$-1.7^{+0.5}_{-0.6}$	$-0.14^{+0.04}_{-0.05}$	$0.07^{+0.05}_{-0.04}$	$0.037^{+0.030}_{-0.022}$
10–20%	$0.60^{+0.16}_{-0.16}$	$0.016^{+0.005}_{-0.004}$	$-1.6^{+0.7}_{-0.7}$	$-0.12^{+0.05}_{-0.05}$	$0.08^{+0.05}_{-0.04}$	$0.046^{+0.029}_{-0.025}$
20–30%	$0.48^{+0.11}_{-0.14}$	$0.013^{+0.003}_{-0.004}$	$-1.6^{+0.6}_{-0.5}$	$-0.13^{+0.04}_{-0.04}$	$0.04^{+0.05}_{-0.04}$	$0.026^{+0.029}_{-0.024}$
30–40%	$0.44^{+0.11}_{-0.15}$	$0.011^{+0.003}_{-0.004}$	$-1.4^{+0.6}_{-0.7}$	$-0.11^{+0.05}_{-0.05}$	$0.07^{+0.04}_{-0.05}$	$0.044^{+0.021}_{-0.028}$
40–50%	$0.33^{+0.09}_{-0.14}$	$0.009^{+0.003}_{-0.004}$	$-1.0^{+0.6}_{-0.8}$	$-0.09^{+0.04}_{-0.06}$	$-0.03^{+0.05}_{-0.04}$	$-0.011^{+0.030}_{-0.020}$
50–60%	$0.27^{+0.12}_{-0.18}$	$0.007^{+0.003}_{-0.005}$	$-1.0^{+0.8}_{-0.7}$	$-0.07^{+0.06}_{-0.06}$	$0.04^{+0.04}_{-0.05}$	$0.027^{+0.024}_{-0.029}$

statistical and systematic uncertainty. Because there is significant cancellation of systematic uncertainties in the ratios, this analysis provides a more sensitive evaluation of the significance of the large- $z$  excess. For  $R = 0.4$  jets the combined  $R_{D(z)}$  ( $R_{D(p_T)}$ ), differs from one by approximately  $1\sigma$  ( $1.5\sigma$ ) for any of the  $n$  values. For  $R = 0.2$  jets,  $R_{D(z)}$  differs from 1 by approximately  $1.5\sigma$  for all  $n$  values, while  $R_{D(p_T)}$  differs from one by  $2\sigma$  for  $n = 3$ –6 corresponding to  $p_T > 47.5$  GeV through  $p_T > 20$  GeV. The greater significance of the deviations of the  $R = 0.2$   $R_{D(p_T)}$  relative to the  $R = 0.2$   $R_{D(z)}$  and the  $R = 0.4$   $R_{D(z)}$  and  $R_{D(p_T)}$  can be attributed to the reduced role of the jet energy resolution in influencing the measurement of the central-to-peripheral ratios for large hadron momenta.

Theoretical predictions for medium modifications of fragmentation functions based on radiative energy loss [32–35] have generally predicted substantial reduction in the yield of high  $p_T$ , or large- $z$  fragments and an enhancement at low  $p_T$  or low  $z$ . The predicted reduction at large  $z$  generically results from the radiative energy loss of the leading partons in the shower and the resulting redistribution of the jet energy to lower  $z$  hadrons. Instead of a reduction, an enhanced yield of high  $z$  fragments is seen in the data. However, the difference between observed behaviour at large  $z$  and expectations from theoretical calculations may be at least partially attributed to the fact that the fragmentation functions presented in this paper were evaluated with respect to the energies of quenched jets. In contrast, theoretical analyses of the fragmentation functions of quenched jets are typically evaluated in terms of the initial, unquenched jet energies. However, some recent theoretical analyses [36,37] of jet fragmentation functions using quenched jet energies have shown that jet quenching calculations can reproduce the general features observed in the results presented in this Letter. In addition to direct modifications of the fragmentation function due to quenching, the quenching may indirectly alter the fragmentation function of inclusive jets by altering the relative fraction of quarks and gluons.

The simultaneous effects of quenching on the hadron constituents of jets and the measured jet energies may explain a relative increase of experimental fragmentation functions in central collisions at large  $z$  as suggested by the data. Jets that fragment to large- $z$  hadrons may lose less energy than typical jets due to reduced formation or colour-neutralization time [38]. Thus, the fragmentation function measured for inclusive jets may have a higher proportion of jets with large- $z$  hadrons. The results in Ref. [36] indicate such an effect that is qualitatively similar to the data.

## 10. Conclusions

This Letter has presented measurements by ATLAS of charged-particle fragmentation functions in jets produced in  $\sqrt{s_{NN}} = 2.76$  TeV Pb+Pb collisions at the LHC. The measurements were performed using a data set recorded in 2011 with an integrated luminosity of  $0.14 \text{ nb}^{-1}$ . Jets were reconstructed with the anti- $k_t$  algorithm for distance parameters  $R = 0.2, 0.3$ , and  $0.4$ , and the contributions of the underlying event to the jet kinematics and the jet fragment distributions were subtracted. Jet fragments were measured within an angular range  $\Delta R = 0.4$  from the jet axes for all three jet sizes. Distributions of per-jet charged-particle transverse momentum,  $D(p_T)$ , and longitudinal momentum fraction,  $D(z)$ , were presented for seven bins in collision centrality for jet  $p_T > 85, 92$ , and  $100$  GeV, respectively, for  $R = 0.2, R = 0.3$ , and  $R = 0.4$  jets. Ratios of fragmentation functions in the different centrality bins to the 60–80% bin were presented and used to evaluate the medium modifications of jet fragmentation. Those ratios show an enhancement in fragment yield in

central collisions for  $z \lesssim 0.04$ , a reduction in fragment yield for  $0.04 \lesssim z \lesssim 0.2$  and an enhancement in the fragment yield for  $z > 0.4$ . The modifications decrease monotonically with decreasing collision centrality from 0–10% to 50–60%. A similar set of modifications is observed in the  $D(p_T)$  distributions over corresponding  $p_T$  ranges.

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SISTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

## References

- [1] A. Majumder, M. Van Leeuwen, Prog. Part. Nucl. Phys. 66 (2011) 41–92, arXiv:1002.2206.
- [2] Y. Mehtar-Tani, J.G. Milhano, K. Tywoniuk, Int. J. Mod. Phys. A 28 (2013) 1340013, arXiv:1302.2579.
- [3] N. Armesto, B. Cole, C. Gale, W.A. Horowitz, P. Jacobs, et al., Phys. Rev. C 86 (2012) 064904, arXiv:1106.1106.
- [4] G.-Y. Qin, B. Muller, Phys. Rev. Lett. 106 (2011) 162302, arXiv:1012.5280.
- [5] G. Ovanesyan, I. Vitev, Phys. Lett. B 706 (2012) 371–378, arXiv:1109.5619.
- [6] J. Casalderrey-Solana, J. Milhano, U. Wiedemann, J. Phys. G 38 (2011) 124086, arXiv:1107.1964.
- [7] J. Casalderrey-Solana, Y. Mehtar-Tani, C.A. Salgado, K. Tywoniuk, Phys. Lett. B 725 (2013) 357–360, arXiv:1210.7765.
- [8] J.-P. Blaizot, E. Iancu, Y. Mehtar-Tani, Phys. Rev. Lett. 111 (2013) 052001, arXiv:1301.6102.
- [9] J. Casalderrey-Solana, D.C. Gulhan, J.G. Milhano, D. Pablos, K. Rajagopal, J. High Energy Phys. 1410 (2014) 19, arXiv:1405.3864.
- [10] ATLAS Collaboration, Phys. Rev. Lett. 105 (2010) 252303, arXiv:1011.6182.
- [11] CMS Collaboration, Phys. Rev. C 84 (2011) 024906, arXiv:1102.1957.
- [12] CMS Collaboration, Phys. Lett. B 712 (2012) 176–197, arXiv:1202.5022.
- [13] CMS Collaboration, Phys. Lett. B 718 (2013) 773, arXiv:1205.0206.
- [14] ATLAS Collaboration, Phys. Lett. B 719 (2013) 220–241, arXiv:1208.1967.
- [15] ALICE Collaboration, J. High Energy Phys. 1403 (2014) 013, arXiv:1311.0633.
- [16] T. Renk, Phys. Rev. C 85 (2012) 064908, arXiv:1202.4579.
- [17] M. Cacciari, G.P. Salam, G. Soyez, J. High Energy Phys. 0804 (2008) 063, arXiv: 0802.1189.
- [18] CMS Collaboration, J. High Energy Phys. 1210 (2012) 087, arXiv:1205.5872.
- [19] CMS Collaboration, Phys. Rev. C 90 (2014) 024908, arXiv:1406.0932.
- [20] ATLAS Collaboration, J. Instrum. 3 (2008) S08003.
- [21] ATLAS Collaboration, J. High Energy Phys. 1009 (2010) 056, arXiv:1005.5254.
- [22] ATLAS Collaboration, Phys. Lett. B 688 (2010) 21–42, arXiv:1003.3124.
- [23] ATLAS Collaboration, Phys. Lett. B 707 (2012) 330–348, arXiv:1108.6018.

- [24] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823–874, arXiv:1005.4568.
- [25] T. Sjostrand, S. Mrenna, P.Z. Skands, J. High Energy Phys. 0605 (2006) 026, arXiv:hep-ph/0603175.
- [26] S. Agostinelli, et al., Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 506 (2003) 250–303.
- [27] A. Hocker, V. Kartvelishvili, Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 372 (1996) 469–481, arXiv:hep-ph/9509307.
- [28] <http://hepunx.rl.ac.uk/~adye/software/unfold/RooUnfold.html>.
- [29] D. Florian, R. Sassot, M. Stratmann, Phys. Rev. D 76 (2007) 074033, arXiv: 0707.1506.
- [30] ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2304, arXiv:1112.6426.
- [31] ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2306, arXiv:1210.6210.
- [32] N. Borghini, U.A. Wiedemann, arXiv:hep-ph/0506218.
- [33] N. Armesto, L. Cunqueiro, C.A. Salgado, W.-C. Xiang, J. High Energy Phys. 0802 (2008) 048, arXiv:0710.3073.
- [34] N. Armesto, L. Cunqueiro, C.A. Salgado, Eur. Phys. J. C 63 (2009) 679–690, arXiv:0907.1014.
- [35] T. Renk, Phys. Rev. C 79 (2009) 054906, arXiv:0901.2818.
- [36] K.C. Zapp, F. Krauss, U.A. Wiedemann, J. High Energy Phys. 1303 (2013) 080, arXiv:1212.1599.
- [37] D.E. Kharzeev, F. Loshaj, Phys. Rev. D 87 (2013) 077501, arXiv:1212.5857.
- [38] B. Kopeliovich, F. Niedermayer, Sov. J. Nucl. Phys. 42 (1985) 504.

## ATLAS Collaboration

G. Aad<sup>84</sup>, B. Abbott<sup>112</sup>, J. Abdallah<sup>152</sup>, S. Abdel Khalek<sup>116</sup>, O. Abdinov<sup>11</sup>, R. Aben<sup>106</sup>, B. Abi<sup>113</sup>, M. Abolins<sup>89</sup>, O.S. AbouZeid<sup>159</sup>, H. Abramowicz<sup>154</sup>, H. Abreu<sup>153</sup>, R. Abreu<sup>30</sup>, Y. Abulaiti<sup>147a,147b</sup>, B.S. Acharya<sup>165a,165b,a</sup>, L. Adamczyk<sup>38a</sup>, D.L. Adams<sup>25</sup>, J. Adelman<sup>177</sup>, S. Adomeit<sup>99</sup>, T. Adye<sup>130</sup>, T. Agatonovic-Jovin<sup>13a</sup>, J.A. Aguilar-Saavedra<sup>125a,125f</sup>, M. Agustoni<sup>17</sup>, S.P. Ahlen<sup>22</sup>, F. Ahmadov<sup>64,b</sup>, G. Aielli<sup>134a,134b</sup>, H. Akerstedt<sup>147a,147b</sup>, T.P.A. Åkesson<sup>80</sup>, G. Akimoto<sup>156</sup>, A.V. Akimov<sup>95</sup>, G.L. Alberghi<sup>20a,20b</sup>, J. Albert<sup>170</sup>, S. Albrand<sup>55</sup>, M.J. Alconada Verzini<sup>70</sup>, M. Aleksa<sup>30</sup>, I.N. Aleksandrov<sup>64</sup>, C. Alexa<sup>26a</sup>, G. Alexander<sup>154</sup>, G. Alexandre<sup>49</sup>, T. Alexopoulos<sup>10</sup>, M. Alhroob<sup>165a,165c</sup>, G. Alimonti<sup>90a</sup>, L. Alio<sup>84</sup>, J. Alison<sup>31</sup>, B.M.M. Allbrooke<sup>18</sup>, L.J. Allison<sup>71</sup>, P.P. Allport<sup>73</sup>, J. Almond<sup>83</sup>, A. Aloisio<sup>103a,103b</sup>, A. Alonso<sup>36</sup>, F. Alonso<sup>70</sup>, C. Alpigiani<sup>75</sup>, A. Altheimer<sup>35</sup>, B. Alvarez Gonzalez<sup>89</sup>, M.G. Alviggi<sup>103a,103b</sup>, K. Amako<sup>65</sup>, Y. Amaral Coutinho<sup>24a</sup>, C. Amelung<sup>23</sup>, D. Amidei<sup>88</sup>, S.P. Amor Dos Santos<sup>125a,125c</sup>, A. Amorim<sup>125a,125b</sup>, S. Amoroso<sup>48</sup>, N. Amram<sup>154</sup>, G. Amundsen<sup>23</sup>, C. Anastopoulos<sup>140</sup>, L.S. Ancu<sup>49</sup>, N. Andari<sup>30</sup>, T. Andeen<sup>35</sup>, C.F. Anders<sup>58b</sup>, G. Anders<sup>30</sup>, K.J. Anderson<sup>31</sup>, A. Andreazza<sup>90a,90b</sup>, V. Andrei<sup>58a</sup>, X.S. Anduaga<sup>70</sup>, S. Angelidakis<sup>9</sup>, I. Angelozzi<sup>106</sup>, P. Anger<sup>44</sup>, A. Angerami<sup>35</sup>, F. Anghinolfi<sup>30</sup>, A.V. Anisenkov<sup>108</sup>, N. Anjos<sup>125a</sup>, A. Annovi<sup>47</sup>, A. Antonaki<sup>9</sup>, M. Antonelli<sup>47</sup>, A. Antonov<sup>97</sup>, J. Antos<sup>145b</sup>, F. Anulli<sup>133a</sup>, M. Aoki<sup>65</sup>, L. Aperio Bella<sup>18</sup>, R. Apolle<sup>119,c</sup>, G. Arabidze<sup>89</sup>, I. Aracena<sup>144</sup>, Y. Arai<sup>65</sup>, J.P. Araque<sup>125a</sup>, A.T.H. Arce<sup>45</sup>, J-F. Arguin<sup>94</sup>, S. Argyropoulos<sup>42</sup>, M. Arik<sup>19a</sup>, A.J. Armbruster<sup>30</sup>, O. Arnaez<sup>30</sup>, V. Arnal<sup>81</sup>, H. Arnold<sup>48</sup>, M. Arratia<sup>28</sup>, O. Arslan<sup>21</sup>, A. Artamonov<sup>96</sup>, G. Artoni<sup>23</sup>, S. Asai<sup>156</sup>, N. Asbah<sup>42</sup>, A. Ashkenazi<sup>154</sup>, B. Åsman<sup>147a,147b</sup>, L. Asquith<sup>6</sup>, K. Assamagan<sup>25</sup>, R. Astalos<sup>145a</sup>, M. Atkinson<sup>166</sup>, N.B. Atlay<sup>142</sup>, B. Auerbach<sup>6</sup>, K. Augsten<sup>127</sup>, M. Auroousseau<sup>146b</sup>, G. Avolio<sup>30</sup>, G. Azuelos<sup>94,d</sup>, Y. Azuma<sup>156</sup>, M.A. Baak<sup>30</sup>, A. Baas<sup>58a</sup>, C. Bacci<sup>135a,135b</sup>, H. Bachacou<sup>137</sup>, K. Bachas<sup>155</sup>, M. Backes<sup>30</sup>, M. Backhaus<sup>30</sup>, J. Backus Mayes<sup>144</sup>, E. Badescu<sup>26a</sup>, P. Bagiacchi<sup>133a,133b</sup>, P. Bagnaia<sup>133a,133b</sup>, Y. Bai<sup>33a</sup>, T. Bain<sup>35</sup>, J.T. Baines<sup>130</sup>, O.K. Baker<sup>177</sup>, P. Balek<sup>128</sup>, F. Balli<sup>137</sup>, E. Banas<sup>39</sup>, Sw. Banerjee<sup>174</sup>, A.A.E. Bannoura<sup>176</sup>, V. Bansal<sup>170</sup>, H.S. Bansil<sup>18</sup>, L. Barak<sup>173</sup>, S.P. Baranov<sup>95</sup>, E.L. Barberio<sup>87</sup>, D. Barberis<sup>50a,50b</sup>, M. Barbero<sup>84</sup>, T. Barillari<sup>100</sup>, M. Barisonzi<sup>176</sup>, T. Barklow<sup>144</sup>, N. Barlow<sup>28</sup>, B.M. Barnett<sup>130</sup>, R.M. Barnett<sup>15</sup>, Z. Barnovska<sup>5</sup>, A. Baroncelli<sup>135a</sup>, G. Barone<sup>49</sup>, A.J. Barr<sup>119</sup>, F. Barreiro<sup>81</sup>, J. Barreiro Guimarães da Costa<sup>57</sup>, R. Bartoldus<sup>144</sup>, A.E. Barton<sup>71</sup>, P. Bartos<sup>145a</sup>, V. Bartsch<sup>150</sup>, A. Bassalat<sup>116</sup>, A. Basye<sup>166</sup>, R.L. Bates<sup>53</sup>, J.R. Batley<sup>28</sup>, M. Battaglia<sup>138</sup>, M. Battistin<sup>30</sup>, F. Bauer<sup>137</sup>, H.S. Bawa<sup>144,e</sup>, T. Beau<sup>79</sup>, P.H. Beauchemin<sup>162</sup>, R. Beccherle<sup>123a,123b</sup>, P. Bechtle<sup>21</sup>, H.P. Beck<sup>17</sup>, K. Becker<sup>176</sup>, S. Becker<sup>99</sup>, M. Beckingham<sup>171</sup>, C. Becot<sup>116</sup>, A.J. Beddall<sup>19c</sup>, A. Beddall<sup>19c</sup>, S. Bedikian<sup>177</sup>, V.A. Bednyakov<sup>64</sup>, C.P. Bee<sup>149</sup>, L.J. Beemster<sup>106</sup>, T.A. Beermann<sup>176</sup>, M. Begel<sup>25</sup>, K. Behr<sup>119</sup>, C. Belanger-Champagne<sup>86</sup>, P.J. Bell<sup>49</sup>, W.H. Bell<sup>49</sup>, G. Bella<sup>154</sup>, L. Bellagamba<sup>20a</sup>, A. Bellerive<sup>29</sup>, M. Bellomo<sup>85</sup>, K. Belotskiy<sup>97</sup>, O. Beltramello<sup>30</sup>, O. Benary<sup>154</sup>, D. Benchekroun<sup>136a</sup>, K. Bendtz<sup>147a,147b</sup>, N. Benekos<sup>166</sup>, Y. Benhammou<sup>154</sup>, E. Benhar Noccioli<sup>49</sup>, J.A. Benitez Garcia<sup>160b</sup>, D.P. Benjamin<sup>45</sup>, J.R. Bensinger<sup>23</sup>, K. Benslama<sup>131</sup>, S. Bentvelsen<sup>106</sup>, D. Berge<sup>106</sup>, E. Bergeaas Kuutmann<sup>16</sup>, N. Berger<sup>5</sup>, F. Berghaus<sup>170</sup>, J. Beringer<sup>15</sup>, C. Bernard<sup>22</sup>, P. Bernat<sup>77</sup>, C. Bernius<sup>78</sup>, F.U. Bernlochner<sup>170</sup>, T. Berry<sup>76</sup>, P. Berta<sup>128</sup>, C. Bertella<sup>84</sup>, G. Bertoli<sup>147a,147b</sup>, F. Bertolucci<sup>123a,123b</sup>, D. Bertsche<sup>112</sup>, M.I. Besana<sup>90a</sup>, G.J. Besjes<sup>105</sup>, O. Bessidskaia<sup>147a,147b</sup>, M.F. Bessner<sup>42</sup>, N. Besson<sup>137</sup>, C. Betancourt<sup>48</sup>, S. Bethke<sup>100</sup>, W. Bhimji<sup>46</sup>, R.M. Bianchi<sup>124</sup>, L. Bianchini<sup>23</sup>, M. Bianco<sup>30</sup>, O. Biebel<sup>99</sup>, S.P. Bieniek<sup>77</sup>, K. Bierwagen<sup>54</sup>, J. Biesiada<sup>15</sup>, M. Biglietti<sup>135a</sup>, J. Bilbao De Mendizabal<sup>49</sup>, H. Bilokon<sup>47</sup>, M. Bindi<sup>54</sup>, S. Binet<sup>116</sup>, A. Bingul<sup>19c</sup>, C. Bini<sup>133a,133b</sup>, C.W. Black<sup>151</sup>, J.E. Black<sup>144</sup>, K.M. Black<sup>22</sup>, D. Blackburn<sup>139</sup>, R.E. Blair<sup>6</sup>, J.-B. Blanchard<sup>137</sup>, T. Blazek<sup>145a</sup>, I. Bloch<sup>42</sup>, C. Blocker<sup>23</sup>, W. Blum<sup>82,\*</sup>, U. Blumenschein<sup>54</sup>, G.J. Bobbink<sup>106</sup>, V.S. Bobrovnikov<sup>108</sup>, S.S. Bocchetta<sup>80</sup>, A. Bocci<sup>45</sup>, C. Bock<sup>99</sup>, C.R. Boddy<sup>119</sup>, M. Boehler<sup>48</sup>, T.T. Boek<sup>176</sup>, J.A. Bogaerts<sup>30</sup>,

- A.G. Bogdanchikov 108, A. Bogouch 91,\* , C. Bohm 147a , J. Bohm 126 , V. Boisvert 76 , T. Bold 38a , V. Boldea 26a ,  
 A.S. Boldyrev 98 , M. Bomben 79 , M. Bona 75 , M. Boonekamp 137 , A. Borisov 129 , G. Borissov 71 , M. Borri 83 ,  
 S. Borroni 42 , J. Bortfeldt 99 , V. Bortolotto 135a,135b , K. Bos 106 , D. Boscherini 20a , M. Bosman 12 ,  
 H. Boterenbrood 106 , J. Boudreau 124 , J. Bouffard 2 , E.V. Bouhova-Thacker 71 , D. Boumediene 34 ,  
 C. Bourdarios 116 , N. Bousson 113 , S. Boutouil 136d , A. Boveia 31 , J. Boyd 30 , I.R. Boyko 64 , J. Bracinik 18 ,  
 A. Brandt 8 , G. Brandt 15 , O. Brandt 58a , U. Bratzler 157 , B. Brau 85 , J.E. Brau 115 , H.M. Braun 176,\* ,  
 S.F. Brazzale 165a,165c , B. Brelier 159 , K. Brendlinger 121 , A.J. Brennan 87 , R. Brenner 167 , S. Bressler 173 ,  
 K. Bristow 146c , T.M. Bristow 46 , D. Britton 53 , F.M. Brochu 28 , I. Brock 21 , R. Brock 89 , C. Bromberg 89 ,  
 J. Bronner 100 , G. Brooijmans 35 , T. Brooks 76 , W.K. Brooks 32b , J. Brosamer 15 , E. Brost 115 , J. Brown 55 ,  
 P.A. Bruckman de Renstrom 39 , D. Bruncko 145b , R. Bruneliere 48 , S. Brunet 60 , A. Bruni 20a , G. Bruni 20a ,  
 M. Bruschi 20a , L. Bryngemark 80 , T. Buanes 14 , Q. Buat 143 , F. Bucci 49 , P. Buchholz 142 ,  
 R.M. Buckingham 119 , A.G. Buckley 53 , S.I. Buda 26a , I.A. Budagov 64 , F. Buehrer 48 , L. Bugge 118 ,  
 M.K. Bugge 118 , O. Bulekov 97 , A.C. Bundock 73 , H. Burckhart 30 , S. Burdin 73 , B. Burghgrave 107 ,  
 S. Burke 130 , I. Burmeister 43 , E. Busato 34 , D. Büscher 48 , V. Büscher 82 , P. Bussey 53 , C.P. Buszello 167 ,  
 B. Butler 57 , J.M. Butler 22 , A.I. Butt 3 , C.M. Buttar 53 , J.M. Butterworth 77 , P. Buttli 106 , W. Buttlinger 28 ,  
 A. Buzatu 53 , M. Byszewski 10 , S. Cabrera Urbán 168 , D. Caforio 20a,20b , O. Cakir 4a , P. Calafiura 15 ,  
 A. Calandri 137 , G. Calderini 79 , P. Calfayan 99 , R. Calkins 107 , L.P. Caloba 24a , D. Calvet 34 , S. Calvet 34 ,  
 R. Camacho Toro 49 , S. Camarda 42 , D. Cameron 118 , L.M. Caminada 15 , R. Caminal Armadans 12 ,  
 S. Campana 30 , M. Campanelli 77 , A. Campoverde 149 , V. Canale 103a,103b , A. Canepa 160a , M. Cano Bret 75 ,  
 J. Cantero 81 , R. Cantrill 125a , T. Cao 40 , M.D.M. Capeans Garrido 30 , I. Caprini 26a , M. Caprini 26a ,  
 M. Capua 37a,37b , R. Caputo 82 , R. Cardarelli 134a , T. Carli 30 , G. Carlino 103a , L. Carminati 90a,90b ,  
 S. Caron 105 , E. Carquin 32a , G.D. Carrillo-Montoya 146c , J.R. Carter 28 , J. Carvalho 125a,125c , D. Casadei 77 ,  
 M.P. Casado 12 , M. Casolino 12 , E. Castaneda-Miranda 146b , A. Castelli 106 , V. Castillo Gimenez 168 ,  
 N.F. Castro 125a , P. Catastini 57 , A. Catinaccio 30 , J.R. Catmore 118 , A. Cattai 30 , G. Cattani 134a,134b ,  
 S. Caughron 89 , V. Cavaliere 166 , D. Cavalli 90a , M. Cavalli-Sforza 12 , V. Cavasinni 123a,123b ,  
 F. Ceradini 135a,135b , B. Cerio 45 , K. Cerny 128 , A.S. Cerqueira 24b , A. Cerri 150 , L. Cerrito 75 , F. Cerutti 15 ,  
 M. Cerv 30 , A. Cervelli 17 , S.A. Cetin 19b , A. Chafaq 136a , D. Chakraborty 107 , I. Chalupkova 128 , P. Chang 166 ,  
 B. Chapleau 86 , J.D. Chapman 28 , D. Charfeddine 116 , D.G. Charlton 18 , C.C. Chau 159 ,  
 C.A. Chavez Barajas 150 , S. Cheatham 86 , A. Chegwidden 89 , S. Chekanov 6 , S.V. Chekulaev 160a ,  
 G.A. Chelkov 64,f , M.A. Chelstowska 88 , C. Chen 63 , H. Chen 25 , K. Chen 149 , L. Chen 33d,g , S. Chen 33c ,  
 X. Chen 146c , Y. Chen 35 , H.C. Cheng 88 , Y. Cheng 31 , A. Cheplakov 64 , R. Cherkaoui El Moursli 136e ,  
 V. Chernyatkin 25,\* , E. Cheu 7 , L. Chevalier 137 , V. Chiarella 47 , G. Chiefari 103a,103b , J.T. Childers 6 ,  
 A. Chilingarov 71 , G. Chiodini 72a , A.S. Chisholm 18 , R.T. Chislett 77 , A. Chitan 26a , M.V. Chizhov 64 ,  
 S. Chouridou 9 , B.K.B. Chow 99 , D. Chromek-Burckhart 30 , M.L. Chu 152 , J. Chudoba 126 , J.J. Chwastowski 39 ,  
 L. Chytka 114 , G. Ciapetti 133a,133b , A.K. Ciftci 4a , R. Ciftci 4a , D. Cinca 53 , V. Cindro 74 , A. Ciocio 15 ,  
 P. Cirkovic 13b , Z.H. Citron 173 , M. Citterio 90a , M. Ciubancan 26a , A. Clark 49 , P.J. Clark 46 , R.N. Clarke 15 ,  
 W. Cleland 124 , J.C. Clemens 84 , C. Clement 147a,147b , Y. Coadou 84 , M. Cobal 165a,165c , A. Coccaro 139 ,  
 J. Cochran 63 , L. Coffey 23 , J.G. Cogan 144 , J. Coggeshall 166 , B. Cole 35 , S. Cole 107 , A.P. Colijn 106 , J. Collot 55 ,  
 T. Colombo 58c , G. Colon 85 , G. Compostella 100 , P. Conde Muiño 125a,125b , E. Coniavitis 48 , M.C. Conidi 12 ,  
 S.H. Connell 146b , I.A. Connelly 76 , S.M. Consonni 90a,90b , V. Consorti 48 , S. Constantinescu 26a ,  
 C. Conta 120a,120b , G. Conti 57 , F. Conventi 103a,h , M. Cooke 15 , B.D. Cooper 77 , A.M. Cooper-Sarkar 119 ,  
 N.J. Cooper-Smith 76 , K. Copic 15 , T. Cornelissen 176 , M. Corradi 20a , F. Corriveau 86,i , A. Corso-Radu 164 ,  
 A. Cortes-Gonzalez 12 , G. Cortiana 100 , G. Costa 90a , M.J. Costa 168 , D. Costanzo 140 , D. Côté 8 , G. Cottin 28 ,  
 G. Cowan 76 , B.E. Cox 83 , K. Cranmer 109 , G. Cree 29 , S. Crépé-Renaudin 55 , F. Crescioli 79 ,  
 W.A. Cribbs 147a,147b , M. Crispin Ortuzar 119 , M. Cristinziani 21 , V. Croft 105 , G. Crosetti 37a,37b ,  
 C.-M. Cuciuc 26a , T. Cuhadar Donszelmann 140 , J. Cummings 177 , M. Curatolo 47 , C. Cuthbert 151 ,  
 H. Czirr 142 , P. Czodrowski 3 , Z. Czyczula 177 , S. D'Auria 53 , M. D'Onofrio 73 ,  
 M.J. Da Cunha Sargedas De Sousa 125a,125b , C. Da Via 83 , W. Dabrowski 38a , A. Dafinca 119 , T. Dai 88 ,  
 O. Dale 14 , F. Dallaire 94 , C. Dallapiccola 85 , M. Dam 36 , A.C. Daniells 18 , H.O. Danielsson 30 ,  
 M. Dano Hoffmann 137 , V. Dao 105 , G. Darbo 50a , S. Darmora 8 , J.A. Dassoulas 42 , A. Dattagupta 60 ,  
 W. Davey 21 , C. David 170 , T. Davidek 128 , E. Davies 119,c , M. Davies 154 , O. Davignon 79 , A.R. Davison 77 ,  
 P. Davison 77 , Y. Davygora 58a , E. Dawe 143 , I. Dawson 140 , R.K. Daya-Ishmukhametova 85 , K. De 8 ,

- R. de Asmundis <sup>103a</sup>, S. De Castro <sup>20a,20b</sup>, S. De Cecco <sup>79</sup>, N. De Groot <sup>105</sup>, P. de Jong <sup>106</sup>, H. De la Torre <sup>81</sup>, F. De Lorenzi <sup>63</sup>, L. De Nooij <sup>106</sup>, D. De Pedis <sup>133a</sup>, A. De Salvo <sup>133a</sup>, U. De Sanctis <sup>165a,165b</sup>, A. De Santo <sup>150</sup>, J.B. De Vivie De Regie <sup>116</sup>, W.J. Dearnaley <sup>71</sup>, R. Debbe <sup>25</sup>, C. Debenedetti <sup>138</sup>, B. Dechenaux <sup>55</sup>, D.V. Dedovich <sup>64</sup>, I. Deigaard <sup>106</sup>, J. Del Peso <sup>81</sup>, T. Del Prete <sup>123a,123b</sup>, F. Deliot <sup>137</sup>, C.M. Delitzsch <sup>49</sup>, M. Deliyergiyev <sup>74</sup>, A. Dell'Acqua <sup>30</sup>, L. Dell'Asta <sup>22</sup>, M. Dell'Orso <sup>123a,123b</sup>, M. Della Pietra <sup>103a,h</sup>, D. della Volpe <sup>49</sup>, M. Delmastro <sup>5</sup>, P.A. Delsart <sup>55</sup>, C. Deluca <sup>106</sup>, S. Demers <sup>177</sup>, M. Demichev <sup>64</sup>, A. Demilly <sup>79</sup>, S.P. Denisov <sup>129</sup>, D. Derendarz <sup>39</sup>, J.E. Derkaoui <sup>136d</sup>, F. Derue <sup>79</sup>, P. Dervan <sup>73</sup>, K. Desch <sup>21</sup>, C. Deterre <sup>42</sup>, P.O. Deviveiros <sup>106</sup>, A. Dewhurst <sup>130</sup>, S. Dhaliwal <sup>106</sup>, A. Di Ciaccio <sup>134a,134b</sup>, L. Di Ciaccio <sup>5</sup>, A. Di Domenico <sup>133a,133b</sup>, C. Di Donato <sup>103a,103b</sup>, A. Di Girolamo <sup>30</sup>, B. Di Girolamo <sup>30</sup>, A. Di Mattia <sup>153</sup>, B. Di Micco <sup>135a,135b</sup>, R. Di Nardo <sup>47</sup>, A. Di Simone <sup>48</sup>, R. Di Sipio <sup>20a,20b</sup>, D. Di Valentino <sup>29</sup>, F.A. Dias <sup>46</sup>, M.A. Diaz <sup>32a</sup>, E.B. Diehl <sup>88</sup>, J. Dietrich <sup>42</sup>, T.A. Dietzsch <sup>58a</sup>, S. Diglio <sup>84</sup>, A. Dimitrijevska <sup>13a</sup>, J. Dingfelder <sup>21</sup>, C. Dionisi <sup>133a,133b</sup>, P. Dita <sup>26a</sup>, S. Dita <sup>26a</sup>, F. Dittus <sup>30</sup>, F. Djama <sup>84</sup>, T. Djobava <sup>51b</sup>, M.A.B. do Vale <sup>24c</sup>, A. Do Valle Wemans <sup>125a,125g</sup>, T.K.O. Doan <sup>5</sup>, D. Dobos <sup>30</sup>, C. Doglioni <sup>49</sup>, T. Doherty <sup>53</sup>, T. Dohmae <sup>156</sup>, J. Dolejsi <sup>128</sup>, Z. Dolezal <sup>128</sup>, B.A. Dolgoshein <sup>97,\*</sup>, M. Donadelli <sup>24d</sup>, S. Donati <sup>123a,123b</sup>, P. Dondero <sup>120a,120b</sup>, J. Donini <sup>34</sup>, J. Dopke <sup>130</sup>, A. Doria <sup>103a</sup>, M.T. Dova <sup>70</sup>, A.T. Doyle <sup>53</sup>, M. Dris <sup>10</sup>, J. Dubbert <sup>88</sup>, S. Dube <sup>15</sup>, E. Dubreuil <sup>34</sup>, E. Duchovni <sup>173</sup>, G. Duckeck <sup>99</sup>, O.A. Ducu <sup>26a</sup>, D. Duda <sup>176</sup>, A. Dudarev <sup>30</sup>, F. Dudziak <sup>63</sup>, L. Duflot <sup>116</sup>, L. Duguid <sup>76</sup>, M. Dührssen <sup>30</sup>, M. Dunford <sup>58a</sup>, H. Duran Yildiz <sup>4a</sup>, M. Düren <sup>52</sup>, A. Durglishvili <sup>51b</sup>, M. Dwuznik <sup>38a</sup>, M. Dyndal <sup>38a</sup>, J. Ebke <sup>99</sup>, W. Edson <sup>2</sup>, N.C. Edwards <sup>46</sup>, W. Ehrenfeld <sup>21</sup>, T. Eifert <sup>144</sup>, G. Eigen <sup>14</sup>, K. Einsweiler <sup>15</sup>, T. Ekelof <sup>167</sup>, M. El Kacimi <sup>136c</sup>, M. Ellert <sup>167</sup>, S. Elles <sup>5</sup>, F. Ellinghaus <sup>82</sup>, N. Ellis <sup>30</sup>, J. Elmsheuser <sup>99</sup>, M. Elsing <sup>30</sup>, D. Emeliyanov <sup>130</sup>, Y. Enari <sup>156</sup>, O.C. Endner <sup>82</sup>, M. Endo <sup>117</sup>, R. Engelmann <sup>149</sup>, J. Erdmann <sup>177</sup>, A. Ereditato <sup>17</sup>, D. Eriksson <sup>147a</sup>, G. Ernis <sup>176</sup>, J. Ernst <sup>2</sup>, M. Ernst <sup>25</sup>, J. Ernwein <sup>137</sup>, D. Errede <sup>166</sup>, S. Errede <sup>166</sup>, E. Ertel <sup>82</sup>, M. Escalier <sup>116</sup>, H. Esch <sup>43</sup>, C. Escobar <sup>124</sup>, B. Esposito <sup>47</sup>, A.I. Etienne <sup>137</sup>, E. Etzion <sup>154</sup>, H. Evans <sup>60</sup>, A. Ezhilov <sup>122</sup>, L. Fabbri <sup>20a,20b</sup>, G. Facini <sup>31</sup>, R.M. Fakhrutdinov <sup>129</sup>, S. Falciano <sup>133a</sup>, R.J. Falla <sup>77</sup>, J. Faltova <sup>128</sup>, Y. Fang <sup>33a</sup>, M. Fanti <sup>90a,90b</sup>, A. Farbin <sup>8</sup>, A. Farilla <sup>135a</sup>, T. Farooque <sup>12</sup>, S. Farrell <sup>164</sup>, S.M. Farrington <sup>171</sup>, P. Farthouat <sup>30</sup>, F. Fassi <sup>168</sup>, P. Fassnacht <sup>30</sup>, D. Fassouliotis <sup>9</sup>, A. Favareto <sup>50a,50b</sup>, L. Fayard <sup>116</sup>, P. Federic <sup>145a</sup>, O.L. Fedin <sup>122,j</sup>, W. Fedorko <sup>169</sup>, M. Fehling-Kaschek <sup>48</sup>, S. Feigl <sup>30</sup>, L. Feligioni <sup>84</sup>, C. Feng <sup>33d</sup>, E.J. Feng <sup>6</sup>, H. Feng <sup>88</sup>, A.B. Fenyuk <sup>129</sup>, S. Fernandez Perez <sup>30</sup>, S. Ferrag <sup>53</sup>, J. Ferrando <sup>53</sup>, A. Ferrari <sup>167</sup>, P. Ferrari <sup>106</sup>, R. Ferrari <sup>120a</sup>, D.E. Ferreira de Lima <sup>53</sup>, A. Ferrer <sup>168</sup>, D. Ferrere <sup>49</sup>, C. Ferretti <sup>88</sup>, A. Ferretto Parodi <sup>50a,50b</sup>, M. Fiascaris <sup>31</sup>, F. Fiedler <sup>82</sup>, A. Filipčič <sup>74</sup>, M. Filipuzzi <sup>42</sup>, F. Filthaut <sup>105</sup>, M. Fincke-Keeler <sup>170</sup>, K.D. Finelli <sup>151</sup>, M.C.N. Fiolhais <sup>125a,125c</sup>, L. Fiorini <sup>168</sup>, A. Firan <sup>40</sup>, A. Fischer <sup>2</sup>, J. Fischer <sup>176</sup>, W.C. Fisher <sup>89</sup>, E.A. Fitzgerald <sup>23</sup>, M. Flechl <sup>48</sup>, I. Fleck <sup>142</sup>, P. Fleischmann <sup>88</sup>, S. Fleischmann <sup>176</sup>, G.T. Fletcher <sup>140</sup>, G. Fletcher <sup>75</sup>, T. Flick <sup>176</sup>, A. Floderus <sup>80</sup>, L.R. Flores Castillo <sup>174,k</sup>, A.C. Florez Bustos <sup>160b</sup>, M.J. Flowerdew <sup>100</sup>, A. Formica <sup>137</sup>, A. Forti <sup>83</sup>, D. Fortin <sup>160a</sup>, D. Fournier <sup>116</sup>, H. Fox <sup>71</sup>, S. Fracchia <sup>12</sup>, P. Francavilla <sup>79</sup>, M. Franchini <sup>20a,20b</sup>, S. Franchino <sup>30</sup>, D. Francis <sup>30</sup>, M. Franklin <sup>57</sup>, S. Franz <sup>61</sup>, M. Frernali <sup>120a,120b</sup>, S.T. French <sup>28</sup>, C. Friedrich <sup>42</sup>, F. Friedrich <sup>44</sup>, D. Froidevaux <sup>30</sup>, J.A. Frost <sup>28</sup>, C. Fukunaga <sup>157</sup>, E. Fullana Torregrosa <sup>82</sup>, B.G. Fulsom <sup>144</sup>, J. Fuster <sup>168</sup>, C. Gabaldon <sup>55</sup>, O. Gabizon <sup>173</sup>, A. Gabrielli <sup>20a,20b</sup>, A. Gabrielli <sup>133a,133b</sup>, S. Gadatsch <sup>106</sup>, S. Gadomski <sup>49</sup>, G. Gagliardi <sup>50a,50b</sup>, P. Gagnon <sup>60</sup>, C. Galea <sup>105</sup>, B. Galhardo <sup>125a,125c</sup>, E.J. Gallas <sup>119</sup>, V. Gallo <sup>17</sup>, B.J. Gallop <sup>130</sup>, P. Gallus <sup>127</sup>, G. Galster <sup>36</sup>, K.K. Gan <sup>110</sup>, R.P. Gandrajula <sup>62</sup>, J. Gao <sup>33b,g</sup>, Y.S. Gao <sup>144,e</sup>, F.M. Garay Walls <sup>46</sup>, F. Garberson <sup>177</sup>, C. García <sup>168</sup>, J.E. García Navarro <sup>168</sup>, M. Garcia-Sciveres <sup>15</sup>, R.W. Gardner <sup>31</sup>, N. Garelli <sup>144</sup>, V. Garonne <sup>30</sup>, C. Gatti <sup>47</sup>, G. Gaudio <sup>120a</sup>, B. Gaur <sup>142</sup>, L. Gauthier <sup>94</sup>, P. Gauzzi <sup>133a,133b</sup>, I.L. Gavrilenco <sup>95</sup>, C. Gay <sup>169</sup>, G. Gaycken <sup>21</sup>, E.N. Gazis <sup>10</sup>, P. Ge <sup>33d</sup>, Z. Gecse <sup>169</sup>, C.N.P. Gee <sup>130</sup>, D.A.A. Geerts <sup>106</sup>, Ch. Geich-Gimbel <sup>21</sup>, K. Gellerstedt <sup>147a,147b</sup>, C. Gemme <sup>50a</sup>, A. Gemmell <sup>53</sup>, M.H. Genest <sup>55</sup>, S. Gentile <sup>133a,133b</sup>, M. George <sup>54</sup>, S. George <sup>76</sup>, D. Gerbaudo <sup>164</sup>, A. Gershon <sup>154</sup>, H. Ghazlane <sup>136b</sup>, N. Ghodbane <sup>34</sup>, B. Giacobbe <sup>20a</sup>, S. Giagu <sup>133a,133b</sup>, V. Giangiobbe <sup>12</sup>, P. Giannetti <sup>123a,123b</sup>, F. Gianotti <sup>30</sup>, B. Gibbard <sup>25</sup>, S.M. Gibson <sup>76</sup>, M. Gilchriese <sup>15</sup>, T.P.S. Gillam <sup>28</sup>, D. Gillberg <sup>30</sup>, G. Gilles <sup>34</sup>, D.M. Gingrich <sup>3,d</sup>, N. Giokaris <sup>9</sup>, M.P. Giordani <sup>165a,165c</sup>, R. Giordano <sup>103a,103b</sup>, F.M. Giorgi <sup>20a</sup>, F.M. Giorgi <sup>16</sup>, P.F. Giraud <sup>137</sup>, D. Giugni <sup>90a</sup>, C. Giuliani <sup>48</sup>, M. Giulini <sup>58b</sup>, B.K. Gjelsten <sup>118</sup>, S. Gkaitatzis <sup>155</sup>, I. Gkalias <sup>155,l</sup>, L.K. Gladilin <sup>98</sup>, C. Glasman <sup>81</sup>, J. Glatzer <sup>30</sup>, P.C.F. Glaysher <sup>46</sup>, A. Glazov <sup>42</sup>, G.L. Glonti <sup>64</sup>, M. Goblirsch-Kolb <sup>100</sup>, J.R. Goddard <sup>75</sup>, J. Godfrey <sup>143</sup>, J. Godlewski <sup>30</sup>, C. Goeringer <sup>82</sup>, S. Goldfarb <sup>88</sup>, T. Golling <sup>177</sup>, D. Golubkov <sup>129</sup>, A. Gomes <sup>125a,125b,125d</sup>, L.S. Gomez Fajardo <sup>42</sup>, R. Gonçalo <sup>125a</sup>,

- J. Goncalves Pinto Firmino Da Costa <sup>137</sup>, L. Gonella <sup>21</sup>, S. González de la Hoz <sup>168</sup>, G. Gonzalez Parra <sup>12</sup>, S. Gonzalez-Sevilla <sup>49</sup>, L. Goossens <sup>30</sup>, P.A. Gorbounov <sup>96</sup>, H.A. Gordon <sup>25</sup>, I. Gorelov <sup>104</sup>, B. Gorini <sup>30</sup>, E. Gorini <sup>72a,72b</sup>, A. Gorišek <sup>74</sup>, E. Gornicki <sup>39</sup>, A.T. Goshaw <sup>6</sup>, C. Gössling <sup>43</sup>, M.I. Gostkin <sup>64</sup>, M. Gouighri <sup>136a</sup>, D. Goujdami <sup>136c</sup>, M.P. Goulette <sup>49</sup>, A.G. Goussiou <sup>139</sup>, C. Goy <sup>5</sup>, S. Gozpinar <sup>23</sup>, H.M.X. Grapas <sup>137</sup>, L. Graber <sup>54</sup>, I. Grabowska-Bold <sup>38a</sup>, P. Grafström <sup>20a,20b</sup>, K.-J. Grahn <sup>42</sup>, J. Gramling <sup>49</sup>, E. Gramstad <sup>118</sup>, S. Grancagnolo <sup>16</sup>, V. Grassi <sup>149</sup>, V. Gratchev <sup>122</sup>, H.M. Gray <sup>30</sup>, E. Graziani <sup>135a</sup>, O.G. Grebenyuk <sup>122</sup>, Z.D. Greenwood <sup>78,m</sup>, K. Gregersen <sup>77</sup>, I.M. Gregor <sup>42</sup>, P. Grenier <sup>144</sup>, J. Griffiths <sup>8</sup>, A.A. Grillo <sup>138</sup>, K. Grimm <sup>71</sup>, S. Grinstein <sup>12,n</sup>, Ph. Gris <sup>34</sup>, Y.V. Grishkevich <sup>98</sup>, J.-F. Grivaz <sup>116</sup>, J.P. Grohs <sup>44</sup>, A. Grohsjean <sup>42</sup>, E. Gross <sup>173</sup>, J. Grosse-Knetter <sup>54</sup>, G.C. Grossi <sup>134a,134b</sup>, J. Groth-Jensen <sup>173</sup>, Z.J. Grout <sup>150</sup>, L. Guan <sup>33b</sup>, F. Guescini <sup>49</sup>, D. Guest <sup>177</sup>, O. Gueta <sup>154</sup>, C. Guicheney <sup>34</sup>, E. Guido <sup>50a,50b</sup>, T. Guillemin <sup>116</sup>, S. Guindon <sup>2</sup>, U. Gul <sup>53</sup>, C. Gumpert <sup>44</sup>, J. Gunther <sup>127</sup>, J. Guo <sup>35</sup>, S. Gupta <sup>119</sup>, P. Gutierrez <sup>112</sup>, N.G. Gutierrez Ortiz <sup>53</sup>, C. Gutschow <sup>77</sup>, N. Guttman <sup>154</sup>, C. Guyot <sup>137</sup>, C. Gwenlan <sup>119</sup>, C.B. Gwilliam <sup>73</sup>, A. Haas <sup>109</sup>, C. Haber <sup>15</sup>, H.K. Hadavand <sup>8</sup>, N. Haddad <sup>136e</sup>, P. Haefner <sup>21</sup>, S. Hageböck <sup>21</sup>, Z. Hajduk <sup>39</sup>, H. Hakobyan <sup>178</sup>, M. Haleem <sup>42</sup>, D. Hall <sup>119</sup>, G. Halladjian <sup>89</sup>, K. Hamacher <sup>176</sup>, P. Hamal <sup>114</sup>, K. Hamano <sup>170</sup>, M. Hamer <sup>54</sup>, A. Hamilton <sup>146a</sup>, S. Hamilton <sup>162</sup>, G.N. Hamity <sup>146c</sup>, P.G. Hamnett <sup>42</sup>, L. Han <sup>33b</sup>, K. Hanagaki <sup>117</sup>, K. Hanawa <sup>156</sup>, M. Hance <sup>15</sup>, P. Hanke <sup>58a</sup>, R. Hanna <sup>137</sup>, J.B. Hansen <sup>36</sup>, J.D. Hansen <sup>36</sup>, P.H. Hansen <sup>36</sup>, K. Hara <sup>161</sup>, A.S. Hard <sup>174</sup>, T. Harenberg <sup>176</sup>, F. Hariri <sup>116</sup>, S. Harkusha <sup>91</sup>, D. Harper <sup>88</sup>, R.D. Harrington <sup>46</sup>, O.M. Harris <sup>139</sup>, P.F. Harrison <sup>171</sup>, F. Hartjes <sup>106</sup>, S. Hasegawa <sup>102</sup>, Y. Hasegawa <sup>141</sup>, A. Hasib <sup>112</sup>, S. Hassani <sup>137</sup>, S. Haug <sup>17</sup>, M. Hauschild <sup>30</sup>, R. Hauser <sup>89</sup>, M. Havranek <sup>126</sup>, C.M. Hawkes <sup>18</sup>, R.J. Hawkings <sup>30</sup>, A.D. Hawkins <sup>80</sup>, T. Hayashi <sup>161</sup>, D. Hayden <sup>89</sup>, C.P. Hays <sup>119</sup>, H.S. Hayward <sup>73</sup>, S.J. Haywood <sup>130</sup>, S.J. Head <sup>18</sup>, T. Heck <sup>82</sup>, V. Hedberg <sup>80</sup>, L. Heelan <sup>8</sup>, S. Heim <sup>121</sup>, T. Heim <sup>176</sup>, B. Heinemann <sup>15</sup>, L. Heinrich <sup>109</sup>, J. Hejbal <sup>126</sup>, L. Helary <sup>22</sup>, C. Heller <sup>99</sup>, M. Heller <sup>30</sup>, S. Hellman <sup>147a,147b</sup>, D. Hellmich <sup>21</sup>, C. Helsens <sup>30</sup>, J. Henderson <sup>119</sup>, R.C.W. Henderson <sup>71</sup>, Y. Heng <sup>174</sup>, C. Hengler <sup>42</sup>, A. Henrichs <sup>177</sup>, A.M. Henriques Correia <sup>30</sup>, S. Henrot-Versille <sup>116</sup>, C. Hensel <sup>54</sup>, G.H. Herbert <sup>16</sup>, Y. Hernández Jiménez <sup>168</sup>, R. Herrberg-Schubert <sup>16</sup>, G. Herten <sup>48</sup>, R. Hertenberger <sup>99</sup>, L. Hervas <sup>30</sup>, G.G. Hesketh <sup>77</sup>, N.P. Hessey <sup>106</sup>, R. Hickling <sup>75</sup>, E. Higón-Rodriguez <sup>168</sup>, E. Hill <sup>170</sup>, J.C. Hill <sup>28</sup>, K.H. Hiller <sup>42</sup>, S. Hillert <sup>21</sup>, S.J. Hillier <sup>18</sup>, I. Hinchliffe <sup>15</sup>, E. Hines <sup>121</sup>, M. Hirose <sup>158</sup>, D. Hirschbuehl <sup>176</sup>, J. Hobbs <sup>149</sup>, N. Hod <sup>106</sup>, M.C. Hodgkinson <sup>140</sup>, P. Hodgson <sup>140</sup>, A. Hoecker <sup>30</sup>, M.R. Hoeferkamp <sup>104</sup>, J. Hoffman <sup>40</sup>, D. Hoffmann <sup>84</sup>, J.I. Hofmann <sup>58a</sup>, M. Hohlfeld <sup>82</sup>, T.R. Holmes <sup>15</sup>, T.M. Hong <sup>121</sup>, L. Hooft van Huysduynen <sup>109</sup>, J-Y. Hostachy <sup>55</sup>, S. Hou <sup>152</sup>, A. Hoummada <sup>136a</sup>, J. Howard <sup>119</sup>, J. Howarth <sup>42</sup>, M. Hrabovsky <sup>114</sup>, I. Hristova <sup>16</sup>, J. Hrivnac <sup>116</sup>, T. Hrypn'ova <sup>5</sup>, C. Hsu <sup>146c</sup>, P.J. Hsu <sup>82</sup>, S.-C. Hsu <sup>139</sup>, D. Hu <sup>35</sup>, X. Hu <sup>25</sup>, Y. Huang <sup>42</sup>, Z. Hubacek <sup>30</sup>, F. Hubaut <sup>84</sup>, F. Huegging <sup>21</sup>, T.B. Huffman <sup>119</sup>, E.W. Hughes <sup>35</sup>, G. Hughes <sup>71</sup>, M. Huhtinen <sup>30</sup>, T.A. Hüsing <sup>82</sup>, M. Hurwitz <sup>15</sup>, N. Huseynov <sup>64,b</sup>, J. Huston <sup>89</sup>, J. Huth <sup>57</sup>, G. Iacobucci <sup>49</sup>, G. Iakovidis <sup>10</sup>, I. Ibragimov <sup>142</sup>, L. Iconomidou-Fayard <sup>116</sup>, E. Ideal <sup>177</sup>, P. Iengo <sup>103a</sup>, O. Igonkina <sup>106</sup>, T. Izawa <sup>172</sup>, Y. Ikegami <sup>65</sup>, K. Ikematsu <sup>142</sup>, M. Ikeno <sup>65</sup>, Y. Ilchenko <sup>31</sup>, D. Iliadis <sup>155</sup>, N. Ilic <sup>159</sup>, Y. Inamaru <sup>66</sup>, T. Ince <sup>100</sup>, P. Ioannou <sup>9</sup>, M. Iodice <sup>135a</sup>, K. Iordanidou <sup>9</sup>, V. Ippolito <sup>57</sup>, A. Irles Quiles <sup>168</sup>, C. Isaksson <sup>167</sup>, M. Ishino <sup>67</sup>, M. Ishitsuka <sup>158</sup>, R. Ishmukhametov <sup>110</sup>, C. Issever <sup>119</sup>, S. Istin <sup>19a</sup>, J.M. Iturbe Ponce <sup>83</sup>, R. Iuppa <sup>134a,134b</sup>, J. Ivarsson <sup>80</sup>, W. Iwanski <sup>39</sup>, H. Iwasaki <sup>65</sup>, J.M. Izen <sup>41</sup>, V. Izzo <sup>103a</sup>, B. Jackson <sup>121</sup>, M. Jackson <sup>73</sup>, P. Jackson <sup>1</sup>, M.R. Jaekel <sup>30</sup>, V. Jain <sup>2</sup>, K. Jakobs <sup>48</sup>, S. Jakobsen <sup>30</sup>, T. Jakoubek <sup>126</sup>, J. Jakubek <sup>127</sup>, D.O. Jamin <sup>152</sup>, D.K. Jana <sup>78</sup>, E. Jansen <sup>77</sup>, H. Jansen <sup>30</sup>, J. Janssen <sup>21</sup>, M. Janus <sup>171</sup>, G. Jarlskog <sup>80</sup>, N. Javadov <sup>64,b</sup>, T. Javůrek <sup>48</sup>, L. Jeanty <sup>15</sup>, J. Jejelava <sup>51a,o</sup>, G.-Y. Jeng <sup>151</sup>, D. Jennens <sup>87</sup>, P. Jenni <sup>48,p</sup>, J. Jentzsch <sup>43</sup>, C. Jeske <sup>171</sup>, S. Jézéquel <sup>5</sup>, H. Ji <sup>174</sup>, W. Ji <sup>82</sup>, J. Jia <sup>149</sup>, Y. Jiang <sup>33b</sup>, M. Jimenez Belenguer <sup>42</sup>, S. Jin <sup>33a</sup>, A. Jinaru <sup>26a</sup>, O. Jinnouchi <sup>158</sup>, M.D. Joergensen <sup>36</sup>, K.E. Johansson <sup>147a,147b</sup>, P. Johansson <sup>140</sup>, K.A. Johns <sup>7</sup>, K. Jon-And <sup>147a,147b</sup>, G. Jones <sup>171</sup>, R.W.L. Jones <sup>71</sup>, T.J. Jones <sup>73</sup>, J. Jongmanns <sup>58a</sup>, P.M. Jorge <sup>125a,125b</sup>, K.D. Joshi <sup>83</sup>, J. Jovicevic <sup>148</sup>, X. Ju <sup>174</sup>, C.A. Jung <sup>43</sup>, R.M. Jungst <sup>30</sup>, P. Jussel <sup>61</sup>, A. Juste Rozas <sup>12,n</sup>, M. Kaci <sup>168</sup>, A. Kaczmarska <sup>39</sup>, M. Kado <sup>116</sup>, H. Kagan <sup>110</sup>, M. Kagan <sup>144</sup>, E. Kajomovitz <sup>45</sup>, C.W. Kalderon <sup>119</sup>, S. Kama <sup>40</sup>, A. Kamenshchikov <sup>129</sup>, N. Kanaya <sup>156</sup>, M. Kaneda <sup>30</sup>, S. Kaneti <sup>28</sup>, V.A. Kantserov <sup>97</sup>, J. Kanzaki <sup>65</sup>, B. Kaplan <sup>109</sup>, A. Kapliy <sup>31</sup>, D. Kar <sup>53</sup>, K. Karakostas <sup>10</sup>, N. Karastathis <sup>10</sup>, M. Karnevskiy <sup>82</sup>, S.N. Karpov <sup>64</sup>, K. Karthik <sup>109</sup>, V. Kartvelishvili <sup>71</sup>, A.N. Karyukhin <sup>129</sup>, L. Kashif <sup>174</sup>, G. Kasieczka <sup>58b</sup>, R.D. Kass <sup>110</sup>, A. Kastanas <sup>14</sup>, Y. Kataoka <sup>156</sup>, A. Katre <sup>49</sup>, J. Katzy <sup>42</sup>, V. Kaushik <sup>7</sup>, K. Kawagoe <sup>69</sup>, T. Kawamoto <sup>156</sup>, G. Kawamura <sup>54</sup>, S. Kazama <sup>156</sup>, V.F. Kazanin <sup>108</sup>, M.Y. Kazarinov <sup>64</sup>, R. Keeler <sup>170</sup>, R. Kehoe <sup>40</sup>, M. Keil <sup>54</sup>, J.S. Keller <sup>42</sup>, J.J. Kempster <sup>76</sup>, H. Keoshkerian <sup>5</sup>,

- O. Kepka <sup>126</sup>, B.P. Kerševan <sup>74</sup>, S. Kersten <sup>176</sup>, K. Kessoku <sup>156</sup>, J. Keung <sup>159</sup>, F. Khalil-zada <sup>11</sup>,  
 H. Khandanyan <sup>147a,147b</sup>, A. Khanov <sup>113</sup>, A. Khodinov <sup>97</sup>, A. Khomich <sup>58a</sup>, T.J. Khoo <sup>28</sup>, G. Khoriauli <sup>21</sup>,  
 A. Khoroshilov <sup>176</sup>, V. Khovanskiy <sup>96</sup>, E. Khramov <sup>64</sup>, J. Khubua <sup>51b</sup>, H.Y. Kim <sup>8</sup>, H. Kim <sup>147a,147b</sup>,  
 S.H. Kim <sup>161</sup>, N. Kimura <sup>172</sup>, O. Kind <sup>16</sup>, B.T. King <sup>73</sup>, M. King <sup>168</sup>, R.S.B. King <sup>119</sup>, S.B. King <sup>169</sup>, J. Kirk <sup>130</sup>,  
 A.E. Kiryunin <sup>100</sup>, T. Kishimoto <sup>66</sup>, D. Kisielewska <sup>38a</sup>, F. Kiss <sup>48</sup>, T. Kittelmann <sup>124</sup>, K. Kiuchi <sup>161</sup>,  
 E. Kladiva <sup>145b</sup>, M. Klein <sup>73</sup>, U. Klein <sup>73</sup>, K. Kleinknecht <sup>82</sup>, P. Klimek <sup>147a,147b</sup>, A. Klimentov <sup>25</sup>,  
 R. Klingenberg <sup>43</sup>, J.A. Klinger <sup>83</sup>, T. Klioutchnikova <sup>30</sup>, P.F. Klok <sup>105</sup>, E.-E. Kluge <sup>58a</sup>, P. Kluit <sup>106</sup>, S. Kluth <sup>100</sup>,  
 E. Knerner <sup>61</sup>, E.B.F.G. Knoops <sup>84</sup>, A. Knue <sup>53</sup>, D. Kobayashi <sup>158</sup>, T. Kobayashi <sup>156</sup>, M. Kobel <sup>44</sup>,  
 M. Kocian <sup>144</sup>, P. Kodys <sup>128</sup>, P. Koeyesarki <sup>21</sup>, T. Koffas <sup>29</sup>, E. Koffeman <sup>106</sup>, L.A. Kogan <sup>119</sup>, S. Kohlmann <sup>176</sup>,  
 Z. Kohout <sup>127</sup>, T. Kohriki <sup>65</sup>, T. Koi <sup>144</sup>, H. Kolanoski <sup>16</sup>, I. Koletsou <sup>5</sup>, J. Koll <sup>89</sup>, A.A. Komar <sup>95,\*</sup>,  
 Y. Komori <sup>156</sup>, T. Kondo <sup>65</sup>, N. Kondrashova <sup>42</sup>, K. Köneke <sup>48</sup>, A.C. König <sup>105</sup>, S. König <sup>82</sup>, T. Kono <sup>65,q</sup>,  
 R. Konoplich <sup>109,r</sup>, N. Konstantinidis <sup>77</sup>, R. Kopeliansky <sup>153</sup>, S. Koperny <sup>38a</sup>, L. Köpke <sup>82</sup>, A.K. Kopp <sup>48</sup>,  
 K. Korcyl <sup>39</sup>, K. Kordas <sup>155</sup>, A. Korn <sup>77</sup>, A.A. Korol <sup>108,s</sup>, I. Korolkov <sup>12</sup>, E.V. Korolkova <sup>140</sup>, V.A. Korotkov <sup>129</sup>,  
 O. Kortner <sup>100</sup>, S. Kortner <sup>100</sup>, V.V. Kostyukhin <sup>21</sup>, V.M. Kotov <sup>64</sup>, A. Kotwal <sup>45</sup>, C. Kourkoumelis <sup>9</sup>,  
 V. Kouskoura <sup>155</sup>, A. Koutsman <sup>160a</sup>, R. Kowalewski <sup>170</sup>, T.Z. Kowalski <sup>38a</sup>, W. Kozanecki <sup>137</sup>, A.S. Kozhin <sup>129</sup>,  
 V. Kral <sup>127</sup>, V.A. Kramarenko <sup>98</sup>, G. Kramberger <sup>74</sup>, D. Krasnopevtsev <sup>97</sup>, M.W. Krasny <sup>79</sup>,  
 A. Krasznahorkay <sup>30</sup>, J.K. Kraus <sup>21</sup>, A. Kravchenko <sup>25</sup>, S. Kreiss <sup>109</sup>, M. Kretz <sup>58c</sup>, J. Kretzschmar <sup>73</sup>,  
 K. Kreutzfeldt <sup>52</sup>, P. Krieger <sup>159</sup>, K. Kroeninger <sup>54</sup>, H. Kroha <sup>100</sup>, J. Kroll <sup>121</sup>, J. Kroseberg <sup>21</sup>, J. Krstic <sup>13a</sup>,  
 U. Kruchonak <sup>64</sup>, H. Krüger <sup>21</sup>, T. Kruker <sup>17</sup>, N. Krumnack <sup>63</sup>, Z.V. Krumshteyn <sup>64</sup>, A. Kruse <sup>174</sup>,  
 M.C. Kruse <sup>45</sup>, M. Kruskal <sup>22</sup>, T. Kubota <sup>87</sup>, S. Kuday <sup>4a</sup>, S. Kuehn <sup>48</sup>, A. Kugel <sup>58c</sup>, A. Kuhl <sup>138</sup>, T. Kuhl <sup>42</sup>,  
 V. Kukhtin <sup>64</sup>, Y. Kulchitsky <sup>91</sup>, S. Kuleshov <sup>32b</sup>, M. Kuna <sup>133a,133b</sup>, J. Kunkle <sup>121</sup>, A. Kupco <sup>126</sup>,  
 H. Kurashige <sup>66</sup>, Y.A. Kurochkin <sup>91</sup>, R. Kurumida <sup>66</sup>, V. Kus <sup>126</sup>, E.S. Kuwertz <sup>148</sup>, M. Kuze <sup>158</sup>, J. Kvita <sup>114</sup>,  
 A. La Rosa <sup>49</sup>, L. La Rotonda <sup>37a,37b</sup>, C. Lacasta <sup>168</sup>, F. Lacava <sup>133a,133b</sup>, J. Lacey <sup>29</sup>, H. Lacker <sup>16</sup>, D. Lacour <sup>79</sup>,  
 V.R. Lacuesta <sup>168</sup>, E. Ladygin <sup>64</sup>, R. Lafaye <sup>5</sup>, B. Laforge <sup>79</sup>, T. Lagouri <sup>177</sup>, S. Lai <sup>48</sup>, H. Laier <sup>58a</sup>,  
 L. Lambourne <sup>77</sup>, S. Lammers <sup>60</sup>, C.L. Lampen <sup>7</sup>, W. Lampl <sup>7</sup>, E. Lançon <sup>137</sup>, U. Landgraf <sup>48</sup>, M.P.J. Landon <sup>75</sup>,  
 V.S. Lang <sup>58a</sup>, A.J. Lankford <sup>164</sup>, F. Lanni <sup>25</sup>, K. Lantzsch <sup>30</sup>, S. Laplace <sup>79</sup>, C. Lapoire <sup>21</sup>, J.F. Laporte <sup>137</sup>,  
 T. Lari <sup>90a</sup>, M. Lassnig <sup>30</sup>, P. Laurelli <sup>47</sup>, W. Lavrijzen <sup>15</sup>, A.T. Law <sup>138</sup>, P. Laycock <sup>73</sup>, B.T. Le <sup>55</sup>, O. Le Dortz <sup>79</sup>,  
 E. Le Guirriec <sup>84</sup>, E. Le Menedeu <sup>12</sup>, T. LeCompte <sup>6</sup>, F. Ledroit-Guillon <sup>55</sup>, C.A. Lee <sup>152</sup>, H. Lee <sup>106</sup>,  
 J.S.H. Lee <sup>117</sup>, S.C. Lee <sup>152</sup>, L. Lee <sup>177</sup>, G. Lefebvre <sup>79</sup>, M. Lefebvre <sup>170</sup>, F. Legger <sup>99</sup>, C. Leggett <sup>15</sup>, A. Lehan <sup>73</sup>,  
 M. Lehmacher <sup>21</sup>, G. Lehmann Miotto <sup>30</sup>, X. Lei <sup>7</sup>, W.A. Leight <sup>29</sup>, A. Leisos <sup>155</sup>, A.G. Leister <sup>177</sup>,  
 M.A.L. Leite <sup>24d</sup>, R. Leitner <sup>128</sup>, D. Lellouch <sup>173</sup>, B. Lemmer <sup>54</sup>, K.J.C. Leney <sup>77</sup>, T. Lenz <sup>106</sup>, G. Lenzen <sup>176</sup>,  
 B. Lenzi <sup>30</sup>, R. Leone <sup>7</sup>, S. Leone <sup>123a,123b</sup>, K. Leonhardt <sup>44</sup>, C. Leonidopoulos <sup>46</sup>, S. Leontsinis <sup>10</sup>, C. Leroy <sup>94</sup>,  
 C.G. Lester <sup>28</sup>, C.M. Lester <sup>121</sup>, M. Levchenko <sup>122</sup>, J. Levêque <sup>5</sup>, D. Levin <sup>88</sup>, L.J. Levinson <sup>173</sup>, M. Levy <sup>18</sup>,  
 A. Lewis <sup>119</sup>, G.H. Lewis <sup>109</sup>, A.M. Leyko <sup>21</sup>, M. Leyton <sup>41</sup>, B. Li <sup>33b,t</sup>, B. Li <sup>84</sup>, H. Li <sup>149</sup>, H.L. Li <sup>31</sup>, L. Li <sup>45</sup>,  
 L. Li <sup>33e</sup>, S. Li <sup>45</sup>, Y. Li <sup>33c,u</sup>, Z. Liang <sup>138</sup>, H. Liao <sup>34</sup>, B. Liberti <sup>134a</sup>, P. Lichard <sup>30</sup>, K. Lie <sup>166</sup>, J. Liebal <sup>21</sup>,  
 W. Liebig <sup>14</sup>, C. Limbach <sup>21</sup>, A. Limosani <sup>87</sup>, S.C. Lin <sup>152,v</sup>, T.H. Lin <sup>82</sup>, F. Linde <sup>106</sup>, B.E. Lindquist <sup>149</sup>,  
 J.T. Linnemann <sup>89</sup>, E. Lipeles <sup>121</sup>, A. Lipniacka <sup>14</sup>, M. Lisovskyi <sup>42</sup>, T.M. Liss <sup>166</sup>, D. Lissauer <sup>25</sup>, A. Lister <sup>169</sup>,  
 A.M. Litke <sup>138</sup>, B. Liu <sup>152</sup>, D. Liu <sup>152</sup>, J.B. Liu <sup>33b</sup>, K. Liu <sup>33b,w</sup>, L. Liu <sup>88</sup>, M. Liu <sup>45</sup>, M. Liu <sup>33b</sup>, Y. Liu <sup>33b</sup>,  
 M. Livan <sup>120a,120b</sup>, S.S.A. Livermore <sup>119</sup>, A. Lleres <sup>55</sup>, J. Llorente Merino <sup>81</sup>, S.L. Lloyd <sup>75</sup>, F. Lo Sterzo <sup>152</sup>,  
 E. Lobodzinska <sup>42</sup>, P. Loch <sup>7</sup>, W.S. Lockman <sup>138</sup>, T. Loddenkoetter <sup>21</sup>, F.K. Loebinger <sup>83</sup>,  
 A.E. Loevschall-Jensen <sup>36</sup>, A. Loginov <sup>177</sup>, C.W. Loh <sup>169</sup>, T. Lohse <sup>16</sup>, K. Lohwasser <sup>42</sup>, M. Lokajicek <sup>126</sup>,  
 V.P. Lombardo <sup>5</sup>, B.A. Long <sup>22</sup>, J.D. Long <sup>88</sup>, R.E. Long <sup>71</sup>, L. Lopes <sup>125a</sup>, D. Lopez Mateos <sup>57</sup>,  
 B. Lopez Paredes <sup>140</sup>, I. Lopez Paz <sup>12</sup>, J. Lorenz <sup>99</sup>, N. Lorenzo Martinez <sup>60</sup>, M. Losada <sup>163</sup>, P. Loscutoff <sup>15</sup>,  
 X. Lou <sup>41</sup>, A. Lounis <sup>116</sup>, J. Love <sup>6</sup>, P.A. Love <sup>71</sup>, A.J. Lowe <sup>144,e</sup>, F. Lu <sup>33a</sup>, H.J. Lubatti <sup>139</sup>, C. Luci <sup>133a,133b</sup>,  
 A. Lucotte <sup>55</sup>, F. Luehring <sup>60</sup>, W. Lukas <sup>61</sup>, L. Luminari <sup>133a</sup>, O. Lundberg <sup>147a,147b</sup>, B. Lund-Jensen <sup>148</sup>,  
 M. Lungwitz <sup>82</sup>, D. Lynn <sup>25</sup>, R. Lysak <sup>126</sup>, E. Lytken <sup>80</sup>, H. Ma <sup>25</sup>, L.L. Ma <sup>33d</sup>, G. Maccarrone <sup>47</sup>,  
 A. Macchiolo <sup>100</sup>, J. Machado Miguens <sup>125a,125b</sup>, D. Macina <sup>30</sup>, D. Madaffari <sup>84</sup>, R. Madar <sup>48</sup>,  
 H.J. Maddocks <sup>71</sup>, W.F. Mader <sup>44</sup>, A. Madsen <sup>167</sup>, M. Maeno <sup>8</sup>, T. Maeno <sup>25</sup>, E. Magradze <sup>54</sup>, K. Mahboubi <sup>48</sup>,  
 J. Mahlstedt <sup>106</sup>, S. Mahmoud <sup>73</sup>, C. Maiani <sup>137</sup>, C. Maidantchik <sup>24a</sup>, A.A. Maier <sup>100</sup>, A. Maio <sup>125a,125b,125d</sup>,  
 S. Majewski <sup>115</sup>, Y. Makida <sup>65</sup>, N. Makovec <sup>116</sup>, P. Mal <sup>137,x</sup>, B. Malaescu <sup>79</sup>, Pa. Malecki <sup>39</sup>, V.P. Maleev <sup>122</sup>,  
 F. Malek <sup>55</sup>, U. Mallik <sup>62</sup>, D. Malon <sup>6</sup>, C. Malone <sup>144</sup>, S. Maltezos <sup>10</sup>, V.M. Malyshев <sup>108</sup>, S. Malyukov <sup>30</sup>,  
 J. Mamuzic <sup>13b</sup>, B. Mandelli <sup>30</sup>, L. Mandelli <sup>90a</sup>, I. Mandić <sup>74</sup>, R. Mandrysch <sup>62</sup>, J. Maneira <sup>125a,125b</sup>,

- A. Manfredini <sup>100</sup>, L. Manhaes de Andrade Filho <sup>24b</sup>, J.A. Manjarres Ramos <sup>160b</sup>, A. Mann <sup>99</sup>,  
 P.M. Manning <sup>138</sup>, A. Manousakis-Katsikakis <sup>9</sup>, B. Mansoulie <sup>137</sup>, R. Mantifel <sup>86</sup>, L. Mapelli <sup>30</sup>, L. March <sup>168</sup>,  
 J.F. Marchand <sup>29</sup>, G. Marchiori <sup>79</sup>, M. Marcisovsky <sup>126</sup>, C.P. Marino <sup>170</sup>, M. Marjanovic <sup>13a</sup>,  
 C.N. Marques <sup>125a</sup>, F. Marroquim <sup>24a</sup>, S.P. Marsden <sup>83</sup>, Z. Marshall <sup>15</sup>, L.F. Marti <sup>17</sup>, S. Marti-Garcia <sup>168</sup>,  
 B. Martin <sup>30</sup>, B. Martin <sup>89</sup>, T.A. Martin <sup>171</sup>, V.J. Martin <sup>46</sup>, B. Martin dit Latour <sup>14</sup>, H. Martinez <sup>137</sup>,  
 M. Martinez <sup>12,n</sup>, S. Martin-Haugh <sup>130</sup>, A.C. Martyniuk <sup>77</sup>, M. Marx <sup>139</sup>, F. Marzano <sup>133a</sup>, A. Marzin <sup>30</sup>,  
 L. Masetti <sup>82</sup>, T. Mashimo <sup>156</sup>, R. Mashinistov <sup>95</sup>, J. Masik <sup>83</sup>, A.L. Maslennikov <sup>108</sup>, I. Massa <sup>20a,20b</sup>,  
 N. Massol <sup>5</sup>, P. Mastrandrea <sup>149</sup>, A. Mastroberardino <sup>37a,37b</sup>, T. Masubuchi <sup>156</sup>, P. Mättig <sup>176</sup>, J. Mattmann <sup>82</sup>,  
 J. Maurer <sup>26a</sup>, S.J. Maxfield <sup>73</sup>, D.A. Maximov <sup>108,s</sup>, R. Mazini <sup>152</sup>, L. Mazzaferro <sup>134a,134b</sup>, G. Mc Goldrick <sup>159</sup>,  
 S.P. Mc Kee <sup>88</sup>, A. McCarn <sup>88</sup>, R.L. McCarthy <sup>149</sup>, T.G. McCarthy <sup>29</sup>, N.A. McCubbin <sup>130</sup>, K.W. McFarlane <sup>56,\*</sup>,  
 J.A. McFayden <sup>77</sup>, G. Mchedlidze <sup>54</sup>, S.J. McMahon <sup>130</sup>, R.A. McPherson <sup>170,i</sup>, A. Meade <sup>85</sup>, J. Mechlich <sup>106</sup>,  
 M. Medinnis <sup>42</sup>, S. Meehan <sup>31</sup>, S. Mehlhase <sup>99</sup>, A. Mehta <sup>73</sup>, K. Meier <sup>58a</sup>, C. Meineck <sup>99</sup>, B. Meirose <sup>80</sup>,  
 C. Melachrinos <sup>31</sup>, B.R. Mellado Garcia <sup>146c</sup>, F. Meloni <sup>17</sup>, A. Mengarelli <sup>20a,20b</sup>, S. Menke <sup>100</sup>, E. Meoni <sup>162</sup>,  
 K.M. Mercurio <sup>57</sup>, S. Mergelmeyer <sup>21</sup>, N. Meric <sup>137</sup>, P. Mermod <sup>49</sup>, L. Merola <sup>103a,103b</sup>, C. Meroni <sup>90a</sup>,  
 F.S. Merritt <sup>31</sup>, H. Merritt <sup>110</sup>, A. Messina <sup>30,y</sup>, J. Metcalfe <sup>25</sup>, A.S. Mete <sup>164</sup>, C. Meyer <sup>82</sup>, C. Meyer <sup>31</sup>,  
 J-P. Meyer <sup>137</sup>, J. Meyer <sup>30</sup>, R.P. Middleton <sup>130</sup>, S. Migas <sup>73</sup>, L. Mijović <sup>21</sup>, G. Mikenberg <sup>173</sup>,  
 M. Mikestikova <sup>126</sup>, M. Mikuž <sup>74</sup>, D.W. Miller <sup>31</sup>, C. Mills <sup>46</sup>, A. Milov <sup>173</sup>, D.A. Milstead <sup>147a,147b</sup>,  
 D. Milstein <sup>173</sup>, A.A. Minaenko <sup>129</sup>, I.A. Minashvili <sup>64</sup>, A.I. Mincer <sup>109</sup>, B. Mindur <sup>38a</sup>, M. Mineev <sup>64</sup>,  
 Y. Ming <sup>174</sup>, L.M. Mir <sup>12</sup>, G. Mirabelli <sup>133a</sup>, T. Mitani <sup>172</sup>, J. Mitrevski <sup>99</sup>, V.A. Mitsou <sup>168</sup>, S. Mitsui <sup>65</sup>,  
 A. Miucci <sup>49</sup>, P.S. Miyagawa <sup>140</sup>, J.U. Mjörnmark <sup>80</sup>, T. Moa <sup>147a,147b</sup>, K. Mochizuki <sup>84</sup>, S. Mohapatra <sup>35</sup>,  
 W. Mohr <sup>48</sup>, S. Molander <sup>147a,147b</sup>, R. Moles-Valls <sup>168</sup>, K. Mönig <sup>42</sup>, C. Monini <sup>55</sup>, J. Monk <sup>36</sup>, E. Monnier <sup>84</sup>,  
 J. Montejo Berlingen <sup>12</sup>, F. Monticelli <sup>70</sup>, S. Monzani <sup>133a,133b</sup>, R.W. Moore <sup>3</sup>, A. Moraes <sup>53</sup>, N. Morange <sup>62</sup>,  
 D. Moreno <sup>82</sup>, M. Moreno Llácer <sup>54</sup>, P. Morettini <sup>50a</sup>, M. Morgenstern <sup>44</sup>, M. Morii <sup>57</sup>, S. Moritz <sup>82</sup>,  
 A.K. Morley <sup>148</sup>, G. Mornacchi <sup>30</sup>, J.D. Morris <sup>75</sup>, L. Morvaj <sup>102</sup>, H.G. Moser <sup>100</sup>, M. Mosidze <sup>51b</sup>, J. Moss <sup>110</sup>,  
 K. Motohashi <sup>158</sup>, R. Mount <sup>144</sup>, E. Mountricha <sup>25</sup>, S.V. Mouraviev <sup>95,\*</sup>, E.J.W. Moyse <sup>85</sup>, S. Muanza <sup>84</sup>,  
 R.D. Mudd <sup>18</sup>, F. Mueller <sup>58a</sup>, J. Mueller <sup>124</sup>, K. Mueller <sup>21</sup>, T. Mueller <sup>28</sup>, T. Mueller <sup>82</sup>, D. Muenstermann <sup>49</sup>,  
 Y. Munwes <sup>154</sup>, J.A. Murillo Quijada <sup>18</sup>, W.J. Murray <sup>171,130</sup>, H. Musheghyan <sup>54</sup>, E. Musto <sup>153</sup>,  
 A.G. Myagkov <sup>129,z</sup>, M. Myska <sup>127</sup>, O. Nackenhorst <sup>54</sup>, J. Nadal <sup>54</sup>, K. Nagai <sup>61</sup>, R. Nagai <sup>158</sup>, Y. Nagai <sup>84</sup>,  
 K. Nagano <sup>65</sup>, A. Nagarkar <sup>110</sup>, Y. Nagasaki <sup>59</sup>, M. Nagel <sup>100</sup>, A.M. Nairz <sup>30</sup>, Y. Nakahama <sup>30</sup>, K. Nakamura <sup>65</sup>,  
 T. Nakamura <sup>156</sup>, I. Nakano <sup>111</sup>, H. Namasivayam <sup>41</sup>, G. Nanava <sup>21</sup>, R. Narayan <sup>58b</sup>, T. Nattermann <sup>21</sup>,  
 T. Naumann <sup>42</sup>, G. Navarro <sup>163</sup>, R. Nayyar <sup>7</sup>, H.A. Neal <sup>88</sup>, P.Yu. Nechaeva <sup>95</sup>, T.J. Neep <sup>83</sup>, P.D. Nef <sup>144</sup>,  
 A. Negri <sup>120a,120b</sup>, G. Negri <sup>30</sup>, M. Negrini <sup>20a</sup>, S. Nektarijevic <sup>49</sup>, A. Nelson <sup>164</sup>, T.K. Nelson <sup>144</sup>,  
 S. Nemecek <sup>126</sup>, P. Nemethy <sup>109</sup>, A.A. Nepomuceno <sup>24a</sup>, M. Nessi <sup>30,aa</sup>, M.S. Neubauer <sup>166</sup>, M. Neumann <sup>176</sup>,  
 R.M. Neves <sup>109</sup>, P. Nevski <sup>25</sup>, P.R. Newman <sup>18</sup>, D.H. Nguyen <sup>6</sup>, R.B. Nickerson <sup>119</sup>, R. Nicolaïdou <sup>137</sup>,  
 B. Nicquevert <sup>30</sup>, J. Nielsen <sup>138</sup>, N. Nikiforou <sup>35</sup>, A. Nikiforov <sup>16</sup>, V. Nikolaenko <sup>129,z</sup>, I. Nikolic-Audit <sup>79</sup>,  
 K. Nikolic <sup>49</sup>, K. Nikolopoulos <sup>18</sup>, P. Nilsson <sup>8</sup>, Y. Ninomiya <sup>156</sup>, A. Nisati <sup>133a</sup>, R. Nisius <sup>100</sup>, T. Nobe <sup>158</sup>,  
 L. Nodulman <sup>6</sup>, M. Nomachi <sup>117</sup>, I. Nomidis <sup>155</sup>, S. Norberg <sup>112</sup>, M. Nordberg <sup>30</sup>, S. Nowak <sup>100</sup>, M. Nozaki <sup>65</sup>,  
 L. Nozka <sup>114</sup>, K. Ntekas <sup>10</sup>, G. Nunes Hanninger <sup>87</sup>, T. Nunnemann <sup>99</sup>, E. Nurse <sup>77</sup>, F. Nuti <sup>87</sup>, B.J. O'Brien <sup>46</sup>,  
 F. O'grady <sup>7</sup>, D.C. O'Neil <sup>143</sup>, V. O'Shea <sup>53</sup>, F.G. Oakham <sup>29,d</sup>, H. Oberlack <sup>100</sup>, T. Obermann <sup>21</sup>, J. Ocariz <sup>79</sup>,  
 A. Ochi <sup>66</sup>, M.I. Ochoa <sup>77</sup>, S. Oda <sup>69</sup>, S. Odaka <sup>65</sup>, H. Ogren <sup>60</sup>, A. Oh <sup>83</sup>, S.H. Oh <sup>45</sup>, C.C. Ohm <sup>30</sup>,  
 H. Ohman <sup>167</sup>, T. Ohshima <sup>102</sup>, W. Okamura <sup>117</sup>, H. Okawa <sup>25</sup>, Y. Okumura <sup>31</sup>, T. Okuyama <sup>156</sup>, A. Olariu <sup>26a</sup>,  
 A.G. Olchevski <sup>64</sup>, S.A. Olivares Pino <sup>46</sup>, D. Oliveira Damazio <sup>25</sup>, E. Oliver Garcia <sup>168</sup>, A. Olszewski <sup>39</sup>,  
 J. Olszowska <sup>39</sup>, A. Onofre <sup>125a,125e</sup>, P.U.E. Onyisi <sup>31,ab</sup>, C.J. Oram <sup>160a</sup>, M.J. Oreglia <sup>31</sup>, Y. Oren <sup>154</sup>,  
 D. Orestano <sup>135a,135b</sup>, N. Orlando <sup>72a,72b</sup>, C. Oropeza Barrera <sup>53</sup>, R.S. Orr <sup>159</sup>, B. Osculati <sup>50a,50b</sup>,  
 R. Ospanov <sup>121</sup>, G. Otero y Garzon <sup>27</sup>, H. Otono <sup>69</sup>, M. Ouchrif <sup>136d</sup>, E.A. Ouellette <sup>170</sup>, F. Ould-Saada <sup>118</sup>,  
 A. Ouraou <sup>137</sup>, K.P. Oussoren <sup>106</sup>, Q. Ouyang <sup>33a</sup>, A. Ovcharova <sup>15</sup>, M. Owen <sup>83</sup>, V.E. Ozcan <sup>19a</sup>, N. Ozturk <sup>8</sup>,  
 K. Pachal <sup>119</sup>, A. Pacheco Pages <sup>12</sup>, C. Padilla Aranda <sup>12</sup>, M. Pagáčová <sup>48</sup>, S. Pagan Griso <sup>15</sup>, E. Paganis <sup>140</sup>,  
 C. Pahl <sup>100</sup>, F. Paige <sup>25</sup>, P. Pais <sup>85</sup>, K. Pajchel <sup>118</sup>, G. Palacino <sup>160b</sup>, S. Palestini <sup>30</sup>, M. Palka <sup>38b</sup>, D. Pallin <sup>34</sup>,  
 A. Palma <sup>125a,125b</sup>, J.D. Palmer <sup>18</sup>, Y.B. Pan <sup>174</sup>, E. Panagiotopoulou <sup>10</sup>, J.G. Panduro Vazquez <sup>76</sup>, P. Pani <sup>106</sup>,  
 N. Panikashvili <sup>88</sup>, S. Panitkin <sup>25</sup>, D. Pantea <sup>26a</sup>, L. Paolozzi <sup>134a,134b</sup>, Th.D. Papadopoulou <sup>10</sup>,  
 K. Papageorgiou <sup>155,l</sup>, A. Paramonov <sup>6</sup>, D. Paredes Hernandez <sup>34</sup>, M.A. Parker <sup>28</sup>, F. Parodi <sup>50a,50b</sup>,  
 J.A. Parsons <sup>35</sup>, U. Parzefall <sup>48</sup>, E. Pasqualucci <sup>133a</sup>, S. Passaggio <sup>50a</sup>, A. Passeri <sup>135a</sup>, F. Pastore <sup>135a,135b,\*</sup>,

- Fr. Pastore 76, G. Pásztor 29, S. Pataraia 176, N.D. Patel 151, J.R. Pater 83, S. Patricelli 103a, 103b, T. Pauly 30,  
 J. Pearce 170, M. Pedersen 118, S. Pedraza Lopez 168, R. Pedro 125a, 125b, S.V. Peleganchuk 108, D. Pelikan 167,  
 H. Peng 33b, B. Penning 31, J. Penwell 60, D.V. Perepelitsa 25, E. Perez Codina 160a,  
 M.T. Pérez García-Estañ 168, V. Perez Reale 35, L. Perini 90a, 90b, H. Pernegger 30, R. Perrino 72a,  
 R. Peschke 42, V.D. Peshekhonov 64, K. Peters 30, R.F.Y. Peters 83, B.A. Petersen 30, T.C. Petersen 36,  
 E. Petit 42, A. Petridis 147a, 147b, C. Petridou 155, E. Petrolo 133a, F. Petrucci 135a, 135b, N.E. Pettersson 158,  
 R. Pezoa 32b, P.W. Phillips 130, G. Piacquadio 144, E. Pianori 171, A. Picazio 49, E. Piccaro 75,  
 M. Piccinini 20a, 20b, R. Piegaia 27, D.T. Pignotti 110, J.E. Pilcher 31, A.D. Pilkington 77, J. Pina 125a, 125b, 125d,  
 M. Pinamonti 165a, 165c, ac, A. Pinder 119, J.L. Pinfold 3, A. Pingel 36, B. Pinto 125a, S. Pires 79, M. Pitt 173,  
 C. Pizio 90a, 90b, L. Plazak 145a, M.-A. Pleier 25, V. Pleskot 128, E. Plotnikova 64, P. Plucinski 147a, 147b,  
 S. Poddar 58a, F. Podlaski 34, R. Poettgen 82, L. Poggioli 116, D. Pohl 21, M. Pohl 49, G. Polesello 120a,  
 A. Policicchio 37a, 37b, R. Polifka 159, A. Polini 20a, C.S. Pollard 45, V. Polychronakos 25, K. Pommès 30,  
 L. Pontecorvo 133a, B.G. Pope 89, G.A. Popeneciu 26b, D.S. Popovic 13a, A. Poppleton 30, X. Portell Bueso 12,  
 S. Pospisil 127, K. Potamianos 15, I.N. Potrap 64, C.J. Potter 150, C.T. Potter 115, G. Poulard 30, J. Poveda 60,  
 V. Pozdnyakov 64, P. Pralavorio 84, A. Pranko 15, S. Prasad 30, R. Pravahan 8, S. Prell 63, D. Price 83, J. Price 73,  
 L.E. Price 6, D. Prieur 124, M. Primavera 72a, M. Proissl 46, K. Prokofiev 47, F. Prokoshin 32b,  
 E. Protopapadaki 137, S. Protopopescu 25, J. Proudfoot 6, M. Przybycien 38a, H. Przysiezniak 5, E. Ptacek 115,  
 D. Puddu 135a, 135b, E. Pueschel 85, D. Puldon 149, M. Purohit 25, ad, P. Puzo 116, J. Qian 88, G. Qin 53, Y. Qin 83,  
 A. Quadt 54, D.R. Quarrie 15, W.B. Quayle 165a, 165b, M. Queitsch-Maitland 83, D. Quilty 53, A. Qureshi 160b,  
 V. Radeka 25, V. Radescu 42, S.K. Radhakrishnan 149, P. Radloff 115, P. Rados 87, F. Ragusa 90a, 90b,  
 G. Rahal 179, S. Rajagopalan 25, M. Rammensee 30, A.S. Randle-Conde 40, C. Rangel-Smith 167, K. Rao 164,  
 F. Rauscher 99, T.C. Rave 48, T. Ravenscroft 53, M. Raymond 30, A.L. Read 118, N.P. Readioff 73,  
 D.M. Rebuzzi 120a, 120b, A. Redelbach 175, G. Redlinger 25, R. Reece 138, K. Reeves 41, L. Rehnisch 16,  
 H. Reisin 27, M. Relich 164, C. Rembser 30, H. Ren 33a, Z.L. Ren 152, A. Renaud 116, M. Rescigno 133a,  
 S. Resconi 90a, O.L. Rezanova 108.s, P. Reznicek 128, R. Rezvani 94, R. Richter 100, M. Ridel 79, P. Rieck 16,  
 J. Rieger 54, M. Rijssenbeek 149, A. Rimoldi 120a, 120b, L. Rinaldi 20a, E. Ritsch 61, I. Riu 12, F. Rizatdinova 113,  
 E. Rizvi 75, S.H. Robertson 86.i, A. Robichaud-Veronneau 86, D. Robinson 28, J.E.M. Robinson 83,  
 A. Robson 53, C. Roda 123a, 123b, L. Rodrigues 30, S. Roe 30, O. Røhne 118, S. Rolli 162, A. Romaniouk 97,  
 M. Romano 20a, 20b, E. Romero Adam 168, N. Rompotis 139, L. Roos 79, E. Ros 168, S. Rosati 133a,  
 K. Rosbach 49, M. Rose 76, P.L. Rosendahl 14, O. Rosenthal 142, V. Rossetti 147a, 147b, E. Rossi 103a, 103b,  
 L.P. Rossi 50a, R. Rosten 139, M. Rotaru 26a, I. Roth 173, J. Rothberg 139, D. Rousseau 116, C.R. Royon 137,  
 A. Rozanov 84, Y. Rozen 153, X. Ruan 146c, F. Rubbo 12, I. Rubinskiy 42, V.I. Rud 98, C. Rudolph 44,  
 M.S. Rudolph 159, F. Rühr 48, A. Ruiz-Martinez 30, Z. Rurikova 48, N.A. Rusakovich 64, A. Ruschke 99,  
 J.P. Rutherford 7, N. Ruthmann 48, Y.F. Ryabov 122, M. Rybar 128, G. Rybkin 116, N.C. Ryder 119,  
 A.F. Saavedra 151, S. Sacerdoti 27, A. Saddique 3, I. Sadeh 154, H.F-W. Sadrozinski 138, R. Sadykov 64,  
 F. Safai Tehrani 133a, H. Sakamoto 156, Y. Sakurai 172, G. Salamanna 135a, 135b, A. Salamon 134a,  
 M. Saleem 112, D. Salek 106, P.H. Sales De Bruin 139, D. Salihagic 100, A. Salnikov 144, J. Salt 168,  
 D. Salvatore 37a, 37b, F. Salvatore 150, A. Salvucci 105, A. Salzburger 30, D. Sampsonidis 155,  
 A. Sanchez 103a, 103b, J. Sánchez 168, V. Sanchez Martinez 168, H. Sandaker 14, R.L. Sandbach 75,  
 H.G. Sander 82, M.P. Sanders 99, M. Sandhoff 176, T. Sandoval 28, C. Sandoval 163, R. Sandstroem 100,  
 D.P.C. Sankey 130, A. Sansoni 47, C. Santoni 34, R. Santonico 134a, 134b, H. Santos 125a, I. Santoyo Castillo 150,  
 K. Sapp 124, A. Sapronov 64, J.G. Saraiva 125a, 125d, B. Sarrazin 21, G. Sartisohn 176, O. Sasaki 65, Y. Sasaki 156,  
 G. Sauvage 5, \*, E. Sauvan 5, P. Savard 159, d, D.O. Savu 30, C. Sawyer 119, L. Sawyer 78, m, D.H. Saxon 53,  
 J. Saxon 121, C. Sbarra 20a, A. Sbrizzi 3, T. Scanlon 77, D.A. Scannicchio 164, M. Scarcella 151,  
 V. Scarfone 37a, 37b, J. Schaarschmidt 173, P. Schacht 100, D. Schaefer 121, R. Schaefer 42, S. Schaepe 21,  
 S. Schaetzl 58b, U. Schäfer 82, A.C. Schaffer 116, D. Schaile 99, R.D. Schamberger 149, V. Scharf 58a,  
 V.A. Schegelsky 122, D. Scheirich 128, M. Schernau 164, M.I. Scherzer 35, C. Schiavi 50a, 50b, J. Schieck 99,  
 C. Schillo 48, M. Schioppa 37a, 37b, S. Schlenker 30, E. Schmidt 48, K. Schmieden 30, C. Schmitt 82,  
 C. Schmitt 99, S. Schmitt 58b, B. Schneider 17, Y.J. Schnellbach 73, U. Schnoor 44, L. Schoeffel 137,  
 A. Schoening 58b, B.D. Schoenrock 89, A.L.S. Schorlemmer 54, M. Schott 82, D. Schouten 160a,  
 J. Schovancova 25, S. Schramm 159, M. Schreyer 175, C. Schroeder 82, N. Schuh 82, M.J. Schultens 21,  
 H.-C. Schultz-Coulon 58a, H. Schulz 16, M. Schumacher 48, B.A. Schumm 138, Ph. Schune 137,

- C. Schwanenberger<sup>83</sup>, A. Schwartzman<sup>144</sup>, Ph. Schwegler<sup>100</sup>, Ph. Schwemling<sup>137</sup>, R. Schwienhorst<sup>89</sup>, J. Schwindling<sup>137</sup>, T. Schwindt<sup>21</sup>, M. Schwoerer<sup>5</sup>, F.G. Sciacca<sup>17</sup>, E. Scifo<sup>116</sup>, G. Sciolla<sup>23</sup>, W.G. Scott<sup>130</sup>, F. Scuri<sup>123a,123b</sup>, F. Scutti<sup>21</sup>, J. Searcy<sup>88</sup>, G. Sedov<sup>42</sup>, E. Sedykh<sup>122</sup>, S.C. Seidel<sup>104</sup>, A. Seiden<sup>138</sup>, F. Seifert<sup>127</sup>, J.M. Seixas<sup>24a</sup>, G. Sekhniaidze<sup>103a</sup>, S.J. Sekula<sup>40</sup>, K.E. Selbach<sup>46</sup>, D.M. Seliverstov<sup>122,\*</sup>, G. Sellers<sup>73</sup>, N. Semprini-Cesari<sup>20a,20b</sup>, C. Serfon<sup>30</sup>, L. Serin<sup>116</sup>, L. Serkin<sup>54</sup>, T. Serre<sup>84</sup>, R. Seuster<sup>160a</sup>, H. Severini<sup>112</sup>, T. Sfiligoj<sup>74</sup>, F. Sforza<sup>100</sup>, A. Sfyrla<sup>30</sup>, E. Shabalina<sup>54</sup>, M. Shamim<sup>115</sup>, L.Y. Shan<sup>33a</sup>, R. Shang<sup>166</sup>, J.T. Shank<sup>22</sup>, M. Shapiro<sup>15</sup>, P.B. Shatalov<sup>96</sup>, K. Shaw<sup>165a,165b</sup>, C.Y. Shehu<sup>150</sup>, P. Sherwood<sup>77</sup>, L. Shi<sup>152,ae</sup>, S. Shimizu<sup>66</sup>, C.O. Shimmin<sup>164</sup>, M. Shimojima<sup>101</sup>, M. Shiyakova<sup>64</sup>, A. Shmeleva<sup>95</sup>, M.J. Shochet<sup>31</sup>, D. Short<sup>119</sup>, S. Shrestha<sup>63</sup>, E. Shulga<sup>97</sup>, M.A. Shupe<sup>7</sup>, S. Shushkevich<sup>42</sup>, P. Sicho<sup>126</sup>, O. Sidiropoulou<sup>155</sup>, D. Sidorov<sup>113</sup>, A. Sidoti<sup>133a</sup>, F. Siegert<sup>44</sup>, Dj. Sijacki<sup>13a</sup>, J. Silva<sup>125a,125d</sup>, Y. Silver<sup>154</sup>, D. Silverstein<sup>144</sup>, S.B. Silverstein<sup>147a</sup>, V. Simak<sup>127</sup>, O. Simard<sup>5</sup>, Lj. Simic<sup>13a</sup>, S. Simion<sup>116</sup>, E. Simioni<sup>82</sup>, B. Simmons<sup>77</sup>, R. Simonello<sup>90a,90b</sup>, M. Simonyan<sup>36</sup>, P. Sinervo<sup>159</sup>, N.B. Sinev<sup>115</sup>, V. Sipica<sup>142</sup>, G. Siragusa<sup>175</sup>, A. Sircar<sup>78</sup>, A.N. Sisakyan<sup>64,\*</sup>, S.Yu. Sivoklokov<sup>98</sup>, J. Sjölin<sup>147a,147b</sup>, T.B. Sjursen<sup>14</sup>, H.P. Skottowe<sup>57</sup>, K.Yu. Skopen<sup>108</sup>, P. Skubic<sup>112</sup>, M. Slater<sup>18</sup>, T. Slavicek<sup>127</sup>, K. Sliwa<sup>162</sup>, V. Smakhtin<sup>173</sup>, B.H. Smart<sup>46</sup>, L. Smestad<sup>14</sup>, S.Yu. Smirnov<sup>97</sup>, Y. Smirnov<sup>97</sup>, L.N. Smirnova<sup>98,af</sup>, O. Smirnova<sup>80</sup>, K.M. Smith<sup>53</sup>, M. Smizanska<sup>71</sup>, K. Smolek<sup>127</sup>, A.A. Snesarev<sup>95</sup>, G. Snidero<sup>75</sup>, S. Snyder<sup>25</sup>, R. Sobie<sup>170,i</sup>, F. Socher<sup>44</sup>, A. Soffer<sup>154</sup>, D.A. Soh<sup>152,ae</sup>, C.A. Solans<sup>30</sup>, M. Solar<sup>127</sup>, J. Solc<sup>127</sup>, E.Yu. Soldatov<sup>97</sup>, U. Soldevila<sup>168</sup>, E. Solfaroli Camillocci<sup>133a,133b</sup>, A.A. Solodkov<sup>129</sup>, A. Soloshenko<sup>64</sup>, O.V. Solovyanov<sup>129</sup>, V. Solovyev<sup>122</sup>, P. Sommer<sup>48</sup>, H.Y. Song<sup>33b</sup>, N. Soni<sup>1</sup>, A. Sood<sup>15</sup>, A. Sopczak<sup>127</sup>, B. Sopko<sup>127</sup>, V. Sopko<sup>127</sup>, V. Sorin<sup>12</sup>, M. Sosebee<sup>8</sup>, R. Soualah<sup>165a,165c</sup>, P. Soueid<sup>94</sup>, A.M. Soukharev<sup>108</sup>, D. South<sup>42</sup>, S. Spagnolo<sup>72a,72b</sup>, F. Spanò<sup>76</sup>, W.R. Spearman<sup>57</sup>, R. Spighi<sup>20a</sup>, G. Spigo<sup>30</sup>, M. Spousta<sup>128</sup>, T. Spreitzer<sup>159</sup>, B. Spurlock<sup>8</sup>, R.D. St. Denis<sup>53,\*</sup>, S. Staerz<sup>44</sup>, J. Stahlman<sup>121</sup>, R. Stamen<sup>58a</sup>, E. Stanecka<sup>39</sup>, R.W. Staniak<sup>6</sup>, C. Stanescu<sup>135a</sup>, M. Stanescu-Bellu<sup>42</sup>, M.M. Stanitzki<sup>42</sup>, S. Stapnes<sup>118</sup>, E.A. Starchenko<sup>129</sup>, J. Stark<sup>55</sup>, P. Staroba<sup>126</sup>, P. Starovoitov<sup>42</sup>, R. Staszewski<sup>39</sup>, P. Stavina<sup>145a,\*</sup>, P. Steinberg<sup>25</sup>, B. Stelzer<sup>143</sup>, H.J. Stelzer<sup>30</sup>, O. Stelzer-Chilton<sup>160a</sup>, H. Stenzel<sup>52</sup>, S. Stern<sup>100</sup>, G.A. Stewart<sup>53</sup>, J.A. Stillings<sup>21</sup>, M.C. Stockton<sup>86</sup>, M. Stoebe<sup>86</sup>, G. Stoica<sup>26a</sup>, P. Stolte<sup>54</sup>, S. Stonjek<sup>100</sup>, A.R. Stradling<sup>8</sup>, A. Straessner<sup>44</sup>, M.E. Stramaglia<sup>17</sup>, J. Strandberg<sup>148</sup>, S. Strandberg<sup>147a,147b</sup>, A. Strandlie<sup>118</sup>, E. Strauss<sup>144</sup>, M. Strauss<sup>112</sup>, P. Strizenec<sup>145b</sup>, R. Ströhmer<sup>175</sup>, D.M. Strom<sup>115</sup>, R. Stroynowski<sup>40</sup>, S.A. Stucci<sup>17</sup>, B. Stugu<sup>14</sup>, N.A. Styles<sup>42</sup>, D. Su<sup>144</sup>, J. Su<sup>124</sup>, R. Subramaniam<sup>78</sup>, A. Succurro<sup>12</sup>, Y. Sugaya<sup>117</sup>, C. Suhr<sup>107</sup>, M. Suk<sup>127</sup>, V.V. Sulin<sup>95</sup>, S. Sultansoy<sup>4c</sup>, T. Sumida<sup>67</sup>, X. Sun<sup>33a</sup>, J.E. Sundermann<sup>48</sup>, K. Suruliz<sup>140</sup>, G. Susinno<sup>37a,37b</sup>, M.R. Sutton<sup>150</sup>, Y. Suzuki<sup>65</sup>, M. Svatos<sup>126</sup>, S. Swedish<sup>169</sup>, M. Swiatlowski<sup>144</sup>, I. Sykora<sup>145a</sup>, T. Sykora<sup>128</sup>, D. Ta<sup>89</sup>, C. Taccini<sup>135a,135b</sup>, K. Tackmann<sup>42</sup>, J. Taenzer<sup>159</sup>, A. Taffard<sup>164</sup>, R. Tafirout<sup>160a</sup>, N. Taiblum<sup>154</sup>, H. Takai<sup>25</sup>, R. Takashima<sup>68</sup>, H. Takeda<sup>66</sup>, T. Takeshita<sup>141</sup>, Y. Takubo<sup>65</sup>, M. Talby<sup>84</sup>, A.A. Talyshев<sup>108,s</sup>, J.Y.C. Tam<sup>175</sup>, K.G. Tan<sup>87</sup>, J. Tanaka<sup>156</sup>, R. Tanaka<sup>116</sup>, S. Tanaka<sup>132</sup>, S. Tanaka<sup>65</sup>, A.J. Tanasijczuk<sup>143</sup>, B.B. Tannenwald<sup>110</sup>, N. Tannoury<sup>21</sup>, S. Tapprogge<sup>82</sup>, S. Tarem<sup>153</sup>, F. Tarrade<sup>29</sup>, G.F. Tartarelli<sup>90a</sup>, P. Tas<sup>128</sup>, M. Tasevsky<sup>126</sup>, T. Tashiro<sup>67</sup>, E. Tassi<sup>37a,37b</sup>, A. Tavares Delgado<sup>125a,125b</sup>, Y. Tayalati<sup>136d</sup>, F.E. Taylor<sup>93</sup>, G.N. Taylor<sup>87</sup>, W. Taylor<sup>160b</sup>, F.A. Teischinger<sup>30</sup>, M. Teixeira Dias Castanheira<sup>75</sup>, P. Teixeira-Dias<sup>76</sup>, K.K. Temming<sup>48</sup>, H. Ten Kate<sup>30</sup>, P.K. Teng<sup>152</sup>, J.J. Teoh<sup>117</sup>, S. Terada<sup>65</sup>, K. Terashi<sup>156</sup>, J. Terron<sup>81</sup>, S. Terzo<sup>100</sup>, M. Testa<sup>47</sup>, R.J. Teuscher<sup>159,i</sup>, J. Therhaag<sup>21</sup>, T. Theveneaux-Pelzer<sup>34</sup>, J.P. Thomas<sup>18</sup>, J. Thomas-Wilsker<sup>76</sup>, E.N. Thompson<sup>35</sup>, P.D. Thompson<sup>18</sup>, P.D. Thompson<sup>159</sup>, A.S. Thompson<sup>53</sup>, L.A. Thomsen<sup>36</sup>, E. Thomson<sup>121</sup>, M. Thomson<sup>28</sup>, W.M. Thong<sup>87</sup>, R.P. Thun<sup>88,\*</sup>, F. Tian<sup>35</sup>, M.J. Tibbetts<sup>15</sup>, V.O. Tikhomirov<sup>95,ag</sup>, Yu.A. Tikhonov<sup>108,s</sup>, S. Timoshenko<sup>97</sup>, E. Tiouchichine<sup>84</sup>, P. Tipton<sup>177</sup>, S. Tisserant<sup>84</sup>, T. Todorov<sup>5</sup>, S. Todorova-Nova<sup>128</sup>, B. Toggerson<sup>7</sup>, J. Tojo<sup>69</sup>, S. Tokár<sup>145a</sup>, K. Tokushuku<sup>65</sup>, K. Tollefson<sup>89</sup>, L. Tomlinson<sup>83</sup>, M. Tomoto<sup>102</sup>, L. Tompkins<sup>31</sup>, K. Toms<sup>104</sup>, N.D. Topilin<sup>64</sup>, E. Torrence<sup>115</sup>, H. Torres<sup>143</sup>, E. Torró Pastor<sup>168</sup>, J. Toth<sup>84,ah</sup>, F. Touchard<sup>84</sup>, D.R. Tovey<sup>140</sup>, H.L. Tran<sup>116</sup>, T. Trefzger<sup>175</sup>, L. Tremblet<sup>30</sup>, A. Tricoli<sup>30</sup>, I.M. Trigger<sup>160a</sup>, S. Trincaz-Duvoid<sup>79</sup>, M.F. Tripiana<sup>12</sup>, W. Trischuk<sup>159</sup>, B. Trocmé<sup>55</sup>, C. Troncon<sup>90a</sup>, M. Trottier-McDonald<sup>143</sup>, M. Trovatelli<sup>135a,135b</sup>, P. True<sup>89</sup>, M. Trzebinski<sup>39</sup>, A. Trzupek<sup>39</sup>, C. Tsarouchas<sup>30</sup>, J.-C.-L. Tseng<sup>119</sup>, P.V. Tsiareshka<sup>91</sup>, D. Tsionou<sup>137</sup>, G. Tsipolitis<sup>10</sup>, N. Tsirintanis<sup>9</sup>, S. Tsiskaridze<sup>12</sup>, V. Tsiskaridze<sup>48</sup>, E.G. Tskhadadze<sup>51a</sup>, I.I. Tsukerman<sup>96</sup>, V. Tsulaia<sup>15</sup>, S. Tsuno<sup>65</sup>, D. Tsybychev<sup>149</sup>, A. Tudorache<sup>26a</sup>, V. Tudorache<sup>26a</sup>, A.N. Tuna<sup>121</sup>, S.A. Tupputi<sup>20a,20b</sup>, S. Turchikhin<sup>98,af</sup>, D. Turecek<sup>127</sup>, I. Turk Cakir<sup>4d</sup>, R. Turra<sup>90a,90b</sup>, P.M. Tuts<sup>35</sup>, A. Tykhonov<sup>49</sup>, M. Tylmad<sup>147a,147b</sup>, M. Tyndel<sup>130</sup>, K. Uchida<sup>21</sup>, I. Ueda<sup>156</sup>,

- R. Ueno <sup>29</sup>, M. Ughetto <sup>84</sup>, M. Ugland <sup>14</sup>, M. Uhlenbrock <sup>21</sup>, F. Ukegawa <sup>161</sup>, G. Unal <sup>30</sup>, A. Undrus <sup>25</sup>,  
 G. Unel <sup>164</sup>, F.C. Ungaro <sup>48</sup>, Y. Unno <sup>65</sup>, D. Urbaniec <sup>35</sup>, P. Urquijo <sup>87</sup>, G. Usai <sup>8</sup>, A. Usanova <sup>61</sup>, L. Vacavant <sup>84</sup>,  
 V. Vacek <sup>127</sup>, B. Vachon <sup>86</sup>, N. Valencic <sup>106</sup>, S. Valentinetto <sup>20a,20b</sup>, A. Valero <sup>168</sup>, L. Valery <sup>34</sup>, S. Valkar <sup>128</sup>,  
 E. Valladolid Gallego <sup>168</sup>, S. Vallecorsa <sup>49</sup>, J.A. Valls Ferrer <sup>168</sup>, W. Van Den Wollenberg <sup>106</sup>,  
 P.C. Van Der Deijl <sup>106</sup>, R. van der Geer <sup>106</sup>, H. van der Graaf <sup>106</sup>, R. Van Der Leeuw <sup>106</sup>, D. van der Ster <sup>30</sup>,  
 N. van Eldik <sup>30</sup>, P. van Gemmeren <sup>6</sup>, J. Van Nieuwkoop <sup>143</sup>, I. van Vulpen <sup>106</sup>, M.C. van Woerden <sup>30</sup>,  
 M. Vanadia <sup>133a,133b</sup>, W. Vandelli <sup>30</sup>, R. Vanguri <sup>121</sup>, A. Vaniachine <sup>6</sup>, P. Vankov <sup>42</sup>, F. Vannucci <sup>79</sup>,  
 G. Vardanyan <sup>178</sup>, R. Vari <sup>133a</sup>, E.W. Varnes <sup>7</sup>, T. Varol <sup>85</sup>, D. Varouchas <sup>79</sup>, A. Vartapetian <sup>8</sup>, K.E. Varvell <sup>151</sup>,  
 F. Vazeille <sup>34</sup>, T. Vazquez Schroeder <sup>54</sup>, J. Veatch <sup>7</sup>, F. Veloso <sup>125a,125c</sup>, S. Veneziano <sup>133a</sup>, A. Ventura <sup>72a,72b</sup>,  
 D. Ventura <sup>85</sup>, M. Venturi <sup>170</sup>, N. Venturi <sup>159</sup>, A. Venturini <sup>23</sup>, V. Vercesi <sup>120a</sup>, M. Verducci <sup>133a,133b</sup>,  
 W. Verkerke <sup>106</sup>, J.C. Vermeulen <sup>106</sup>, A. Vest <sup>44</sup>, M.C. Vetterli <sup>143,d</sup>, O. Viazlo <sup>80</sup>, I. Vichou <sup>166</sup>,  
 T. Vickey <sup>146c,ai</sup>, O.E. Vickey Boeriu <sup>146c</sup>, G.H.A. Viehhauser <sup>119</sup>, S. Viel <sup>169</sup>, R. Vigne <sup>30</sup>, M. Villa <sup>20a,20b</sup>,  
 M. Villaplana Perez <sup>90a,90b</sup>, E. Vilucchi <sup>47</sup>, M.G. Vinchter <sup>29</sup>, V.B. Vinogradov <sup>64</sup>, J. Virzi <sup>15</sup>, I. Vivarelli <sup>150</sup>,  
 F. Vives Vaque <sup>3</sup>, S. Vlachos <sup>10</sup>, D. Vladoiu <sup>99</sup>, M. Vlasak <sup>127</sup>, A. Vogel <sup>21</sup>, M. Vogel <sup>32a</sup>, P. Vokac <sup>127</sup>,  
 G. Volpi <sup>123a,123b</sup>, M. Volpi <sup>87</sup>, H. von der Schmitt <sup>100</sup>, H. von Radziewski <sup>48</sup>, E. von Toerne <sup>21</sup>,  
 V. Vorobel <sup>128</sup>, K. Vorobev <sup>97</sup>, M. Vos <sup>168</sup>, R. Voss <sup>30</sup>, J.H. Vossebeld <sup>73</sup>, N. Vranjes <sup>137</sup>,  
 M. Vranjes Milosavljevic <sup>106</sup>, V. Vrba <sup>126</sup>, M. Vreeswijk <sup>106</sup>, T. Vu Anh <sup>48</sup>, R. Vuillermet <sup>30</sup>, I. Vukotic <sup>31</sup>,  
 Z. Vykydal <sup>127</sup>, P. Wagner <sup>21</sup>, W. Wagner <sup>176</sup>, H. Wahlberg <sup>70</sup>, S. Wahrmund <sup>44</sup>, J. Wakabayashi <sup>102</sup>,  
 J. Walder <sup>71</sup>, R. Walker <sup>99</sup>, W. Walkowiak <sup>142</sup>, R. Wall <sup>177</sup>, P. Waller <sup>73</sup>, B. Walsh <sup>177</sup>, C. Wang <sup>152,aj</sup>,  
 C. Wang <sup>45</sup>, F. Wang <sup>174</sup>, H. Wang <sup>15</sup>, H. Wang <sup>40</sup>, J. Wang <sup>42</sup>, J. Wang <sup>33a</sup>, K. Wang <sup>86</sup>, R. Wang <sup>104</sup>,  
 S.M. Wang <sup>152</sup>, T. Wang <sup>21</sup>, X. Wang <sup>177</sup>, C. Wanotayaroj <sup>115</sup>, A. Warburton <sup>86</sup>, C.P. Ward <sup>28</sup>,  
 D.R. Wardrope <sup>77</sup>, M. Warsinsky <sup>48</sup>, A. Washbrook <sup>46</sup>, C. Wasicki <sup>42</sup>, P.M. Watkins <sup>18</sup>, A.T. Watson <sup>18</sup>,  
 I.J. Watson <sup>151</sup>, M.F. Watson <sup>18</sup>, G. Watts <sup>139</sup>, S. Watts <sup>83</sup>, B.M. Waugh <sup>77</sup>, S. Webb <sup>83</sup>, M.S. Weber <sup>17</sup>,  
 S.W. Weber <sup>175</sup>, J.S. Webster <sup>31</sup>, A.R. Weidberg <sup>119</sup>, P. Weigell <sup>100</sup>, B. Weinert <sup>60</sup>, J. Weingarten <sup>54</sup>,  
 C. Weiser <sup>48</sup>, H. Weits <sup>106</sup>, P.S. Wells <sup>30</sup>, T. Wenaus <sup>25</sup>, D. Wendland <sup>16</sup>, Z. Weng <sup>152,ae</sup>, T. Wengler <sup>30</sup>,  
 S. Wenig <sup>30</sup>, N. Wermes <sup>21</sup>, M. Werner <sup>48</sup>, P. Werner <sup>30</sup>, M. Wessels <sup>58a</sup>, J. Wetter <sup>162</sup>, K. Whalen <sup>29</sup>,  
 A. White <sup>8</sup>, M.J. White <sup>1</sup>, R. White <sup>32b</sup>, S. White <sup>123a,123b</sup>, D. Whiteson <sup>164</sup>, D. Wicke <sup>176</sup>, F.J. Wickens <sup>130</sup>,  
 W. Wiedenmann <sup>174</sup>, M. Wielers <sup>130</sup>, P. Wienemann <sup>21</sup>, C. Wiglesworth <sup>36</sup>, L.A.M. Wiik-Fuchs <sup>21</sup>,  
 P.A. Wijeratne <sup>77</sup>, A. Wildauer <sup>100</sup>, M.A. Wildt <sup>42,ak</sup>, H.G. Wilkens <sup>30</sup>, J.Z. Will <sup>99</sup>, H.H. Williams <sup>121</sup>,  
 S. Williams <sup>28</sup>, C. Willis <sup>89</sup>, S. Willocq <sup>85</sup>, A. Wilson <sup>88</sup>, J.A. Wilson <sup>18</sup>, I. Wingerter-Seez <sup>5</sup>,  
 F. Winklmeier <sup>115</sup>, B.T. Winter <sup>21</sup>, M. Wittgen <sup>144</sup>, T. Wittig <sup>43</sup>, J. Wittkowski <sup>99</sup>, S.J. Wollstadt <sup>82</sup>,  
 M.W. Wolter <sup>39</sup>, H. Wolters <sup>125a,125c</sup>, B.K. Wosiek <sup>39</sup>, J. Wotschack <sup>30</sup>, M.J. Woudstra <sup>83</sup>, K.W. Wozniak <sup>39</sup>,  
 M. Wright <sup>53</sup>, M. Wu <sup>55</sup>, S.L. Wu <sup>174</sup>, X. Wu <sup>49</sup>, Y. Wu <sup>88</sup>, E. Wulf <sup>35</sup>, T.R. Wyatt <sup>83</sup>, B.M. Wynne <sup>46</sup>,  
 S. Xella <sup>36</sup>, M. Xiao <sup>137</sup>, D. Xu <sup>33a</sup>, L. Xu <sup>33b,al</sup>, B. Yabsley <sup>151</sup>, S. Yacoob <sup>146b,am</sup>, M. Yamada <sup>65</sup>,  
 H. Yamaguchi <sup>156</sup>, Y. Yamaguchi <sup>117</sup>, A. Yamamoto <sup>65</sup>, K. Yamamoto <sup>63</sup>, S. Yamamoto <sup>156</sup>, T. Yamamura <sup>156</sup>,  
 T. Yamanaka <sup>156</sup>, K. Yamauchi <sup>102</sup>, Y. Yamazaki <sup>66</sup>, Z. Yan <sup>22</sup>, H. Yang <sup>33e</sup>, H. Yang <sup>174</sup>, U.K. Yang <sup>83</sup>,  
 Y. Yang <sup>110</sup>, S. Yanush <sup>92</sup>, L. Yao <sup>33a</sup>, W-M. Yao <sup>15</sup>, Y. Yasu <sup>65</sup>, E. Yatsenko <sup>42</sup>, K.H. Yau Wong <sup>21</sup>, J. Ye <sup>40</sup>,  
 S. Ye <sup>25</sup>, A.L. Yen <sup>57</sup>, E. Yildirim <sup>42</sup>, M. Yilmaz <sup>4b</sup>, R. Yoosoofmiya <sup>124</sup>, K. Yorita <sup>172</sup>, R. Yoshida <sup>6</sup>,  
 K. Yoshihara <sup>156</sup>, C. Young <sup>144</sup>, C.J.S. Young <sup>30</sup>, S. Youssef <sup>22</sup>, D.R. Yu <sup>15</sup>, J. Yu <sup>8</sup>, J.M. Yu <sup>88</sup>, J. Yu <sup>113</sup>,  
 L. Yuan <sup>66</sup>, A. Yurkewicz <sup>107</sup>, I. Yusuff <sup>28,an</sup>, B. Zabinski <sup>39</sup>, R. Zaidan <sup>62</sup>, A.M. Zaitsev <sup>129,z</sup>, A. Zaman <sup>149</sup>,  
 S. Zambito <sup>23</sup>, L. Zanello <sup>133a,133b</sup>, D. Zanzi <sup>100</sup>, C. Zeitnitz <sup>176</sup>, M. Zeman <sup>127</sup>, A. Zemla <sup>38a</sup>, K. Zengel <sup>23</sup>,  
 O. Zenin <sup>129</sup>, T. Ženiš <sup>145a</sup>, D. Zerwas <sup>116</sup>, G. Zevi della Porta <sup>57</sup>, D. Zhang <sup>88</sup>, F. Zhang <sup>174</sup>, H. Zhang <sup>89</sup>,  
 J. Zhang <sup>6</sup>, L. Zhang <sup>152</sup>, X. Zhang <sup>33d</sup>, Z. Zhang <sup>116</sup>, Z. Zhao <sup>33b</sup>, A. Zhemchugov <sup>64</sup>, J. Zhong <sup>119</sup>, B. Zhou <sup>88</sup>,  
 L. Zhou <sup>35</sup>, N. Zhou <sup>164</sup>, C.G. Zhu <sup>33d</sup>, H. Zhu <sup>33a</sup>, J. Zhu <sup>88</sup>, Y. Zhu <sup>33b</sup>, X. Zhuang <sup>33a</sup>, K. Zhukov <sup>95</sup>,  
 A. Zibell <sup>175</sup>, D. Ziemińska <sup>60</sup>, N.I. Zimine <sup>64</sup>, C. Zimmermann <sup>82</sup>, R. Zimmermann <sup>21</sup>, S. Zimmermann <sup>21</sup>,  
 S. Zimmermann <sup>48</sup>, Z. Zinonos <sup>54</sup>, M. Ziolkowski <sup>142</sup>, G. Zobernig <sup>174</sup>, A. Zoccoli <sup>20a,20b</sup>, M. zur Nedden <sup>16</sup>,  
 G. Zurzolo <sup>103a,103b</sup>, V. Zutshi <sup>107</sup>, L. Zwalski <sup>30</sup>

<sup>1</sup> Department of Physics, University of Adelaide, Adelaide, Australia<sup>2</sup> Physics Department, SUNY Albany, Albany, NY, United States<sup>3</sup> Department of Physics, University of Alberta, Edmonton, AB, Canada<sup>4</sup> (<sup>a</sup>) Department of Physics, Ankara University, Ankara; (<sup>b</sup>) Department of Physics, Gazi University, Ankara; (<sup>c</sup>) Division of Physics, TOBB University of Economics and Technology, Ankara;<sup>d</sup> Turkish Atomic Energy Authority, Ankara, Turkey<sup>5</sup> LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France<sup>6</sup> High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States

- <sup>7</sup> Department of Physics, University of Arizona, Tucson, AZ, United States  
<sup>8</sup> Department of Physics, The University of Texas at Arlington, Arlington, TX, United States  
<sup>9</sup> Physics Department, University of Athens, Athens, Greece  
<sup>10</sup> Physics Department, National Technical University of Athens, Zografou, Greece  
<sup>11</sup> Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan  
<sup>12</sup> Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain  
<sup>13</sup> <sup>(a)</sup> Institute of Physics, University of Belgrade, Belgrade; <sup>(b)</sup> Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia  
<sup>14</sup> Department for Physics and Technology, University of Bergen, Bergen, Norway  
<sup>15</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States  
<sup>16</sup> Department of Physics, Humboldt University, Berlin, Germany  
<sup>17</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland  
<sup>18</sup> School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom  
<sup>19</sup> <sup>(a)</sup> Department of Physics, Bogazici University, Istanbul; <sup>(b)</sup> Department of Physics, Dogus University, Istanbul; <sup>(c)</sup> Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey  
<sup>20</sup> <sup>(a)</sup> INFN Sezione di Bologna; <sup>(b)</sup> Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy  
<sup>21</sup> Physikalisches Institut, University of Bonn, Bonn, Germany  
<sup>22</sup> Department of Physics, Boston University, Boston, MA, United States  
<sup>23</sup> Department of Physics, Brandeis University, Waltham, MA, United States  
<sup>24</sup> <sup>(a)</sup> Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; <sup>(b)</sup> Federal University of Juiz de Fora (UFJF), Juiz de Fora; <sup>(c)</sup> Federal University of São João del Rei (UFSJ), São João del Rei; <sup>(d)</sup> Instituto de Física, Universidade de São Paulo, São Paulo, Brazil  
<sup>25</sup> Physics Department, Brookhaven National Laboratory, Upton, NY, United States  
<sup>26</sup> <sup>(a)</sup> National Institute of Physics and Nuclear Engineering, Bucharest; <sup>(b)</sup> National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; <sup>(c)</sup> University Politehnica Bucharest, Bucharest; <sup>(d)</sup> West University in Timisoara, Timisoara, Romania  
<sup>27</sup> Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina  
<sup>28</sup> Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom  
<sup>29</sup> Department of Physics, Carleton University, Ottawa, ON, Canada  
<sup>30</sup> CERN, Geneva, Switzerland  
<sup>31</sup> Enrico Fermi Institute, University of Chicago, Chicago, IL, United States  
<sup>32</sup> <sup>(a)</sup> Departamento de Física, Pontifícia Universidad Católica de Chile, Santiago; <sup>(b)</sup> Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile  
<sup>33</sup> <sup>(a)</sup> Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; <sup>(b)</sup> Department of Modern Physics, University of Science and Technology of China, Anhui;  
<sup>(c)</sup> Department of Physics, Nanjing University, Jiangsu; <sup>(d)</sup> School of Physics, Shandong University, Shandong; <sup>(e)</sup> Physics Department, Shanghai Jiao Tong University, Shanghai, China  
<sup>34</sup> Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France  
<sup>35</sup> Nevis Laboratory, Columbia University, Irvington, NY, United States  
<sup>36</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark  
<sup>37</sup> <sup>(a)</sup> INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; <sup>(b)</sup> Dipartimento di Fisica, Università della Calabria, Rende, Italy  
<sup>38</sup> <sup>(a)</sup> AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; <sup>(b)</sup> Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland  
<sup>39</sup> The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland  
<sup>40</sup> Physics Department, Southern Methodist University, Dallas, TX, United States  
<sup>41</sup> Physics Department, University of Texas at Dallas, Richardson, TX, United States  
<sup>42</sup> DESY, Hamburg and Zeuthen, Germany  
<sup>43</sup> Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany  
<sup>44</sup> Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany  
<sup>45</sup> Department of Physics, Duke University, Durham, NC, United States  
<sup>46</sup> SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom  
<sup>47</sup> INFN Laboratori Nazionali di Frascati, Frascati, Italy  
<sup>48</sup> Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany  
<sup>49</sup> Section de Physique, Université de Genève, Geneva, Switzerland  
<sup>50</sup> <sup>(a)</sup> INFN Sezione di Genova; <sup>(b)</sup> Dipartimento di Fisica, Università di Genova, Genova, Italy  
<sup>51</sup> <sup>(a)</sup> E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; <sup>(b)</sup> High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia  
<sup>52</sup> II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany  
<sup>53</sup> SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom  
<sup>54</sup> II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany  
<sup>55</sup> Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France  
<sup>56</sup> Department of Physics, Hampton University, Hampton, VA, United States  
<sup>57</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States  
<sup>58</sup> <sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg;  
<sup>(c)</sup> ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany  
<sup>59</sup> Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan  
<sup>60</sup> Department of Physics, Indiana University, Bloomington, IN, United States  
<sup>61</sup> Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria  
<sup>62</sup> University of Iowa, Iowa City, IA, United States  
<sup>63</sup> Department of Physics and Astronomy, Iowa State University, Ames, IA, United States  
<sup>64</sup> Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia  
<sup>65</sup> KEK, High Energy Accelerator Research Organization, Tsukuba, Japan  
<sup>66</sup> Graduate School of Science, Kobe University, Kobe, Japan  
<sup>67</sup> Faculty of Science, Kyoto University, Kyoto, Japan  
<sup>68</sup> Kyoto University of Education, Kyoto, Japan  
<sup>69</sup> Department of Physics, Kyushu University, Fukuoka, Japan  
<sup>70</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina  
<sup>71</sup> Physics Department, Lancaster University, Lancaster, United Kingdom  
<sup>72</sup> <sup>(a)</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy  
<sup>73</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom  
<sup>74</sup> Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia  
<sup>75</sup> School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom  
<sup>76</sup> Department of Physics, Royal Holloway University of London, Surrey, United Kingdom  
<sup>77</sup> Department of Physics and Astronomy, University College London, London, United Kingdom  
<sup>78</sup> Louisiana Tech University, Ruston, LA, United States  
<sup>79</sup> Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France

- <sup>80</sup> Fysiska institutionen, Lunds universitet, Lund, Sweden  
<sup>81</sup> Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain  
<sup>82</sup> Institut für Physik, Universität Mainz, Mainz, Germany  
<sup>83</sup> School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom  
<sup>84</sup> CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France  
<sup>85</sup> Department of Physics, University of Massachusetts, Amherst, MA, United States  
<sup>86</sup> Department of Physics, McGill University, Montreal, QC, Canada  
<sup>87</sup> School of Physics, University of Melbourne, Victoria, Australia  
<sup>88</sup> Department of Physics, The University of Michigan, Ann Arbor, MI, United States  
<sup>89</sup> Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States  
<sup>90</sup> <sup>(a)</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano, Italy  
<sup>91</sup> B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus  
<sup>92</sup> National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus  
<sup>93</sup> Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States  
<sup>94</sup> Group of Particle Physics, University of Montreal, Montreal, QC, Canada  
<sup>95</sup> P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia  
<sup>96</sup> Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia  
<sup>97</sup> Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia  
<sup>98</sup> D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia  
<sup>99</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany  
<sup>100</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany  
<sup>101</sup> Nagasaki Institute of Applied Science, Nagasaki, Japan  
<sup>102</sup> Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan  
<sup>103</sup> <sup>(a)</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Fisica, Università di Napoli, Napoli, Italy  
<sup>104</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States  
<sup>105</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands  
<sup>106</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands  
<sup>107</sup> Department of Physics, Northern Illinois University, DeKalb, IL, United States  
<sup>108</sup> Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia  
<sup>109</sup> Department of Physics, New York University, New York, NY, United States  
<sup>110</sup> Ohio State University, Columbus, OH, United States  
<sup>111</sup> Faculty of Science, Okayama University, Okayama, Japan  
<sup>112</sup> Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States  
<sup>113</sup> Department of Physics, Oklahoma State University, Stillwater, OK, United States  
<sup>114</sup> Palacký University, RCPTM, Olomouc, Czech Republic  
<sup>115</sup> Center for High Energy Physics, University of Oregon, Eugene, OR, United States  
<sup>116</sup> LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France  
<sup>117</sup> Graduate School of Science, Osaka University, Osaka, Japan  
<sup>118</sup> Department of Physics, University of Oslo, Oslo, Norway  
<sup>119</sup> Department of Physics, Oxford University, Oxford, United Kingdom  
<sup>120</sup> <sup>(a)</sup> INFN Sezione di Pavia; <sup>(b)</sup> Dipartimento di Fisica, Università di Pavia, Pavia, Italy  
<sup>121</sup> Department of Physics, University of Pennsylvania, Philadelphia, PA, United States  
<sup>122</sup> Petersburg Nuclear Physics Institute, Gatchina, Russia  
<sup>123</sup> <sup>(a)</sup> INFN Sezione di Pisa; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy  
<sup>124</sup> Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States  
<sup>125</sup> <sup>(a)</sup> Laboratorio de Instrumentacao e Física Experimental de Partículas – LIP, Lisboa; <sup>(b)</sup> Faculdade de Ciências, Universidade de Lisboa, Lisboa; <sup>(c)</sup> Department of Physics, University of Coimbra, Coimbra; <sup>(d)</sup> Centro de Física Nuclear da Universidade de Lisboa, Lisboa; <sup>(e)</sup> Departamento de Física, Universidade do Minho, Braga; <sup>(f)</sup> Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); <sup>(g)</sup> Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal  
<sup>126</sup> Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic  
<sup>127</sup> Czech Technical University in Prague, Praha, Czech Republic  
<sup>128</sup> Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic  
<sup>129</sup> State Research Center Institute for High Energy Physics, Protvino, Russia  
<sup>130</sup> Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom  
<sup>131</sup> Physics Department, University of Regina, Regina, SK, Canada  
<sup>132</sup> Ritsumeikan University, Kusatsu, Shiga, Japan  
<sup>133</sup> <sup>(a)</sup> INFN Sezione di Roma; <sup>(b)</sup> Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy  
<sup>134</sup> <sup>(a)</sup> INFN Sezione di Roma Tor Vergata; <sup>(b)</sup> Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy  
<sup>135</sup> <sup>(a)</sup> INFN Sezione di Roma Tre; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy  
<sup>136</sup> <sup>(a)</sup> Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; <sup>(b)</sup> Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; <sup>(c)</sup> Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; <sup>(d)</sup> Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; <sup>(e)</sup> Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco  
<sup>137</sup> DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France  
<sup>138</sup> Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States  
<sup>139</sup> Department of Physics, University of Washington, Seattle, WA, United States  
<sup>140</sup> Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom  
<sup>141</sup> Department of Physics, Shinshu University, Nagano, Japan  
<sup>142</sup> Fachbereich Physik, Universität Siegen, Siegen, Germany  
<sup>143</sup> Department of Physics, Simon Fraser University, Burnaby, BC, Canada  
<sup>144</sup> SLAC National Accelerator Laboratory, Stanford, CA, United States  
<sup>145</sup> <sup>(a)</sup> Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Košice, Slovakia, Republic  
<sup>146</sup> <sup>(a)</sup> Department of Physics, University of Cape Town, Cape Town; <sup>(b)</sup> Department of Physics, University of Johannesburg, Johannesburg; <sup>(c)</sup> School of Physics, University of the Witwatersrand, Johannesburg, South Africa  
<sup>147</sup> <sup>(a)</sup> Department of Physics, Stockholm University; <sup>(b)</sup> The Oskar Klein Centre, Stockholm, Sweden  
<sup>148</sup> Physics Department, Royal Institute of Technology, Stockholm, Sweden  
<sup>149</sup> Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States  
<sup>150</sup> Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom  
<sup>151</sup> School of Physics, University of Sydney, Sydney, Australia  
<sup>152</sup> Institute of Physics, Academia Sinica, Taipei, Taiwan

- 153 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel  
 154 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel  
 155 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece  
 156 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan  
 157 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan  
 158 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan  
 159 Department of Physics, University of Toronto, Toronto, ON, Canada  
 160 <sup>(a)</sup> TRIUMF, Vancouver, BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto, ON, Canada  
 161 Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan  
 162 Department of Physics and Astronomy, Tufts University, Medford, MA, United States  
 163 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia  
 164 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States  
 165 <sup>(a)</sup> INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy  
 166 Department of Physics, University of Illinois, Urbana, IL, United States  
 167 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden  
 168 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain  
 169 Department of Physics, University of British Columbia, Vancouver, BC, Canada  
 170 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada  
 171 Department of Physics, University of Warwick, Coventry, United Kingdom  
 172 Waseda University, Tokyo, Japan  
 173 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel  
 174 Department of Physics, University of Wisconsin, Madison, WI, United States  
 175 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany  
 176 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany  
 177 Department of Physics, Yale University, New Haven, CT, United States  
 178 Yerevan Physics Institute, Yerevan, Armenia  
 179 Centre de Calcul de l’Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

<sup>a</sup> Also at Department of Physics, King's College London, London, United Kingdom.

<sup>b</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

<sup>c</sup> Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

<sup>d</sup> Also at TRIUMF, Vancouver, BC, Canada.

<sup>e</sup> Also at Department of Physics, California State University, Fresno, CA, United States.

<sup>f</sup> Also at Tomsk State University, Tomsk, Russia.

<sup>g</sup> Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

<sup>h</sup> Also at Università di Napoli Parthenope, Napoli, Italy.

<sup>i</sup> Also at Institute of Particle Physics (IPP), Canada.

<sup>j</sup> Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

<sup>k</sup> Also at Chinese University of Hong Kong, China.

<sup>l</sup> Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

<sup>m</sup> Also at Louisiana Tech University, Ruston, LA, United States.

<sup>n</sup> Also at Institució Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

<sup>o</sup> Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

<sup>p</sup> Also at CERN, Geneva, Switzerland.

<sup>q</sup> Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.

<sup>r</sup> Also at Manhattan College, New York, NY, United States.

<sup>s</sup> Also at Novosibirsk State University, Novosibirsk, Russia.

<sup>t</sup> Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

<sup>u</sup> Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.

<sup>v</sup> Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

<sup>w</sup> Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.

<sup>x</sup> Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India.

<sup>y</sup> Also at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy.

<sup>z</sup> Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

<sup>aa</sup> Also at Section de Physique, Université de Genève, Geneva, Switzerland.

<sup>ab</sup> Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.

<sup>ac</sup> Also at International School for Advanced Studies (SISSA), Trieste, Italy.

<sup>ad</sup> Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.

<sup>ae</sup> Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

<sup>af</sup> Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.

<sup>ag</sup> Also at Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia.

<sup>ah</sup> Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

<sup>ai</sup> Also at Department of Physics, Oxford University, Oxford, United Kingdom.

<sup>aj</sup> Also at Department of Physics, Nanjing University, Jiangsu, China.

<sup>ak</sup> Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

<sup>al</sup> Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

<sup>am</sup> Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.

<sup>an</sup> Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.

\* Deceased.