

Journal Pre-proof

Search for non-resonant production of semi-visible jets using Run 2 data in ATLAS

The ATLAS Collaboration

PII: S0370-2693(23)00658-5

DOI: <https://doi.org/10.1016/j.physletb.2023.138324>

Reference: PLB 138324

To appear in: *Physics Letters B*

Received date: 31 May 2023

Revised date: 27 October 2023

Accepted date: 8 November 2023



Please cite this article as: The ATLAS Collaboration, Search for non-resonant production of semi-visible jets using Run 2 data in ATLAS, *Physics Letters B*, 138324, doi: <https://doi.org/10.1016/j.physletb.2023.138324>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2023 Published by Elsevier.

EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH (CERN)



Submitted to: Phys. Lett. B.

CERN-EP-2023-084
8th November 2023

Search for non-resonant production of semi-visible jets using Run 2 data in ATLAS

The ATLAS Collaboration

Semi-visible jets, with a significant contribution to the event's missing transverse momentum, can arise in strongly interacting dark sectors. This results in an event topology where one of the jets can be aligned with the direction of the missing transverse momentum. The first search for semi-visible jets produced via a t -channel mediator exchange is presented. The analysis uses proton-proton collisions with an integrated luminosity of 139 fb^{-1} and a centre-of-mass energy of 13 TeV, collected with the ATLAS detector during the Run 2 of the LHC. No excess over Standard Model predictions is observed. Assuming a coupling strength of unity between the mediator, a Standard Model quark and a dark quark, mediator masses up to 2.7 TeV are excluded at the 95% confidence level. Upper limits on the coupling strength are also derived.

1 Introduction

Collider searches for dark matter (DM) have often focussed on scenarios in which DM particles are produced in association with heavy Standard Model (SM) particles or photons or jets. However, no experimental evidence confirming the existence of DM has been found so far. Several proposed models [1–4] include a strongly coupled dark sector, giving rise to unexplored collider-event topologies, and thus motivating the present search.

A feature of the strongly coupled dark sector is the so-called ‘dark shower’ (DS), emulating the QCD parton shower. Since the DS contains families of dark quarks which bind into dark mesons at energies lower than the dark confinement scale, the subsequent hadronisation can give rise to flavour-diagonal and off-diagonal π_d and ρ_d mesons, with spin 0 and 1 respectively. Depending on the flavour content of the dark shower, these dark mesons can be stable or can decay back into the SM particles.

The models described above are particularly useful as event-topology generators, and depending on the fraction of stable dark hadrons among all dark hadrons in the event, denoted as R_{inv} , different experimental signatures can arise. If this fraction is unity, the signature would consist of missing transverse momentum, the magnitude referred to as E_T^{miss} , produced along with a jet (or jets) from the SM sector, resembling the monojet signature. On the other hand, if the fraction is zero, the signature would resemble QCD multijet events with no intrinsic missing transverse momentum. This signature is often referred to as a ‘dark jet’ [5]. Semi-visible jet (SVJ) [6, 7] signatures arise when the fraction has intermediate values, resulting in jets geometrically encompassing dark hadrons.

A search for SVJ signatures in the s -channel production mode has been presented by the CMS Collaboration [8], and excludes mediator masses up to 5.1 TeV, depending on other signal parameters. This Letter presents a first search for t -channel production of SVJs using the full LHC Run 2 dataset of 13 TeV proton–proton collisions with an integrated luminosity of 139 fb^{-1} recorded by the ATLAS experiment. Searches for t -channel production modes probe a broad class of non-resonant signals.

In the t -channel production mode, a scalar mediator, Φ , acts as a portal between the SM and dark sectors. It couples to a SM quark and a dark quark, and mediates the production of dark quarks, which then hadronise to stable and unstable dark hadrons through the DS process described above and shown in Figure 1.




Figure 1: A diagram illustrating the production of semi-visible jets via a t -channel mediator, Φ , producing a pair of dark quarks, labelled q_{dark} . DS denotes the dark shower which produces a final state consisting of SM hadrons and dark hadrons, governed by the R_{inv} fraction. The coupling strength of the q - q_{dark} - Φ interaction is denoted by λ .

At the leading order, the two SVJs are produced back-to-back and the direction of the missing transverse momentum (\vec{p}_T^{miss}) is aligned with one of the two reconstructed jets. A boost due to additional jets leads to

signatures with the \vec{p}_T^{miss} not necessarily pointing in the direction of one of the two SVJs, since both of them contribute to the \vec{p}_T^{miss} . Events in which the \vec{p}_T^{miss} is aligned with a jet typically contain a mismeasured jet, and are usually discarded. This search, however, considers an inclusive fiducial phase space and thus is complementary to existing searches that have focussed on phase-space regions that suppress background contributions arising from mismeasured jets.

2 ATLAS detector

The ATLAS experiment [9] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for both the EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The muon spectrometer includes a system of precision chambers for tracking and fast detectors for triggering. A two-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. An extensive software suite [10] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Signal and background event simulation

Signal events were modelled at the leading order (LO) in QCD, using the MADGRAPH5_AMC@NLO [11] event generator to calculate matrix elements (ME) with up to two extra partons at the leading order. The NNPDF3.0LO [12] parton distribution function (PDF) set was used. The mediator mass was varied within the range 1–5 TeV in 0.5 TeV steps. The Hidden Valley (HV) module [13] of PYTHIA 8 [14] was used to shower the ME-level event and produce dark hadrons, using the NNPDF2.3LO [12] PDF set and the A14 set of tuned parameters [15]. The MLM [16] jet matching scheme, with the matching parameter set to 100 GeV, was employed.

A detailed description of the HV module is beyond the scope of this Letter, and the HV parameter settings adopted here provide a simple way to generate this mostly unexplored collider-event topology. The mass of the dark quark was set to 10 GeV, the flavour-diagonal π_d and ρ_d meson masses were set to 10 GeV and 20 GeV respectively, and the off-diagonal π_d and ρ_d meson masses were set to 4.99 GeV and 9.99 GeV

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

Table 1: Summary of generators used to simulate background processes, along with the PDF, parton shower and tune used.

Process	Generator	ME order	PDF	Parton shower	Tune
W/Z +jets	SHERPA 2.2.11 [24, 25]	NLO (up to 2 jets)	NNPDF3.0 _{NNLO} [12]	SHERPA MEPS@NLO	SHERPA
$t\bar{t}$	POWHEG BOX v2 [26–28]	NLO	NNPDF3.0 _{NLO} [12]	PYTHIA 8.230 with NNPDF2.3 _{LO}	A14 [15]
Single top	POWHEG BOX v2	NLO	NNPDF3.0 _{NNLO}	PYTHIA 8.230 with NNPDF2.3 _{LO}	A14
Multijet	PYTHIA 8.230 [14]	LO	NNPDF2.3 _{LO} [12]	PYTHIA 8.230	A14
Diboson	SHERPA 2.2.1	NLO (up to 2 jets)	NNPDF3.0 _{NNLO}	SHERPA MEPS@NLO	SHERPA

respectively. The number of flavours in the HV module was set to unity. This implies that flavour diagonal π_d and ρ_d mesons decay promptly into off-diagonal stable dark π_d and ρ_d pairs, and to SM quarks, following a five-flavour scheme, due to portal interactions of the mediator which couples the SM sector to the dark sector [17]. These choices are based on Refs. [7, 18] and kinematic considerations for enabling the relevant decays. The general topology of the signal events shows negligible sensitivity to the chosen mass values.

The branching fraction of unstable dark mesons decaying to stable dark mesons is taken as the R_{inv} fraction defined above, and is a free parameter of the model. The signal samples were generated with R_{inv} values of 0.1, 0.2, 0.4, 0.6, 0.8, and 0.9 for each simulated mediator mass value. The PYTHIA 8 HV α_{dark} coupling was chosen to be running at one-loop, and the dark QCD confinement scale value was set to 6.5 TeV, based on Ref. [18]. Another free parameter in the model is the strength of the coupling connecting the SM and DM sectors (shown as λ in Figure 1). The nominal samples were generated with $\lambda = 1$, although λ can be varied up to 4π [19, 20]. The cross-section scales as λ^4 without having any impact on the kinematic distributions, or on the validity of the model, if the mediator mass is 2.5 TeV or higher. At lower mediator masses, there are stronger contributions from resonant production of the mediator as well.

Simulated event samples were used to describe the main background processes – W/Z +jets, $t\bar{t}$, single top, multijet, and diboson – as listed in Table 1. The Monte Carlo (MC) generated samples were processed through a detailed ATLAS detector simulation [21] based on GEANT4 [22]. Additional simulated inelastic proton–proton collisions generated using PYTHIA 8 with the A3 set of tuned parameters [23] and NNPDF2.3_{LO} PDF set were overlaid on each simulated hard-scatter event to model the effects of additional collisions in the same or neighbouring bunch crossings (referred to as ‘pile-up’). The simulated events were then reconstructed and analysed using the same procedure and software as used for data events.

4 Event and object selection

This analysis uses 139 fb^{-1} of data from 13 TeV proton–proton collisions with 25 ns bunch spacing collected by ATLAS from 2015 to 2018. The data were subjected to quality requirements [29], including the removal of events recorded when relevant detector components were not operating correctly. Events for this search were selected with the un-prescaled $E_{\text{T}}^{\text{miss}}$ trigger with the lowest threshold [30]. In 2015, a

threshold of 70 GeV was used; this was subsequently raised to cope with increasing effects from pile-up as the LHC achieved higher luminosities, reaching 110 GeV during the 2016–2018 data-taking period. The E_T^{miss} in the trigger is based only on calorimetric measurements and does not include any reconstructed muons, so the muons behave similarly to invisible particles in this trigger. Events must have at least one reconstructed vertex with at least two associated tracks with $p_T > 500$ MeV. The vertex with the highest sum of the squared transverse momenta of associated tracks is taken as the primary vertex.

Particle-flow (PFlow) jets are constructed using the anti- k_t algorithm [31, 32] with a radius parameter of $R = 0.4$, using charged constituents associated with the primary vertex and neutral PFlow constituents as inputs [33]. Jets are calibrated to the particle-level scale using a sequence of corrections, including pile-up subtraction and energy and angular calibrations [34]. Events are required to have at least two jets within $|\eta| < 2.8$, the leading jet is required to have $p_T > 250$ GeV, and other jets are required to have $p_T > 30$ GeV. To suppress jets originating from pile-up collisions, requirements on the jet-vertex tagger [35] discriminant are applied to jets with p_T below 60 GeV. Events are also required to have at least one jet within $\Delta\phi = 2.0$ of the \vec{p}_T^{miss} direction. The distance between the \vec{p}_T^{miss} direction and the closest jet decreases with higher R_{inv} fractions. Jets are identified as b -jets if they pass the 77% efficiency working point of the DL1r algorithm [36]. The b -jet-tagging performance has a strong dependence on the jet p_T . The efficiency drops from 65% for a b -jet p_T of around 500 GeV to 10% for a p_T of around 2 TeV. Estimated from MC simulation, the corresponding mistag rate of charm jets drops from 15% to 2% over the same p_T interval, and that of light-flavour jets remains at the level of 1% [36]. Events with two or more b -jets are vetoed to reduce $t\bar{t}$ background contributions. A tighter veto cannot be applied because the signal topology contains some fraction of jets which originate from b -quarks.

Events with jets containing anomalous energy depositions due to coherent noise or electronic noise bursts in the calorimeter [37, 38] are removed, but this has a negligible effect on the signal efficiency. Non-collision backgrounds, e.g. energy depositions in the calorimeters due to muons of beam-induced or cosmic-ray origin, are suppressed by imposing an additional selection criterion on the leading jet: the ratio of the jet charged-particle fraction to the maximum fraction of the jet energy collected by a single calorimeter layer, $f_{\text{ch}}/f_{\text{max}}$, is required to be larger than 0.1. Events are rejected if they contain a selected jet pointing in the direction where tile calorimeter modules were disabled, or where other detector errors were present. The non-collision backgrounds contribution is found to be negligible after these requirements.

Hadronically decaying τ -lepton candidates are formed by using a Recurrent Neural Network algorithm which combines information from the calorimeters and inner tracking detectors, and they are required to have one or three associated tracks [39]. Any events with such a τ -lepton candidate with $p_T > 20$ GeV and $|\eta| < 2.5$ are rejected. Electron candidates are reconstructed from energy clusters in the electromagnetic calorimeter that are associated with charged-particle tracks reconstructed in the inner detector. Electrons are required to fulfill ‘tight likelihood’ identification criteria as well as calorimeter- and track-based isolation criteria [40]. Muon candidates are reconstructed by combining inner-detector tracks with muon spectrometer tracks or energy deposits in the calorimeters consistent with the passage of muons. Muons are required to fulfil ‘medium’ identification criteria as well as calorimeter- and track-based isolation criteria [41]. Electrons and muons are required to satisfy $p_T > 7$ GeV and be within the tracking volume $|\eta| < 2.5$. Electrons are also required not to be in the transition region $1.37 < |\eta| < 1.52$ between the barrel and endcap EM calorimeters.

An overlap removal procedure is applied to avoid ambiguities in reconstructing the objects specific to this final state. Firstly, any electron which shares a track with a muon is rejected. Any jet whose angular distance ΔR from an electron is less than 0.2 is removed, as is any which has fewer than three tracks and

lies within $\Delta R = 0.4$ of a muon. Finally, electrons and muons within $\Delta R = 0.4$ of the remaining jets are discarded.

The missing transverse momentum vector, \vec{p}_T^{miss} is reconstructed as the negative vector sum of transverse momenta of all selected objects, as well as tracks compatible with the primary vertex but not matched to any of those objects; this last contribution is called the ‘soft term’ [42]. The magnitude of \vec{p}_T^{miss} is referred to throughout this Letter as the missing transverse momentum, denoted by E_T^{miss} . Events with offline $E_T^{\text{miss}} > 250$ GeV are selected in order to ensure that the trigger is fully efficient. If muons are selected in the event, the \vec{p}_T^{miss} is recalculated, considering muons to be invisible, to mimic an invisibly decaying W or Z boson, in order to have a consistent definition of \vec{p}_T^{miss} in the signal and control regions. The lepton and jet momentum scales and resolutions, the lepton reconstruction, identification, and isolation efficiencies, the b -jet identification efficiency, and the trigger efficiency in the simulation are corrected to match those measured in data.

5 Analysis strategy

After the preselection of events with $E_T^{\text{miss}} > 250$ GeV and at least two jets, with at least one being within $\Delta\phi = 2.0$ of the \vec{p}_T^{miss} direction, the signal region (SR) is defined with $E_T^{\text{miss}} > 600$ GeV and $H_T > 600$ GeV, where H_T is the scalar sum of the p_T of jets in the event. As mentioned earlier, events with at most one b -jet are selected in SR. The reason for this is twofold: signal events with higher mediator masses and R_{inv} fractions typically have high E_T^{miss} , and the background contribution from mismeasured multijet events becomes subdominant. Events with any electrons or muons passing the $p_T > 7$ GeV requirement are discarded in the SR selection. The dominant background contributions are then from processes with real \vec{p}_T^{miss} , namely W/Z +jets, diboson and semileptonic top-quark processes. The background from $t\bar{t}$ and W +jets arises either because an electron or a muon is not observed (because it has $p_T < 7$ GeV, fails the identification requirement, or is produced outside the central region of the detector) or because a hadronically decaying τ -lepton is misidentified as a jet.

In order to estimate the backgrounds resulting from these processes, control regions (CRs) with the same E_T^{miss} and H_T requirements as the SR are defined using muons. The 1L CR requires exactly one muon and no b -tagged jet. The 1L1B CR requires exactly one muon as before, but also exactly one b -tagged jet. Finally, the 2L CR requires two oppositely charged muons with the pair’s invariant mass lying between 66 GeV and 116 GeV, and no b -tagged jets. The 1L CR is dominated by W +jets events, the 1L1B CR is dominated by semileptonic $t\bar{t}$ and single-top-quark processes as well as W +heavy-flavour jets processes, and the 2L CR almost exclusively contains Z +jets events. The CRs have negligible signal contamination.

The search then makes use of two other key observables, which are found to be largely uncorrelated:

1. the p_T balance between the jets closest (j_1) and farthest (j_2) in azimuth from the \vec{p}_T^{miss} direction, denoted by p_T^{bal} and defined using the two-dimensional p_T vectors:

$$p_T^{\text{bal}} = \frac{|\vec{p}_T(j_1) + \vec{p}_T(j_2)|}{|\vec{p}_T(j_1)| + |\vec{p}_T(j_2)|},$$

2. the azimuthal separation between j_1 and j_2 as defined above, denoted by $|\phi_{\text{max}} - \phi_{\text{min}}|$.




Figure 2: Shape comparisons of the (a) p_T^{bal} and (b) $|\phi_{\text{max}} - \phi_{\text{min}}|$ distributions of the total background before the fit and six signal predictions for representative mediator masses and invisible fractions in SR. The solid vertical lines show how these distributions are subsequently divided to form the nine-bin grid.

Figure 2 compares the shapes of the signal and total background p_T^{bal} and $|\phi_{\text{max}} - \phi_{\text{min}}|$ distributions in the SR. There are distinct distribution shape differences between the total background and the different signal benchmark points, and these are utilised in designing the fit strategy. The $|\phi_{\text{max}} - \phi_{\text{min}}|$ distribution is divided into three bins covering < 2 , $2-2.7$, and > 2.7 , and the p_T^{bal} distribution is divided into three bins covering < 0.6 , $0.6-0.9$, and > 0.9 .

Although the simulated signals mostly populate the higher part of the p_T^{bal} and $|\phi_{\text{max}} - \phi_{\text{min}}|$ ranges, these regions also have larger background contributions and both have less signal sensitivity than the lower part of the $|\phi_{\text{max}} - \phi_{\text{min}}|$ distribution. The nine bins are defined identically in the SR and CRs. The yields in these bins of p_T^{bal} and $|\phi_{\text{max}} - \phi_{\text{min}}|$ are treated as the observables used in the fit described in Section 6.

For the two sensitive observables chosen above, mostly good agreement between data and MC predictions is observed in the various CRs. However, since no independent CR for multijet processes can be established, an additional low- E_T^{miss} multijet reweighting region (MJRR) for multijet processes is defined by requiring E_T^{miss} to be between 250 GeV and 300 GeV with the same $H_T > 600$ GeV requirement as in the SR and CRs. In this MJRR, the p_T^{bal} bins in the range $2.7 < |\phi_{\text{max}} - \phi_{\text{min}}| < 3.2$ are found to be multijet-rich. In these bins, the contribution from multijet processes is estimated by subtracting the other predicted SM process yields from the data event yield after applying the scale factors obtained for these backgrounds in Section 6. The differences observed between this predicted multijet yield and MC predictions for multijet processes determine the reweighting factors which are applied to the other $|\phi_{\text{max}} - \phi_{\text{min}}|$ bins in the same p_T^{bal} range. This reweighting factors range from 2 to 2.4 for different p_T^{bal} ranges. Tests showed that using different bin-ranges causes only small changes in those factors, and their values also remained compatible when derived from ranges of lower or higher E_T^{miss} values. A fit is initially performed using both SRs and CRs to extract the multijet reweighting factors. Once the reweighting factors are derived, the final CR-SR simultaneous fit described in Section 6 is performed after accounting for the obtained factors.

6 Statistical analysis and background estimation

In order to estimate the signal strength, as well as to better determine the individual yield N_i^{bg} of the i -th background having a probability distribution function P_i , a simultaneous binned maximum-likelihood function fit is performed on the product of all P_i and the nine bin yields, using MC templates, by including both the SR and the corresponding CRs (1L, 1L1B, and 2L). This provides a way to search for the signal while simultaneously improving the background prediction in the SR. The normalisation factors k_i^{SF} for the individual backgrounds are allowed to float and are determined from the fit:

$$\mathcal{L}(\mu, \theta) = \prod_{j \in 36 \text{ bins}} \text{Poisson}(N_j^{\text{obs}} | \mu N_j^{\text{sig}}(\theta) + \sum_{i \in \text{bg}} k_i^{\text{SF}} \times N_{i,j}^{\text{bg}}(\theta)) \times f^{\text{constr}}(\theta)$$

where N_j^{obs} is the observed total yield, $N_j^{\text{sig}}(\theta)$ is the total predicted signal yield, and $N_{i,j}^{\text{bg}}(\theta)$ is the predicted background yield for the i -th background. The signal strength μ is given by the ratio of the measured to predicted signal cross-section. All the systematic uncertainties discussed in Section 7 are propagated into the simultaneous fit as different nuisance parameters (NPs), denoted by θ . The term $f^{\text{constr}}(\theta)$ represents the product of the Gaussian constraints applied to each of the nuisance parameters, and is defined as

$$f^{\text{constr}}(\theta) = \prod_{k=1}^M G_k(\theta)$$

where G_k is the standard normal distribution, and M is the total number of systematic uncertainty sources. The MC templates are allowed to vary within their shape uncertainty, and the NPs representing the systematic uncertainties are correlated across bins and signal and control regions unless stated otherwise. The fit finds the set of values of the unknown parameters μ and θ that maximises \mathcal{L} . The profile-likelihood ratio is used as the test statistic, and upper limits on the contribution of events from new physics are computed by using the modified frequentist approach CL_s based on asymptotic formulas at 95% confidence level [43]. It should be noted that μ is allowed to take negative values in the fit, and CL_s deals with this value by considering a different likelihood ratio than that which would be utilised for positive-definite μ values. The different likelihood ratio then corrects for any over-constraining of the limits. The fit also finds the uncertainty in μ by taking into account the correlations between all sources of uncertainty. The post-fit scale factors for different background processes are listed in Table 2. The normalisation scale factors have a correlation of 20% between the top-quark and W +jets processes, 14% between W +jets and Z +jets processes, and 5% between top-quark and Z +jets processes.

Table 2: Scale factors for each background process obtained from the simultaneous fit using the SR, 1L CR, 1L1B CR and 2L CR. ‘Top processes’ denotes merged contributions from $t\bar{t}$ and single top-quark processes. The quoted uncertainties include statistical and systematic uncertainties. As can be seen, the multijet process normalisation factor is close to unity after the multijet reweighting procedure. The W +jets and Z +jets process scale factors are primarily driven by the dedicated control regions and they are close to unity as well.

Process	k^{SF}
Z +jets	1.18 ± 0.05
W +jets	1.09 ± 0.04
Top processes	0.64 ± 0.04
Multijet	1.10 ± 0.04

7 Systematic uncertainties

Systematic uncertainties in the signal and background yields and shapes result from experimental uncertainties and theoretical modelling effects. Except the luminosity uncertainty, all the other uncertainties are shape uncertainties, but eventually they are translated to 9-bin yields. The experimental ones are due to the jet energy scale (JES) and resolution (JER) [44], computation of the E_T^{miss} soft term [42], flavour-tagging performance [45], rescaling of simulation to match the pile-up profile in data, and an uncertainty in the luminosity estimation. The uncertainty in the combined 2015–2018 integrated luminosity is 1.7% [46], obtained using the LUCID-2 detector [47] for the primary luminosity measurements. The luminosity uncertainty is applied to background processes that are normalised to theoretical predictions and to the signal cross-section parameters in the fit. Uncertainties in the reconstruction, identification, isolation [40, 48, 49] and trigger efficiencies [50] of muons, electrons and τ -leptons and in their energy scale and resolution are also considered.

Theoretical uncertainties common to the MC samples are due to renormalisation and factorisation scale choices, and also the choice of PDF set and value for the strong coupling constant α_s . These uncertainties were assessed from the effect of varying the scales, the PDFs, and the value of α_s . Additionally, initial- and final-state radiation scale uncertainties were assessed for $t\bar{t}$ and single-top processes, and were taken to be uncorrelated. For $t\bar{t}$ and tW processes, alternative predictions were obtained by using AMC@NLO as the matrix element generator, also interfaced to PYTHIA 8.230, or by using the same matrix element generator POWHEG BOX v2, but interfaced instead to HERWIG 7 [51, 52] for the modelling of the parton shower, hadronisation, and underlying event. The differences are treated as systematic uncertainties in the modelling of these processes. Because the fit is performed using the same H_T requirement in the CRs and the SR, and the observables most sensitive to signal are largely insensitive to the p_T of the top quark, no additional uncertainty related to the modelling of the top quark's p_T is considered. The difference between using the diagram-subtraction and diagram-removal schemes [53] to remove the overlap between the tW and $t\bar{t}$ processes is also considered. The W +jets samples were split into heavy- and light-flavour subprocesses, and since the MC prediction was found to underestimate the former by about a factor of 1.3 [54], an additional 30% normalisation uncertainty is assigned to the heavy-flavour samples. Scale variations are treated as uncorrelated between the W +jets heavy- and light-flavour subprocesses.

An additional uncertainty from the reweighting procedure is also considered for the multijet modelling, and is conservatively assessed to be 100% for each of the bins, except those used to obtain the reweighting factors as described at the end of Section 5. This uncertainty is treated as fully uncorrelated between the bins, and was checked in an intermediate- E_T^{miss} validation region of 300–600 GeV with the same $H_T > 600$ GeV requirement. The agreement of the data with the sum of the predicted background indicates no additional mismodelling of the multijet background beyond the quoted uncertainty.

8 Results

The post-fit yields for all nine bins are shown in Figure 3 of the three CRs and the SR separately, and listed in Table 3. Overall, good agreement between data and SM predictions is observed for all the bins. The post-fit distributions of the H_T , E_T^{miss} , $|\phi_{\text{max}} - \phi_{\text{min}}|$ and p_T^{bal} observables are shown in Figure 4 for the SR. Again, excellent agreement of data with SM background predictions is seen for all the observables, which also indicates the absence of any effect beyond the SM. The largest post-fit effects on the shapes of discriminating observables are signal modelling uncertainties of up to 8%, Z +jets modelling uncertainties




Figure 3: The post-fit yields in the nine bins of the $(p_T^{\text{bal}}, |\phi_{\text{max}} - \phi_{\text{min}}|)$ grid are shown for the (a) SR, (b) 1L CR, (c) 1L1B CR, and (d) 2L CR. Data are compared with background predictions, and six signal predictions covering a representative mediator mass and invisible fraction range are overlaid in the SR. Figure (a) shows a background-only fit in the SR. The uncertainties include all systematic and statistical components.

of up to 7%, and top-quark process modelling uncertainties of up to 4%. The rest of the contributions are less than 2%. The total data yield can be translated into a model-independent cross-section limit in this SR.

Upper limits on the contribution of events from new physics are computed by using the modified frequentist CL_s approach based on asymptotic formulas at 95% confidence level (CL) [43, 55], and are given in terms of the signal strength, μ , defined previously. For upper limits with values of $\mu \leq 1$, the nominal cross-section is excluded, while for upper limits with $\mu > 1$, no such conclusion can be obtained. The limits on the signal model are presented in two different ways. The 95% CL exclusion limit plots for limits on the cross-section as a function of mediator mass and R_{inv} values are shown in Figure 5. The observed limits increase from 2.4 TeV for R_{inv} of 0.2 to 2.7 TeV for R_{inv} of 0.8. The observed exclusions tend to be slightly stronger than the expected ones due to a slight deficit in data in individual SR bins and the fit's preference of a negative signal yield to improve the data agreement. The exclusion confidence levels decrease at higher mediator masses as the distributions of the discriminating observables, e.g. $|\phi_{\text{max}} - \phi_{\text{min}}|$, become more background-like in shape and with lower yields. The signal acceptance in the SR decreases for lower mediator masses, opposing the effect of rapidly increasing signal event rates. The systematic uncertainties weaken the limits by about 25%.

Table 3: Post-fit yields from the background-only fit, including pre-fit contributions of different signal benchmark points. Dashes refer to components that are negligible or not applicable. The total uncertainties include statistical and systematic uncertainties.

Process	SR	CR 1L	CR 1L1B	CR 2L
Z+jets	$8\,490 \pm 260$	11.6 ± 1.4	2.2 ± 0.6	$1\,120 \pm 40$
W+jets	$5\,820 \pm 300$	$3\,190 \pm 170$	351 ± 41	-
$t\bar{t}$	920 ± 70	350 ± 29	304 ± 24	-
Single top	533 ± 47	358 ± 29	290 ± 25	-
Multijet	850 ± 100	28 ± 11	7.7 ± 3.1	-
Diboson	757 ± 10	187 ± 9	34.5 ± 2.8	-
Total bkg.	$17\,370 \pm 280$	$4\,120 \pm 100$	990 ± 35	$1\,120 \pm 40$
Data	17 388	4 136	999	1 124
Signal:				
$m_\Phi = 1\text{ TeV}, R_{\text{inv}} = 0.6$	$101\,000 \pm 23\,000$	-	-	-
$m_\Phi = 1\text{ TeV}, R_{\text{inv}} = 0.8$	$160\,000 \pm 40\,000$	-	-	-
$m_\Phi = 2\text{ TeV}, R_{\text{inv}} = 0.4$	$2\,800 \pm 600$	-	-	-
$m_\Phi = 2\text{ TeV}, R_{\text{inv}} = 0.6$	$8\,900 \pm 2\,000$	-	-	-
$m_\Phi = 3\text{ TeV}, R_{\text{inv}} = 0.2$	59 ± 13	-	-	-
$m_\Phi = 3\text{ TeV}, R_{\text{inv}} = 0.4$	126 ± 29	-	-	-

Additionally, the nominal signal cross-sections for each signal mass point, obtained with $\lambda = 1$, can be scaled by λ^4 for mediator masses larger than 2.5 TeV. For each mediator mass point, the limit on the cross-section is obtained, and the corresponding λ is calculated. This λ value corresponding to the cross-section upper limit is presented for the SR in Figure 6. It can be seen that for lower mass points, the nominal cross-sections are excluded, whereas for higher mass points only higher values of cross-sections can be excluded. The advantage of this representation is that it sets stringent limits on the signature in general for a wide range of λ values, and can help in recasting this analysis for future model predictions.




Figure 4: The post-fit distributions of (a) H_T , (b) E_T^{miss} , (c) p_T^{bal} , and (d) $|\phi_{\text{max}} - \phi_{\text{min}}|$ are shown for the SR. Data are compared with background predictions, and six signal predictions covering a representative mediator mass and invisible fraction range are overlaid. The uncertainties include all systematic and statistical components. The last bin in (a) and (b) contains the overflow.




Figure 5: The expected and observed exclusion contours at 95% CL for semi-visible jets signal as a function of mediator mass m_Φ on the horizontal axis and R_{inv} on the vertical axis. The solid black line is observed limit as a function of the mediator mass and R_{inv} . The green and yellow shaded bands correspond to the expected one and two standard deviation uncertainties, respectively, with the expected central value shown by the black dashed line.




Figure 6: The grid shows the observed 95% CL lower limit on λ with m_Φ on the horizontal axis, R_{inv} on the vertical axis. Shown above each m_Φ column is the predicted cross-section in fb for that specific mass value as a reference. As the nominal signal cross-sections for each signal mass point, obtained with $\lambda = 1$, can only be scaled by λ^4 for mediator masses larger than 2.5 TeV, so only mediator masses starting from 2.5 TeV are shown.

9 Conclusions

A first search is performed for semi-visible jets in the t -channel production mode using 139 fb^{-1} of data collected from $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions by the ATLAS experiment at the LHC. Semi-visible jets arise in the strongly interacting dark sector, where dark quarks are produced and their hadronisation generates jets where dark hadrons are interspersed with SM hadrons in the jet, leading to a novel collider signature. The search considers mediator masses in the range 1–5 TeV and a stable-dark-hadron fraction, R_{inv} , of 0.1–0.9. The observed yields are in agreement with the SM background expectations in the signal region defined by $E_{\text{T}}^{\text{miss}} > 600 \text{ GeV}$ and $H_{\text{T}} > 600 \text{ GeV}$. A total of 17388 data events are observed in the SR, which can be translated into a model-independent cross-section upper limit relevant to the acceptance of this specific signal region selection. The 95% confidence-level upper limits on the mediator mass vary from 2.4 TeV to 2.7 TeV, depending on the value of R_{inv} . They are translated into upper limits on the coupling strength between the mediator, a Standard Model quark and a dark quark.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [56].

References

- [1] M. J. Strassler and K. M. Zurek, *Echoes of a hidden valley at hadron colliders*, *Phys. Lett. B* **651** (2007) 374, arXiv: [hep-ph/0604261](#).
- [2] M. J. Strassler and K. M. Zurek, *Discovering the Higgs through highly-displaced vertices*, *Phys. Lett. B* **661** (2008) 263, arXiv: [hep-ph/0605193](#).
- [3] T. Han, Z. Si, K. M. Zurek and M. J. Strassler, *Phenomenology of hidden valleys at hadron colliders*, *JHEP* **07** (2008) 008, arXiv: [0712.2041 \[hep-ph\]](#).
- [4] P. Schwaller, D. Stolarski and A. Weiler, *Emerging jets*, *JHEP* **05** (2015) 059, arXiv: [1502.05409 \[hep-ph\]](#).
- [5] M. Park and M. Zhang, *Tagging a jet from a dark sector with jet substructures at colliders*, *Phys. Rev. D* **100** (2019) 115009, arXiv: [1712.09279 \[hep-ph\]](#).
- [6] T. Cohen, M. Lisanti and H. K. Lou, *Semivisible Jets: Dark Matter Undercover at the LHC*, *Phys. Rev. Lett.* **115** (2015) 171804, arXiv: [1503.00009 \[hep-ph\]](#).
- [7] T. Cohen, M. Lisanti, H. K. Lou and S. Mishra-Sharma, *LHC searches for dark sector showers*, *JHEP* **11** (2017) 196, arXiv: [1707.05326 \[hep-ph\]](#).
- [8] CMS Collaboration, *Search for resonant production of strongly coupled dark matter in proton–proton collisions at 13 TeV*, *JHEP* **06** (2021) 156, arXiv: [2112.11125 \[hep-ex\]](#).
- [9] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [10] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [11] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [12] R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [13] L. Carloni, J. Rathsman and T. Sjostrand, *Discerning secluded sector gauge structures*, *JHEP* **04** (2011) 091, arXiv: [1102.3795 \[hep-ph\]](#).
- [14] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [15] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [16] M. L. Mangano, M. Moretti, F. Piccinini and M. Treccani, *Matching matrix elements and shower evolution for top-quark production in hadronic collisions*, *JHEP* **01** (2007) 013, arXiv: [hep-ph/0611129](#).
- [17] E. Bernreuther, F. Kahlhoefer, M. Krämer and P. Tunney, *Strongly interacting dark sectors in the early Universe and at the LHC through a simplified portal*, *JHEP* **01** (2020) 162, arXiv: [1907.04346 \[hep-ph\]](#).

- [18] G. Albouy et al., *Theory, phenomenology, and experimental avenues for dark showers: a Snowmass 2021 report*, *Eur. Phys. J. C* **82** (2022) 1132, arXiv: [2203.09503 \[hep-ph\]](#).
- [19] A. G. Cohen, D. B. Kaplan and A. E. Nelson, *Counting 4π 's in strongly coupled supersymmetry*, *Phys. Lett. B* **412** (1997) 301, arXiv: [hep-ph/9706275](#).
- [20] S. Colucci et al., *Top-philic vectorlike portal to scalar dark matter*, *Phys. Rev. D* **98** (2018) 035002, arXiv: [1804.05068 \[hep-ph\]](#).
- [21] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [22] GEANT4 Collaboration, S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [23] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [24] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [25] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani–Seymour dipole factorisation*, *JHEP* **03** (2008) 038, arXiv: [0709.1027 \[hep-ph\]](#).
- [26] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040, arXiv: [hep-ph/0409146](#).
- [27] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070, arXiv: [0709.2092 \[hep-ph\]](#).
- [28] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043, arXiv: [1002.2581 \[hep-ph\]](#).
- [29] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632 \[physics.ins-det\]](#).
- [30] ATLAS Collaboration, *Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking*, *JHEP* **08** (2020) 080, arXiv: [2005.09554 \[hep-ex\]](#).
- [31] M. Cacciari, G. P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).
- [32] M. Cacciari, G. P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [33] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [34] ATLAS Collaboration, *Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2020) 689, arXiv: [2007.02645 \[hep-ex\]](#).

- [35] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581, arXiv: [1510.03823 \[hep-ex\]](#).
- [36] ATLAS Collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, (2022), arXiv: [2211.16345 \[physics.data-an\]](#).
- [37] ATLAS Collaboration, *Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton–proton run*, *JINST* **8** (2013) P07004, arXiv: [1303.0223 \[hep-ex\]](#).
- [38] ATLAS Collaboration, *Selection of jets produced in 13 TeV proton–proton collisions with the ATLAS detector*, ATLAS-CONF-2015-029, 2015, URL: <https://cds.cern.ch/record/2037702>.
- [39] ATLAS Collaboration, *Identification of hadronic tau lepton decays using neural networks in the ATLAS experiment*, ATL-PHYS-PUB-2019-033, 2019, URL: <https://cds.cern.ch/record/2688062>.
- [40] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [41] ATLAS Collaboration, *Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292, arXiv: [1603.05598 \[hep-ex\]](#).
- [42] ATLAS Collaboration, *Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **78** (2018) 903, arXiv: [1802.08168 \[hep-ex\]](#).
- [43] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554, arXiv: [1007.1727 \[physics.data-an\]](#), Erratum: *Eur. Phys. J. C* **73** (2013) 2501.
- [44] ATLAS Collaboration, *Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002, arXiv: [1703.09665 \[hep-ex\]](#).
- [45] ATLAS Collaboration, *ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 970, arXiv: [1907.05120 \[hep-ex\]](#).
- [46] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, ATLAS-CONF-2019-021, 2019, URL: <https://cds.cern.ch/record/2677054>.
- [47] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *JINST* **13** (2018) P07017.
- [48] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578, arXiv: [2012.00578 \[hep-ex\]](#).
- [49] ATLAS Collaboration, *Measurement of the tau lepton reconstruction and identification performance in the ATLAS experiment using pp collisions at $\sqrt{s} = 13$ TeV*, ATLAS-CONF-2017-029, 2017, URL: <https://cds.cern.ch/record/2261772>.

- [50] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, *JINST* **15** (2020) P09015, arXiv: 2004.13447 [hep-ex].
- [51] M. Bähr et al., *Herwig++ physics and manual*, *Eur. Phys. J. C* **58** (2008) 639, arXiv: 0803.0883 [hep-ph].
- [52] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196, arXiv: 1512.01178 [hep-ph].
- [53] S. Frixione, E. Laenen, P. Motylinski, C. White and B. R. Webber, *Single-top hadroproduction in association with a W boson*, *JHEP* **07** (2008) 029, arXiv: 0805.3067 [hep-ph].
- [54] ATLAS Collaboration, *Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector*, *JHEP* **12** (2017) 024, arXiv: 1708.03299 [hep-ex].
- [55] A. L. Read, *Presentation of search results: the CL_S technique*, *J. Phys. G* **28** (2002) 2693.
- [56] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATLAS-SOFT-PUB-2021-003, 2021, URL: <https://cds.cern.ch/record/2776662>.

The ATLAS Collaboration

G. Aad ^{90b}, B. Abbott ¹²⁰, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, A. Abouhorma ^{35e}, H. Abramowicz ¹⁵¹, H. Abreu ¹⁵⁰, Y. Abulaiti ¹¹⁷, A.C. Abusleme Hoffman ^{137a}, B.S. Acharya ^{69a,69b,n}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, L. Adamek ¹⁵⁵, S.V. Addepalli ²⁶, M.J. Addison ¹⁰², J. Adelman ¹¹⁵, A. Adiguzel ^{21c}, T. Adye ¹³⁴, A.A. Affolder ¹³⁶, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰¹, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,z}, W.S. Ahmed ¹⁰⁴, S. Ahuja ⁹⁶, X. Ai ^{62a}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶³, M. Ait Tamlihat ^{35e}, B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁶⁹, M. Akbiyik ¹⁰¹, T.P.A. Åkesson ⁹⁹, A.V. Akimov ³⁷, D. Akiyama ¹⁶⁸, N.N. Akolkar ²⁴, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁵, P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹²⁰, B. Ali ¹³², H.M.J. Ali ⁹², S. Ali ¹⁴⁸, S.W. Alibocus ⁹³, M. Aliev ¹⁴⁵, G. Alimonti ^{71a}, W. Alkakhri ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁶, J.F. Allen ⁵², C.A. Allendes Flores ^{137f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹¹, C. Alpigiani ¹³⁸, M. Alvarez Estevez ¹⁰⁰, A. Alvarez Fernandez ¹⁰¹, M. Alves Cardoso ⁵⁶, M.G. Alvigi ^{72a,72b}, M. Aly ¹⁰², Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁴, C. Amelung ³⁶, M. Amerl ¹⁰², C.G. Ames ¹⁰⁹, D. Amidei ¹⁰⁶, S.P. Amor Dos Santos ^{130a}, K.R. Amos ¹⁶³, V. Ananiev ¹²⁵, C. Anastopoulos ¹³⁹, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andreev ^{47a,47b}, A. Andreazza ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,ac}, A.V. Anisenkov ³⁷, A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁹, E. Antipov ¹⁴⁵, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸⁴, T. Aoki ¹⁵³, J.A. Aparisi Pozo ¹⁶³, M.A. Aparo ¹⁴⁶, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, A. Apyan ²⁶, N. Aranzabal ³⁶, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹³, J-F. Arguin ¹⁰⁸, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁴, G. Artoni ^{75a,75b}, H. Asada ¹¹¹, K. Asai ¹¹⁸, S. Asai ¹⁵³, N.A. Asbah ⁶¹, J. Assahsah ^{35d}, K. Assamagan ²⁹, R. Astalos ^{28a}, S. Atashi ¹⁶⁰, R.J. Atkin ^{33a}, M. Atkinson ¹⁶², H. Atmani ^{35f}, P.A. Atmasiddha ¹⁰⁶, K. Augsten ¹³², S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰², G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{108,ah}, D. Babal ^{28b}, H. Bachacou ¹³⁵, K. Bachas ^{152,q}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, P. Bagnaia ^{75a,75b},

M. Bahmani ¹⁸, A.J. Bailey ¹⁶³, V.R. Bailey ¹⁶², J.T. Baines ¹³⁴, L. Baines ⁹⁵, C. Bakalis ¹⁰,
 O.K. Baker ¹⁷², E. Bakos ¹⁵, D. Bakshi Gupta ⁸, V. Balakrishnan ¹²⁰, R. Balasubramanian ¹¹⁴,
 E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁵, L.M. Baltes ^{63a}, W.K. Balunas ³²,
 J. Balz ¹⁰¹, E. Banas ⁸⁷, M. Bandieramonte ¹²⁹, A. Bandyopadhyay ²⁴, S. Bansal ²⁴,
 L. Barak ¹⁵¹, M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁵, D. Barberis ^{57b,57a}, M. Barbero ^{90b},
 K.N. Barends ^{33a}, T. Barillari ¹¹⁰, M-S. Barisits ³⁶, T. Barklow ¹⁴³, P. Baron ¹²²,
 D.A. Baron Moreno ¹⁰², A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁶, J.D. Barr ⁹⁷,
 L. Barranco Navarro ^{47a,47b}, F. Barreiro ¹⁰⁰, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵¹,
 M.G. Barros Teixeira ^{130a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴³, A.E. Barton ⁹²,
 P. Bartos ^{28a}, A. Basan ¹⁰¹, M. Baselga ⁴⁹, A. Bassalat ^{66b}, M.J. Basso ^{156a}, C.R. Basson ¹⁰²,
 R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴¹, M. Battaglia ¹³⁶, D. Battulga ¹⁸,
 M. Bauge ^{75a,75b}, M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹,
 T. Beau ¹²⁷, P.H. Beauchemin ¹⁵⁸, F. Becherer ⁵⁴, P. Bechtle ²⁴, H.P. Beck ^{19,p}, K. Becker ¹⁶⁷,
 A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁵, L.J. Beemster ¹⁵, T.A. Beermann ³⁶,
 M. Begalli ^{83d}, M. Begel ²⁹, A. Behera ¹⁴⁵, J.K. Behr ⁴⁸, J.F. Beirer ⁵⁵, F. Beisiegel ²⁴,
 M. Belfkir ¹⁵⁹, G. Bella ¹⁵¹, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰,
 K. Beloborodov ³⁷, N.L. Belyaev ³⁷, D. Benckekroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵¹,
 M. Benoit ²⁹, J.R. Bensinger ²⁶, S. Bentvelsen ¹¹⁴, L. Beresford ⁴⁸, M. Beretta ⁵³,
 E. Bergeaas Kuutmann ¹⁶¹, N. Berger ⁴, B. Bergmann ¹³², J. Beringer ^{17a}, G. Bernardi ⁵,
 C. Bernius ¹⁴³, F.U. Bernlochner ²⁴, F. Bernon ^{36,90b}, T. Berry ⁹⁶, P. Berta ¹³³, A. Berthold ⁵⁰,
 I.A. Bertram ⁹², S. Bethke ¹¹⁰, A. Betti ^{75a,75b}, A.J. Bevan ⁹⁵, M. Bhamjee ^{33c}, S. Bhatta ¹⁴⁵,
 D.S. Bhattacharya ¹⁶⁶, P. Bhattarai ¹⁴³, V.S. Bhopatkar ¹²¹, R. Bi ^{29,aj}, R.M. Bianchi ¹²⁹,
 G. Bianco ^{23b,23a}, O. Biebel ¹⁰⁹, R. Bielski ¹²³, M. Biglietti ^{77a}, T.R.V. Billoud ¹³², M. Bindi ⁵⁵,
 A. Bingul ^{21b}, C. Bini ^{75a,75b}, A. Biondini ⁹³, C.J. Birch-sykes ¹⁰², G.A. Bird ^{20,134},
 M. Birman ¹⁶⁹, M. Biros ¹³³, T. Bisanz ⁴⁹, E. Bisceglie ^{43b,43a}, D. Biswas ¹⁴¹, A. Bitadze ¹⁰²,
 K. Bjørke ¹²⁵, I. Bloch ⁴⁸, C. Blocker ²⁶, A. Blue ⁵⁹, U. Blumenschein ⁹⁵, J. Blumenthal ¹⁰¹,
 G.J. Bobbink ¹¹⁴, V.S. Bobrovnikov ³⁷, M. Boehler ⁵⁴, B. Boehm ¹⁶⁶, D. Bogavac ³⁶,
 A.G. Bogdanchikov ³⁷, C. Bohm ^{47a}, V. Boisvert ⁹⁶, P. Bokan ⁴⁸, T. Bold ^{86a}, M. Bomben ⁵,
 M. Bona ⁹⁵, M. Boonekamp ¹³⁵, C.D. Booth ⁹⁶, A.G. Borbély ⁵⁹, I.S. Bordulev ³⁷,
 H.M. Borecka-Bielska ¹⁰⁸, L.S. Borgna ⁹⁷, G. Borissov ⁹², D. Bortoletto ¹²⁶, D. Boscherini ^{23b},
 M. Bosman ¹³, J.D. Bossio Sola ³⁶, K. Bouaouda ^{35a}, N. Bouchhar ¹⁶³, J. Boudreau ¹²⁹,
 E.V. Bouhova-Thacker ⁹², D. Boumediene ⁴⁰, R. Bouquet ⁵, A. Boveia ¹¹⁹, J. Boyd ³⁶,
 D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracik ²⁰, N. Brahimi ^{62d}, G. Brandt ¹⁷¹, O. Brandt ³²,
 F. Braren ⁴⁸, B. Brau ¹⁰³, J.E. Brau ¹²³, R. Brenner ¹⁶⁹, L. Brenner ¹¹⁴, R. Brenner ¹⁶¹,
 S. Bressler ¹⁶⁹, D. Britton ⁵⁹, D. Britzger ¹¹⁰, I. Brock ²⁴, G. Brooijmans ⁴¹, W.K. Brooks ^{137f},
 E. Brost ²⁹, L.M. Brown ¹⁶⁵, L.E. Bruce ⁶¹, T.L. Bruckler ¹²⁶, P.A. Bruckman de Renstrom ⁸⁷,
 B. Brüers ⁴⁸, A. Bruni ^{23b}, G. Bruni ^{23b}, M. Bruschi ^{23b}, N. Bruscinò ^{75a,75b}, T. Buanes ¹⁶,
 Q. Buat ¹³⁸, D. Buchin ¹¹⁰, A.G. Buckley ⁵⁹, M.K. Bugge ¹²⁵, O. Bulekov ³⁷, B.A. Bullard ¹⁴³,
 S. Burdin ⁹³, C.D. Burgard ⁴⁹, A.M. Burger ⁴⁰, B. Burghgrave ⁸, O. Burlayenko ⁵⁴,
 J.T.P. Burr ³², C.D. Burton ¹¹, J.C. Burzynski ¹⁴², E.L. Busch ⁴¹, V. Büscher ¹⁰¹, P.J. Bussey ⁵⁹,
 J.M. Butler ²⁵, C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁷, W. Buttinger ¹³⁴, C.J. Buxo Vazquez ¹⁰⁷,
 A.R. Buzykaev ³⁷, S. Cabrera Urbán ¹⁶³, L. Cadamuro ⁶⁶, D. Caforio ⁵⁸, H. Cai ¹²⁹,
 Y. Cai ^{14a,14e}, V.M.M. Cairo ³⁶, O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a}, G. Calderini ¹²⁷,
 P. Calfayan ⁶⁸, G. Callea ⁵⁹, L.P. Caloba ^{83b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰, T.P. Calvet ^{90b},
 M. Calvetti ^{74a,74b}, R. Camacho Toro ¹²⁷, S. Camarda ³⁶, D. Camarero Munoz ²⁶,
 P. Camarri ^{76a,76b}, M.T. Camerlingo ^{72a,72b}, D. Cameron ³⁶, C. Camincher ¹⁶⁵, M. Campanelli ⁹⁷,
 A. Camplani ⁴², V. Canale ^{72a,72b}, A. Canesse ¹⁰⁴, J. Cantero ¹⁶³, Y. Cao ¹⁶², F. Capocasa ²⁶,

M. Capua ^{43b,43a}, A. Carbone ^{71a,71b}, R. Cardarelli ^{76a}, J.C.J. Cardenas ⁸, F. Cardillo ¹⁶³,
 T. Carli ³⁶, G. Carlino ^{72a}, J.I. Carlotto ¹³, B.T. Carlson ^{129,r}, E.M. Carlson ^{165,156a},
 L. Carminati ^{71a,71b}, A. Carnelli ¹³⁵, M. Carnesale ^{75a,75b}, S. Caron ¹¹³, E. Carquin ^{137f},
 S. Carrá ^{71a,71b}, G. Carratta ^{23b,23a}, F. Carrio Argos ^{33g}, J.W.S. Carter ¹⁵⁵, T.M. Carter ⁵²,
 M.P. Casado ^{13,i}, M. Caspar ⁴⁸, E.G. Castiglia ¹⁷², F.L. Castillo ⁴, L. Castillo Garcia ¹³,
 V. Castillo Gimenez ¹⁶³, N.F. Castro ^{130a,130e}, A. Catinaccio ³⁶, J.R. Catmore ¹²⁵, V. Cavaliere ²⁹,
 N. Cavalli ^{23b,23a}, V. Cavasinni ^{74a,74b}, Y.C. Cekmecelioglu ⁴⁸, E. Celebi ^{21a}, F. Celli ¹²⁶,
 M.S. Centonze ^{70a,70b}, V. Cepaitis ⁵⁶, K. Cerny ¹²², A.S. Cerqueira ^{83a}, A. Cerri ¹⁴⁶,
 L. Cerrito ^{76a,76b}, F. Cerutti ^{17a}, B. Cervato ¹⁴¹, A. Cervelli ^{23b}, G. Cesarini ⁵³, S.A. Cetin ⁸²,
 Z. Chadi ^{35a}, D. Chakraborty ¹¹⁵, J. Chan ¹⁷⁰, W.Y. Chan ¹⁵³, J.D. Chapman ³², E. Chapon ¹³⁵,
 B. Chargeishvili ^{149b}, D.G. Charlton ²⁰, T.P. Charman ⁹⁵, M. Chatterjee ¹⁹, C. Chauhan ¹³³,
 S. Chekanov ⁶, S.V. Chekulaev ^{156a}, G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁶, B. Chen ¹⁵¹, B. Chen ¹⁶⁵,
 H. Chen ^{14c}, H. Chen ²⁹, J. Chen ^{62c}, J. Chen ¹⁴², M. Chen ¹²⁶, S. Chen ¹⁵³, S.J. Chen ^{14c},
 X. Chen ^{62c,135}, X. Chen ^{14b,ag}, Y. Chen ^{62a}, C.L. Cheng ¹⁷⁰, H.C. Cheng ^{64a}, S. Cheong ¹⁴³,
 A. Cheplakov ³⁸, E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹⁴, R. Cherkaoui El Moursli ^{35e},
 E. Cheu ⁷, K. Cheung ⁶⁵, L. Chevalier ¹³⁵, V. Chiarella ⁵³, G. Chiarelli ^{74a}, N. Chiedde ^{90b},
 G. Chiodini ^{70a}, A.S. Chisholm ²⁰, A. Chitan ^{27b}, M. Chitishvili ¹⁶³, M.V. Chizhov ³⁸,
 K. Choi ¹¹, A.R. Chomont ^{75a,75b}, Y. Chou ¹⁰³, E.Y.S. Chow ¹¹⁴, T. Chowdhury ^{33g}, K.L. Chu ¹⁶⁹,
 M.C. Chu ^{64a}, X. Chu ^{14a,14e}, J. Chudoba ¹³¹, J.J. Chwastowski ⁸⁷, D. Cieri ¹¹⁰, K.M. Ciesla ^{86a},
 V. Cindro ⁹⁴, A. Ciocio ^{17a}, F. Cirotto ^{72a,72b}, Z.H. Citron ^{169,1}, M. Citterio ^{71a}, D.A. Ciubotaru ^{27b},
 B.M. Ciungu ¹⁵⁵, A. Clark ⁵⁶, P.J. Clark ⁵², J.M. Clavijo Columbie ⁴⁸, S.E. Clawson ⁴⁸,
 C. Clement ^{47a,47b}, J. Clercx ⁴⁸, L. Clissa ^{23b,23a}, Y. Coadou ^{90b}, M. Cobal ^{69a,69c},
 A. Cocco ^{57b}, R.F. Coelho Barrue ^{130a}, R. Coelho Lopes De Sa ¹⁰³, S. Coelli ^{71a}, H. Cohen ¹⁵¹,
 A.E.C. Coimbra ^{71a,71b}, B. Cole ⁴¹, J. Collot ⁶⁰, P. Conde Muiño ^{130a,130g}, M.P. Connell ^{33c},
 S.H. Connell ^{33c}, I.A. Connelly ⁵⁹, E.I. Conroy ¹²⁶, F. Conventi ^{72a,ai}, H.G. Cooke ²⁰,
 A.M. Cooper-Sarkar ¹²⁶, A. Cordeiro Oudot Choi ¹²⁷, F. Cormier ¹⁶⁴, L.D. Corpe ⁴⁰,
 M. Corradi ^{75a,75b}, F. Corriveau ^{104,x}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶³, F. Costanza ⁴,
 D. Costanzo ¹³⁹, B.M. Cote ¹¹⁹, G. Cowan ⁹⁶, K. Cranmer ¹⁷⁰, D. Cremonini ^{23b,23a},
 S. Crépe-Renaudin ⁶⁰, F. Crescioli ¹²⁷, M. Cristinziani ¹⁴¹, M. Cristoforetti ^{78a,78b}, V. Croft ¹¹⁴,
 J.E. Crosby ¹²¹, G. Crosetti ^{43b,43a}, A. Cueto ¹⁰⁰, T. Cuhadar Donszelmann ¹⁶⁰, H. Cui ^{14a,14e},
 Z. Cui ⁷, W.R. Cunningham ⁵⁹, F. Curcio ^{43b,43a}, P. Czodrowski ³⁶, M.M. Czurylo ^{63b},
 M.J. Da Cunha Sargedas De Sousa ^{57b,57a}, J.V. Da Fonseca Pinto ^{83b}, C. Da Via ¹⁰²,
 W. Dabrowski ^{86a}, T. Dado ⁴⁹, S. Dahbi ^{33g}, T. Dai ¹⁰⁶, D. Dal Santo ¹⁹, C. Dallapiccola ¹⁰³,
 M. Dam ⁴², G. D'amen ²⁹, V. D'Amico ¹⁰⁹, J. Damp ¹⁰¹, J.R. Dandoy ¹²⁸, M.F. Daneri ³⁰,
 M. Danninger ¹⁴², V. Dao ³⁶, G. Darbo ^{57b}, S. Darmora ⁶, S.J. Das ^{29,aj}, S. D'Auria ^{71a,71b},
 C. David ^{156b}, T. Davidek ¹³³, B. Davis-Purcell ³⁴, I. Dawson ⁹⁵, H.A. Day-hall ¹³², K. De ⁸,
 R. De Asmundis ^{72a}, N. De Biase ⁴⁸, S. De Castro ^{23b,23a}, N. De Groot ¹¹³, P. de Jong ¹¹⁴,
 H. De la Torre ¹¹⁵, A. De Maria ^{14c}, A. De Salvo ^{75a}, U. De Sanctis ^{76a,76b}, A. De Santo ¹⁴⁶,
 J.B. De Vivie De Regie ⁶⁰, D.V. Dedovich ³⁸, J. Degens ¹¹⁴, A.M. Deiana ⁴⁴, F. Del Corso ^{23b,23a},
 J. Del Peso ¹⁰⁰, F. Del Rio ^{63a}, F. Deliot ¹³⁵, C.M. Delitzsch ⁴⁹, M. Della Pietra ^{72a,72b},
 D. Della Volpe ⁵⁶, A. Dell'Acqua ³⁶, L. Dell'Asta ^{71a,71b}, M. Delmastro ⁴, P.A. Delsart ⁶⁰,
 S. Demers ¹⁷², M. Demichev ³⁸, S.P. Denisov ³⁷, L. D'Eramo ⁴⁰, D. Derendarz ⁸⁷, F. Derue ¹²⁷,
 P. Dervan ⁹³, K. Desch ²⁴, C. Deutsch ²⁴, F.A. Di Bello ^{57b,57a}, A. Di Ciaccio ^{76a,76b},
 L. Di Ciaccio ⁴, A. Di Domenico ^{75a,75b}, C. Di Donato ^{72a,72b}, A. Di Girolamo ³⁶,
 G. Di Gregorio ⁵, A. Di Luca ^{78a,78b}, B. Di Micco ^{77a,77b}, R. Di Nardo ^{77a,77b}, C. Diaconu ^{90b},
 M. Diamantopoulou ³⁴, F.A. Dias ¹¹⁴, T. Dias Do Vale ¹⁴², M.A. Diaz ^{137a,137b},
 F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶³, E.B. Diehl ¹⁰⁶, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸,

C. Diez Pardos ¹⁴¹, C. Dimitriadi ^{161,24,161}, A. Dimitrievska ^{17a}, J. Dingfelder ²⁴, I-M. Dinu ^{27b},
 S.J. Dittmeier ^{63b}, F. Dittus ³⁶, F. Djama ^{90b}, T. Djobava ^{149b}, J.I. Djuvsland ¹⁶,
 C. Doglioni ^{102,99}, A. Dohnalova ^{28a}, J. Dolejsi ¹³³, Z. Dolezal ¹³³, M. Donadelli ^{83c},
 B. Dong ¹⁰⁷, J. Donini ⁴⁰, A. D'Onofrio ^{77a,77b}, M. D'Onofrio ⁹³, J. Dopke ¹³⁴, A. Doria ^{72a},
 N. Dos Santos Fernandes ^{130a}, P. Dougan ¹⁰², M.T. Dova ⁹¹, A.T. Doyle ⁵⁹, M.A. Draguet ¹²⁶,
 E. Dreyer ¹⁶⁹, I. Drivas-koulouris ¹⁰, A.S. Drobac ¹⁵⁸, M. Drozdova ⁵⁶, D. Du ^{62a},
 T.A. du Pree ¹¹⁴, F. Dubinin ³⁷, M. Dubovsky ^{28a}, E. Duchovni ¹⁶⁹, G. Duckeck ¹⁰⁹,
 O.A. Ducu ^{27b}, D. Duda ⁵², A. Dudarev ³⁶, E.R. Duden ²⁶, M. D'uffizi ¹⁰², L. Duflot ⁶⁶,
 M. Dührssen ³⁶, C. Dülsen ¹⁷¹, A.E. Dumitriu ^{27b}, M. Dunford ^{63a}, S. Dungs ⁴⁹,
 K. Dunne ^{47a,47b}, A. Duperrin ^{90b}, H. Duran Yildiz ^{3a}, M. Düren ⁵⁸, A. Durglishvili ^{149b},
 B.L. Dwyer ¹¹⁵, G.I. Dyckes ^{17a}, M. Dyndal ^{86a}, S. Dysch ¹⁰², B.S. Dziedzic ⁸⁷,
 Z.O. Earnshaw ¹⁴⁶, G.H. Eberwein ¹²⁶, B. Eckerova ^{28a}, S. Eggebrecht ⁵⁵,
 E. Egidio Purcino De Souza ¹²⁷, L.F. Ehrke ⁵⁶, G. Eigen ¹⁶, K. Einsweiler ^{17a}, T. Ekelof ¹⁶¹,
 P.A. Ekman ⁹⁹, S. El Farkh ^{35b}, Y. El Ghazali ^{35b}, H. El Jarrari ^{35e,148}, A. El Moussaouy ^{35a},
 V. Ellajosyula ¹⁶¹, M. Ellert ¹⁶¹, F. Ellinghaus ¹⁷¹, A.A. Elliot ⁹⁵, N. Ellis ³⁶, J. Elmsheuser ²⁹,
 M. Elsing ³⁶, D. Emelianov ¹³⁴, Y. Enari ¹⁵³, I. Ene ^{17a}, S. Epari ¹³, J. Erdmann ⁴⁹,
 P.A. Erland ⁸⁷, M. Errenst ¹⁷¹, M. Escalier ⁶⁶, C. Escobar ¹⁶³, E. Etzion ¹⁵¹, G. Evans ^{130a},
 H. Evans ⁶⁸, L.S. Evans ⁹⁶, M.O. Evans ¹⁴⁶, A. Ezhilov ³⁷, S. Ezzarqtouni ^{35a}, F. Fabbri ⁵⁹,
 L. Fabbri ^{23b,23a}, G. Facini ⁹⁷, V. Fadeyev ¹³⁶, R.M. Fakhruddinov ³⁷, S. Falciano ^{75a},
 L.F. Falda Ulhoa Coelho ³⁶, P.J. Falke ²⁴, J. Faltova ¹³³, C. Fan ¹⁶², Y. Fan ^{14a}, Y. Fang ^{14a,14e},
 M. Fanti ^{71a,71b}, M. Faraj ^{69a,69b}, Z. Farazpay ⁹⁸, A. Farbin ⁸, A. Farilla ^{77a}, T. Farooque ¹⁰⁷,
 S.M. Farrington ⁵², F. Fassi ^{35e}, D. Fassouliotis ⁹, M. Faucci Giannelli ^{76a,76b}, W.J. Fawcett ³²,
 L. Fayard ⁶⁶, P. Federic ¹³³, P. Federicova ¹³¹, O.L. Fedin ^{37,a}, G. Fedotov ³⁷, M. Feickert ¹⁷⁰,
 L. Feligioni ^{90b}, D.E. Fellers ¹²³, C. Feng ^{62b}, M. Feng ^{14b}, Z. Feng ¹¹⁴, M.J. Fenton ¹⁶⁰,
 A.B. Fenyuk ³⁷, L. Ferencz ⁴⁸, R.A.M. Ferguson ⁹², S.I. Fernandez Luengo ^{137f}, M.J.V. Fernoux ^{90b},
 J. Ferrando ⁴⁸, A. Ferrari ¹⁶¹, P. Ferrari ^{114,113}, R. Ferrari ^{73a}, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁶,
 F. Fiedler ¹⁰¹, A. Filipčič ⁹⁴, E.K. Filmer ¹, F. Filthaut ¹¹³, M.C.N. Fiolhais ^{130a,130c,c},
 L. Fiorini ¹⁶³, W.C. Fisher ¹⁰⁷, T. Fitschen ¹⁰², P.M. Fitzhugh ¹³⁵, I. Fleck ¹⁴¹, P. Fleischmann ¹⁰⁶,
 T. Flick ¹⁷¹, M. Flores ^{33d,ad}, L.R. Flores Castillo ^{64a}, L. Flores Sanz De Acedo ³⁶,
 F.M. Follega ^{78a,78b}, N. Fomin ¹⁶, J.H. Foo ¹⁵⁵, B.C. Forland ⁶⁸, A. Formica ¹³⁵, A.C. Forti ¹⁰²,
 E. Fortin ³⁶, A.W. Fortman ⁶¹, M.G. Foti ^{17a}, L. Fountas ^{9j}, D. Fournier ⁶⁶, H. Fox ⁹²,
 P. Francavilla ^{74a,74b}, S. Francescato ⁶¹, S. Franchellucci ⁵⁶, M. Franchini ^{23b,23a},
 S. Franchino ^{63a}, D. Francis ³⁶, L. Franco ¹¹³, L. Franconi ⁴⁸, M. Franklin ⁶¹, G. Frattari ²⁶,
 A.C. Freegard ⁹⁵, W.S. Freund ^{83b}, Y.Y. Frid ¹⁵¹, J. Friend ⁵⁹, N. Fritzsche ⁵⁰, A. Froch ⁵⁴,
 D. Froidevaux ³⁶, J.A. Frost ¹²⁶, Y. Fu ^{62a}, M. Fujimoto ^{118,ae}, E. Fullana Torregrosa ^{163,*},
 K.Y. Fung ^{64a}, E. Furtado De Simas Filho ^{83b}, M. Furukawa ¹⁵³, J. Fuster ¹⁶³, A. Gabrielli ^{23b,23a},
 A. Gabrielli ¹⁵⁵, P. Gadow ³⁶, G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a}, E.J. Gallas ¹²⁶,
 B.J. Gallop ¹³⁴, K.K. Gan ¹¹⁹, S. Ganguly ¹⁵³, J. Gao ^{62a}, Y. Gao ⁵², F.M. Garay Walls ^{137a,137b},
 B. Garcia ^{29,aj}, C. García ¹⁶³, A. Garcia Alonso ¹¹⁴, A.G. Garcia Caffaro ¹⁷²,
 J.E. García Navarro ¹⁶³, M. Garcia-Sciveres ^{17a}, G.L. Gardner ¹²⁸, R.W. Gardner ³⁹,
 N. Garelli ¹⁵⁸, D. Garg ⁸⁰, R.B. Garg ^{143,o}, J.M. Gargan ⁵², C.A. Garner ¹⁵⁵, S.J. Gasiorowski ¹³⁸,
 P. Gaspar ^{83b}, G. Gaudio ^{73a}, V. Gautam ¹³, P. Gauzzi ^{75a,75b}, I.L. Gavrilenko ³⁷, A. Gavrilyuk ³⁷,
 C. Gay ¹⁶⁴, G. Gaycken ⁴⁸, E.N. Gazis ¹⁰, A.A. Geanta ^{27b}, C.M. Gee ¹³⁶, C. Gemme ^{57b},
 M.H. Genest ⁶⁰, S. Gentile ^{75a,75b}, S. George ⁹⁶, W.F. George ²⁰, T. Gerialis ⁴⁶,
 P. Gessinger-Befurt ³⁶, M.E. Geyik ¹⁷¹, M. Ghani ¹⁶⁷, M. Ghneimat ¹⁴¹, K. Ghorbanian ⁹⁵,
 A. Ghosal ¹⁴¹, A. Ghosh ¹⁶⁰, A. Ghosh ⁷, B. Giacobbe ^{23b}, S. Giagu ^{75a,75b}, T. Giani ¹¹⁴,
 P. Giannetti ^{74a}, A. Giannini ^{62a}, S.M. Gibson ⁹⁶, M. Gignac ¹³⁶, D.T. Gil ^{86b}, A.K. Gilbert ^{86a},

B.J. Gilbert ⁴¹, D. Gillberg ³⁴, G. Gilles ¹¹⁴, N.E.K. Gillwald ⁴⁸, L. Ginabat ¹²⁷,
 D.M. Gingrich ^{2,ah}, M.P. Giordani ^{69a,69c}, P.F. Giraud ¹³⁵, G. Giugliarelli ^{69a,69c}, D. Giugni ^{71a},
 F. Giuli ³⁶, I. Gkialas ^{9,j}, L.K. Gladilin ³⁷, C. Glasman ¹⁰⁰, G.R. Gledhill ¹²³, G. Glemža ⁴⁸,
 M. Glisic ¹²³, I. Gnesi ^{43b,f}, Y. Go ^{29,aj}, M. Goblirsch-Kolb ³⁶, B. Gocke ⁴⁹, D. Godin ¹⁰⁸,
 B. Gokturk ^{21a}, S. Goldfarb ¹⁰⁵, T. Golling ⁵⁶, M.G.D. Gololo ^{33g}, D. Golubkov ³⁷,
 J.P. Gombas ¹⁰⁷, A. Gomes ^{130a,130b}, G. Gomes Da Silva ¹⁴¹, A.J. Gomez Delegido ¹⁶³,
 R. Gonçalves ^{130a,130c}, G. Gonella ¹²³, L. Gonella ²⁰, A. Gongadze ^{149c}, F. Gonnella ²⁰,
 J.L. Gonski ⁴¹, R.Y. González Andana ⁵², S. González de la Hoz ¹⁶³, S. Gonzalez Fernandez ¹³,
 R. Gonzalez Lopez ⁹³, C. Gonzalez Renteria ^{17a}, M.V. Gonzalez Rodrigues ⁴⁸,
 R. Gonzalez Suarez ¹⁶¹, S. Gonzalez-Sevilla ⁵⁶, G.R. Gonzalvo Rodriguez ¹⁶³, L. Goossens ³⁶,
 B. Gorini ³⁶, E. Gorini ^{70a,70b}, A. Gorišek ⁹⁴, T.C. Gosart ¹²⁸, A.T. Goshaw ⁵¹, M.I. Gostkin ³⁸,
 S. Goswami ¹²¹, C.A. Gottardo ³⁶, S.A. Gotz ¹⁰⁹, M. Gouighri ^{35b}, V. Goumarre ⁴⁸,
 A.G. Goussiou ¹³⁸, N. Govender ^{33c}, I. Grabowska-Bold ^{86a}, K. Graham ³⁴, E. Gramstad ¹²⁵,
 S. Grancagnolo ^{70a,70b}, M. Grandi ¹⁴⁶, C.M. Grant ^{1,135}, P.M. Gravila ^{27f}, F.G. Gravili ^{70a,70b},
 H.M. Gray ^{17a}, M. Greco ^{70a,70b}, C. Greife ²⁴, I.M. Gregor ⁴⁸, P. Grenier ¹⁴³, C. Grieco ¹³,
 A.A. Grillo ¹³⁶, K. Grimm ³¹, S. Grinstein ^{13,t}, J.-F. Grivaz ⁶⁶, E. Gross ¹⁶⁹,
 J. Grosse-Knetter ⁵⁵, C. Grud ¹⁰⁶, J.C. Grundy ¹²⁶, L. Guan ¹⁰⁶, W. Guan ²⁹, C. Gubbels ¹⁶⁴,
 J.G.R. Guerrero Rojas ¹⁶³, G. Guerrieri ^{69a,69c}, F. Guescini ¹¹⁰, R. Gugel ¹⁰¹, J.A.M. Guhit ¹⁰⁶,
 A. Guida ¹⁸, T. Guillemin ⁴, E. Guilloton ^{167,134}, S. Guindon ³⁶, F. Guo ^{14a,14e}, J. Guo ^{62c},
 L. Guo ⁴⁸, Y. Guo ¹⁰⁶, R. Gupta ⁴⁸, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴, G. Gustavino ³⁶,
 M. Guth ⁵⁶, P. Gutierrez ¹²⁰, L.F. Gutierrez Zagazeta ¹²⁸, C. Gutschow ⁹⁷, C. Gwenlan ¹²⁶,
 C.B. Gwilliam ⁹³, E.S. Haaland ¹²⁵, A. Haas ¹¹⁷, M. Habedank ⁴⁸, C. Haber ^{17a},
 H.K. Hadavand ⁸, A. Hadeef ¹⁰¹, S. Hadzic ¹¹⁰, J.J. Hahn ¹⁴¹, E.H. Haines ⁹⁷, M. Haleem ¹⁶⁶,
 J. Haley ¹²¹, J.J. Hall ¹³⁹, G.D. Hallewell ^{90b}, L. Halser ¹⁹, K. Hamano ¹⁶⁵, M. Hamer ²⁴,
 G.N. Hamity ⁵², E.J. Hampshire ⁹⁶, J. Han ^{62b}, K. Han ^{62a}, L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a},
 Y.F. Han ¹⁵⁵, K. Hanagaki ⁸⁴, M. Hance ¹³⁶, D.A. Hangal ^{41,ac}, H. Hanif ¹⁴², M.D. Hank ¹²⁸,
 R. Hankache ¹⁰², J.B. Hansen ⁴², J.D. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁷, D. Harada ⁵⁶,
 T. Harenberg ¹⁷¹, S. Harkusha ³⁷, M.L. Harris ¹⁰³, Y.T. Harris ¹²⁶, J. Harrison ¹³,
 N.M. Harrison ¹¹⁹, P.F. Harrison ¹⁶⁷, N.M. Hartman ¹¹⁰, N.M. Hartmann ¹⁰⁹, Y. Hasegawa ¹⁴⁰,
 A. Hasib ⁵², S. Haug ¹⁹, R. Hauser ¹⁰⁷, C.M. Hawkes ²⁰, R.J. Hawkins ³⁶, Y. Hayashi ¹⁵³,
 S. Hayashida ¹¹¹, D. Hayden ¹⁰⁷, C. Hayes ¹⁰⁶, R.L. Hayes ¹¹⁴, C.P. Hays ¹²⁶, J.M. Hays ⁹⁵,
 H.S. Hayward ⁹³, F. He ^{62a}, M. He ^{14a,14e}, Y. He ¹⁵⁴, Y. He ¹²⁷, N.B. Heatley ⁹⁵,
 V. Hedberg ⁹⁹, A.L. Heggelund ¹²⁵, N.D. Hehir ⁹⁵, C. Heidegger ⁵⁴, K.K. Heidegger ⁵⁴,
 W.D. Heidorn ⁸¹, J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁸, J.J. Heinrich ¹²³,
 L. Heinrich ^{110,af}, J. Hejbal ¹³¹, L. Helary ⁴⁸, A. Held ¹⁷⁰, S. Hellesund ¹⁶, C.M. Helling ¹⁶⁴,
 S. Hellman ^{47a,47b}, R.C.W. Henderson ⁹², L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ⁹⁹,
 Y. Hernández Jiménez ¹⁴⁵, L.M. Herrmann ²⁴, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁹,
 L. Hervas ³⁶, M.E. Hespings ¹⁰¹, N.P. Hessey ^{156a}, H. Hibi ⁸⁵, S.J. Hillier ²⁰, J.R. Hinds ¹⁰⁷,
 F. Hinterkeuser ²⁴, M. Hirose ¹²⁴, S. Hirose ¹⁵⁷, D. Hirschbuehl ¹⁷¹, T.G. Hitchings ¹⁰²,
 B. Hiti ⁹⁴, J. Hobbs ¹⁴⁵, R. Hobincu ^{27e}, N. Hod ¹⁶⁹, M.C. Hodgkinson ¹³⁹, B.H. Hodgkinson ³²,
 A. Hoecker ³⁶, J. Hofer ⁴⁸, T. Holm ²⁴, M. Holzbock ¹¹⁰, L.B.A.H. Hommels ³²,
 B.P. Honan ¹⁰², J. Hong ^{62c}, T.M. Hong ¹²⁹, B.H. Hooberman ¹⁶², W.H. Hopkins ⁶,
 Y. Horii ¹¹¹, S. Hou ¹⁴⁸, A.S. Howard ⁹⁴, J. Howarth ⁵⁹, J. Hoya ⁶, M. Hrabovsky ¹²²,
 A. Hrynevich ⁴⁸, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁸, Q. Hu ⁴¹, Y.F. Hu ^{14a,14e},
 S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ¹³⁹, Y. Huang ^{14a}, Z. Huang ¹⁰², Z. Hubacek ¹³²,
 M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁶, C.A. Hugli ⁴⁸, M. Huhtinen ³⁶,
 S.K. Huiberts ¹⁶, R. Hulsken ¹⁰⁴, N. Huseynov ^{12,a}, J. Huston ¹⁰⁷, J. Huth ⁶¹, R. Hyneman ¹⁴³,

G. Iacobucci ^{id56}, G. Iakovidis ^{id29}, I. Ibragimov ^{id141}, L. Iconomidou-Fayard ^{id66}, P. Iengo ^{id72a,72b}, R. Iguchi ^{id153}, T. Iizawa ^{id126}, Y. Ikegami ^{id84}, N. Ilic ^{id155}, H. Imam ^{id35a}, M. Ince Lezki ^{id56}, T. Ingebretsen Carlson ^{id47a,47b}, G. Introzzi ^{id73a,73b}, M. Iodice ^{id77a}, V. Ippolito ^{id75a,75b}, R.K. Irwin ^{id93}, M. Ishino ^{id153}, W. Islam ^{id170}, C. Issever ^{id18,48}, S. Istin ^{id21a,al}, H. Ito ^{id168}, J.M. Iturbe Ponce ^{id64a}, R. Iuppa ^{id78a,78b}, A. Ivina ^{id169}, J.M. Izen ^{id45}, V. Izzo ^{id72a}, P. Jacka ^{id131,132}, P. Jackson ^{id1}, R.M. Jacobs ^{id48}, B.P. Jaeger ^{id142}, C.S. Jagfeld ^{id109}, P. Jain ^{id54}, G. Jäkel ^{id171}, K. Jakobs ^{id54}, T. Jakoubek ^{id169}, J. Jamieson ^{id59}, K.W. Janas ^{id86a}, M. Javurkova ^{id103}, F. Jeanneau ^{id135}, L. Jeanty ^{id123}, J. Jejelava ^{id149a,aa}, P. Jenni ^{id54,g}, C.E. Jessiman ^{id34}, S. Jézéquel ^{id4}, C. Jia ^{id62b}, J. Jia ^{id145}, X. Jia ^{id61}, X. Jia ^{id14a,14e}, Z. Jia ^{id14c}, Y. Jiang ^{id62a}, S. Jiggins ^{id48}, J. Jimenez Pena ^{id13}, S. Jin ^{id14c}, A. Jinaru ^{id27b}, O. Jinnouchi ^{id154}, P. Johansson ^{id139}, K.A. Johns ^{id7}, J.W. Johnson ^{id136}, D.M. Jones ^{id32}, E. Jones ^{id48}, P. Jones ^{id32}, R.W.L. Jones ^{id92}, T.J. Jones ^{id93}, R. Joshi ^{id119}, J. Jovicevic ^{id15}, X. Ju ^{id17a}, J.J. Junggeburth ^{id103}, T. Junkermann ^{id63a}, A. Juste Rozas ^{id13,t}, M.K. Juzek ^{id87}, S. Kabana ^{id137e}, A. Kaczmarek ^{id87}, M. Kado ^{id110}, H. Kagan ^{id119}, M. Kagan ^{id143}, A. Kahn ^{id41}, A. Kahn ^{id128}, C. Kahra ^{id101}, T. Kaji ^{id153}, E. Kajomovitz ^{id150}, N. Kakati ^{id169}, I. Kalaitzidou ^{id54}, C.W. Kalderon ^{id29}, A. Kamenshchikov ^{id155}, N.J. Kang ^{id136}, D. Kar ^{id33g}, K. Karava ^{id126}, M.J. Kareem ^{id156b}, E. Karentzos ^{id54}, I. Karkanas ^{id152}, O. Karkout ^{id114}, S.N. Karpov ^{id38}, Z.M. Karpova ^{id38}, V. Kartvelishvili ^{id92}, A.N. Karyukhin ^{id37}, E. Kasimi ^{id152}, J. Katzy ^{id48}, S. Kaur ^{id34}, K. Kawade ^{id140}, M.P. Kawale ^{id120}, T. Kawamoto ^{id135}, E.F. Kay ^{id36}, F.I. Kaya ^{id158}, S. Kazakos ^{id107}, V.F. Kazanin ^{id37}, Y. Ke ^{id145}, J.M. Keaveney ^{id33a}, R. Keeler ^{id165}, G.V. Kehris ^{id61}, J.S. Keller ^{id34}, A.S. Kelly ^{id97}, J.J. Kempster ^{id146}, K.E. Kennedy ^{id41}, P.D. Kennedy ^{id101}, O. Kepka ^{id131}, B.P. Kerridge ^{id167}, S. Kersten ^{id171}, B.P. Kerševan ^{id94}, S. Keshri ^{id66}, L. Keszeghova ^{id28a}, S. Ketabchi Haghighat ^{id155}, M. Khandoga ^{id127}, A. Khanov ^{id121}, A.G. Kharlamov ^{id37}, T. Kharlamova ^{id37}, E.E. Khoda ^{id138}, T.J. Khoo ^{id18}, G. Khoraiuli ^{id166}, J. Khubua ^{id149b}, Y.A.R. Khwaira ^{id66}, A. Kilgallon ^{id123}, D.W. Kim ^{id47a,47b}, Y.K. Kim ^{id39}, N. Kimura ^{id97}, A. Kirchhoff ^{id55}, C. Kirfel ^{id24}, F. Kirfel ^{id24}, J. Kirk ^{id134}, A.E. Kiryunin ^{id110}, C. Kitsaki ^{id10}, O. Kivernyk ^{id24}, M. Klassen ^{id63a}, C. Klein ^{id34}, L. Klein ^{id166}, M.H. Klein ^{id106}, M. Klein ^{id93}, S.B. Klein ^{id56}, U. Klein ^{id93}, P. Klimek ^{id36}, A. Klimentov ^{id29}, T. Klioutchnikova ^{id36}, P. Kluit ^{id114}, S. Kluth ^{id110}, E. Kneringer ^{id79}, T.M. Knight ^{id155}, A. Knue ^{id49}, R. Kobayashi ^{id88}, D. Kobylanski ^{id169}, S.F. Koch ^{id126}, M. Kocian ^{id143}, P. Kodyš ^{id133}, D.M. Koeck ^{id123}, P.T. Koenig ^{id24}, T. Koffas ^{id34}, M. Kolb ^{id135}, I. Koletsou ^{id4}, T. Komarek ^{id122}, K. Köneke ^{id54}, A.X.Y. Kong ^{id1}, T. Kono ^{id118}, N. Konstantinidis ^{id97}, B. Konya ^{id99}, R. Kopeliansky ^{id68}, S. Koperny ^{id86a}, K. Korcyl ^{id87}, K. Kordas ^{id152,e}, G. Koren ^{id151}, A. Korn ^{id97}, S. Korn ^{id55}, I. Korolkov ^{id13}, N. Korotkova ^{id37}, B. Kortman ^{id114}, O. Kortner ^{id110}, S. Kortner ^{id110}, W.H. Kostecka ^{id115}, V.V. Kostyukhin ^{id141}, A. Kotskechagia ^{id135}, A. Kotwal ^{id51}, A. Koulouris ^{id36}, A. Kourkoumeli-Charalampidi ^{id73a,73b}, C. Kourkoumelis ^{id9}, E. Kourlitis ^{id110,af}, O. Kovanda ^{id146}, R. Kowalewski ^{id165}, W. Kozanecki ^{id135}, A.S. Kozhin ^{id37}, V.A. Kramarenko ^{id37}, G. Kramberger ^{id94}, P. Kramer ^{id101}, M.W. Krasny ^{id127}, A. Krasnahorkay ^{id36}, J.W. Kraus ^{id171}, J.A. Kremer ^{id101}, T. Kresse ^{id50}, J. Kretschmar ^{id93}, K. Kreul ^{id18}, P. Krieger ^{id155}, S. Krishnamurthy ^{id103}, M. Krivos ^{id133}, K. Krizka ^{id20}, K. Kroeninger ^{id49}, H. Kroha ^{id110}, J. Kroll ^{id131}, J. Kroll ^{id128}, K.S. Krowpman ^{id107}, U. Kruchonak ^{id38}, H. Krüger ^{id24}, N. Krumnack ^{id81}, M.C. Kruse ^{id51}, J.A. Krzysiak ^{id87}, O. Kuchinskaia ^{id37}, S. Kuday ^{id3a}, S. Kuehn ^{id36}, R. Kuesters ^{id54}, T. Kuhl ^{id48}, V. Kukhtin ^{id38}, Y. Kulchitsky ^{id37,a}, S. Kuleshov ^{id137d,137b}, M. Kumar ^{id33g}, N. Kumari ^{id48}, A. Kupco ^{id131}, T. Kupfer ^{id49}, A. Kupich ^{id37}, O. Kuprash ^{id54}, H. Kurashige ^{id85}, L.L. Kurchaninov ^{id156a}, O. Kurdysh ^{id66}, Y.A. Kurochkin ^{id37}, A. Kurova ^{id37}, M. Kuze ^{id154}, A.K. Kvam ^{id103}, J. Kvita ^{id122}, T. Kwan ^{id104}, N.G. Kyriacou ^{id106}, L.A.O. Laatu ^{id90b}, C. Lacasta ^{id163}, F. Lacava ^{id75a,75b}, H. Lacker ^{id18}, D. Lacour ^{id127}, N.N. Lad ^{id97}, E. Ladygin ^{id38}, B. Laforge ^{id127}, T. Lagouri ^{id137e}, F.Z. Lahbabi ^{id35a}, S. Lai ^{id55}, I.K. Lakomic ^{id86a}, N. Lalloue ^{id60}, J.E. Lambert ^{id165}, S. Lammers ^{id68}, W. Lampl ^{id7}, C. Lampoudis ^{id152,e}, A.N. Lancaster ^{id115}, E. Lançon ^{id29}, U. Landgraf ^{id54},

M.P.J. Landon ^{id}95, V.S. Lang ^{id}54, R.J. Langenberg ^{id}103, O.K.B. Langrekken ^{id}125, A.J. Lankford ^{id}160, F. Lanni ^{id}36, K. Lantzsch ^{id}24, A. Lanza ^{id}73a, A. Lapertosa ^{id}57b,57a, J.F. Laporte ^{id}135, T. Lari ^{id}71a, F. Lasagni Manghi ^{id}23b, M. Lassnig ^{id}36, V. Latonova ^{id}131, A. Laudrain ^{id}101, A. Laurier ^{id}150, S.D. Lawlor ^{id}96, Z. Lawrence ^{id}102, M. Lazzaroni ^{id}71a,71b, B. Le ^{id}102, E.M. Le Boulicaut ^{id}51, B. Leban ^{id}94, A. Lebedev ^{id}81, M. LeBlanc ^{id}102, F. Ledroit-Guillon ^{id}60, A.C.A. Lee ^{id}97, S.C. Lee ^{id}148, S. Lee ^{id}47a,47b, T.F. Lee ^{id}93, L.L. Leeuw ^{id}33c, H.P. Lefebvre ^{id}96, M. Lefebvre ^{id}165, C. Leggett ^{id}17a, G. Lehmann Miotto ^{id}36, M. Leigh ^{id}56, W.A. Leight ^{id}103, W. Leinonen ^{id}113, A. Leisos ^{id}152,s, M.A.L. Leite ^{id}83c, C.E. Leitgeb ^{id}48, R. Leitner ^{id}133, K.J.C. Leney ^{id}44, T. Lenz ^{id}24, S. Leone ^{id}74a, C. Leonidopoulos ^{id}52, A. Leopold ^{id}144, C. Leroy ^{id}108, R. Les ^{id}107, C.G. Lester ^{id}32, M. Levchenko ^{id}37, J. Levêque ^{id}4, D. Levin ^{id}106, L.J. Levinson ^{id}169, M.P. Lewicki ^{id}87, D.J. Lewis ^{id}4, A. Li ^{id}5, B. Li ^{id}62b, C. Li ^{id}62a, C-Q. Li ^{id}62c, H. Li ^{id}62a, H. Li ^{id}62b, H. Li ^{id}14c, H. Li ^{id}14b, H. Li ^{id}62b, K. Li ^{id}138, L. Li ^{id}62c, M. Li ^{id}14a,14e, Q.Y. Li ^{id}62a, S. Li ^{id}14a,14e, S. Li ^{id}62d,62c,d, T. Li ^{id}5, X. Li ^{id}104, Z. Li ^{id}126, Z. Li ^{id}104, Z. Li ^{id}93, Z. Li ^{id}14a,14e, S. Liang ^{id}14a,14e, Z. Liang ^{id}14a, M. Liberatore ^{id}135, B. Liberti ^{id}76a, K. Lie ^{id}64c, J. Lieber Marin ^{id}83b, H. Lien ^{id}68, K. Lin ^{id}107, R.E. Lindley ^{id}7, J.H. Lindon ^{id}2, E. Lipeles ^{id}128, A. Lipniacka ^{id}16, A. Lister ^{id}164, J.D. Little ^{id}4, B. Liu ^{id}14a, B.X. Liu ^{id}142, D. Liu ^{id}62d,62c, J.B. Liu ^{id}62a, J.K.K. Liu ^{id}32, K. Liu ^{id}62d,62c, M. Liu ^{id}62a, M.Y. Liu ^{id}62a, P. Liu ^{id}14a, Q. Liu ^{id}62d,138,62c, X. Liu ^{id}62a, Y. Liu ^{id}14d,14e, Y.L. Liu ^{id}62b, Y.W. Liu ^{id}62a, J. Llorente Merino ^{id}142, S.L. Lloyd ^{id}95, E.M. Lobodzinska ^{id}48, P. Loch ^{id}7, S. Loffredo ^{id}76a,76b, T. Lohse ^{id}18, K. Lohwasser ^{id}139, E. Loiacono ^{id}48, M. Lokajicek ^{id}131,* , J.D. Lomas ^{id}20, J.D. Long ^{id}162, I. Longarini ^{id}160, L. Longo ^{id}70a,70b, R. Longo ^{id}162, I. Lopez Paz ^{id}67, A. Lopez Solis ^{id}48, J. Lorenz ^{id}109, N. Lorenzo Martinez ^{id}4, A.M. Lory ^{id}109, G. Löschcke Centeno ^{id}146, O. Loseva ^{id}37, X. Lou ^{id}47a,47b, X. Lou ^{id}14a,14e, A. Lounis ^{id}66, J. Love ^{id}6, P.A. Love ^{id}92, G. Lu ^{id}14a,14e, M. Lu ^{id}80, S. Lu ^{id}128, Y.J. Lu ^{id}65, H.J. Lubatti ^{id}138, C. Luci ^{id}75a,75b, F.L. Lucio Alves ^{id}14c, A. Lucotte ^{id}60, F. Luehring ^{id}68, I. Luise ^{id}145, O. Lukianchuk ^{id}66, O. Lundberg ^{id}144, B. Lund-Jensen ^{id}144, N.A. Luongo ^{id}123, M.S. Lutz ^{id}151, D. Lynn ^{id}29, H. Lyons ^{id}93, R. Lysak ^{id}131, E. Lytken ^{id}99, V. Lyubushkin ^{id}38, T. Lyubushkina ^{id}38, M.M. Lyukova ^{id}145, H. Ma ^{id}29, K. Ma ^{id}62a, L.L. Ma ^{id}62b, Y. Ma ^{id}121, D.M. Mac Donell ^{id}165, G. Maccarrone ^{id}53, J.C. MacDonald ^{id}101, R. Madar ^{id}40, W.F. Mader ^{id}50, T. Madula ^{id}97, J. Maeda ^{id}85, T. Maeno ^{id}29, M. Maerker ^{id}50, H. Maguire ^{id}139, V. Maiboroda ^{id}135, A. Maio ^{id}130a,130b,130d, K. Maj ^{id}86a, O. Majersky ^{id}48, S. Majewski ^{id}123, N. Makovec ^{id}66, V. Maksimovic ^{id}15, B. Malaescu ^{id}127, Pa. Malecki ^{id}87, V.P. Maleev ^{id}37, F. Malek ^{id}60, M. Mali ^{id}94, D. Malito ^{id}96, U. Mallik ^{id}80, S. Maltezos ^{id}10, S. Malyukov ^{id}38, J. Mamuzic ^{id}13, G. Mancini ^{id}53, G. Manco ^{id}73a,73b, J.P. Mandalia ^{id}95, I. Mandić ^{id}94, L. Manhaes de Andrade Filho ^{id}83a, I.M. Maniatis ^{id}169, J. Manjarres Ramos ^{id}90a,ab, D.C. Mankad ^{id}169, A. Mann ^{id}109, B. Mansoulie ^{id}135, S. Manzoni ^{id}36, A. Marantis ^{id}152,s, G. Marchiori ^{id}5, M. Marcisovsky ^{id}131, C. Marcon ^{id}71a,71b, M. Marinescu ^{id}20, M. Marjanovic ^{id}120, E.J. Marshall ^{id}92, Z. Marshall ^{id}17a, S. Marti-Garcia ^{id}163, T.A. Martin ^{id}167, V.J. Martin ^{id}52, B. Martin dit Latour ^{id}16, L. Martinelli ^{id}75a,75b, M. Martinez ^{id}13,t, P. Martinez Agullo ^{id}163, V.I. Martinez Outschoorn ^{id}103, P. Martinez Suarez ^{id}13, S. Martin-Haugh ^{id}134, V.S. Martoiu ^{id}27b, A.C. Martyniuk ^{id}97, A. Marzin ^{id}36, D. Mascione ^{id}78a,78b, L. Masetti ^{id}101, T. Mashimo ^{id}153, J. Masik ^{id}102, A.L. Maslennikov ^{id}37, L. Massa ^{id}23b, P. Massarotti ^{id}72a,72b, P. Mastrandrea ^{id}74a,74b, A. Mastroberardino ^{id}43b,43a, T. Masubuchi ^{id}153, T. Mathisen ^{id}161, J. Matousek ^{id}133, N. Matsuzawa ^{id}153, J. Maurer ^{id}27b, B. Maček ^{id}94, D.A. Maximov ^{id}37, R. Mazini ^{id}148, I. Maznas ^{id}152, M. Mazza ^{id}107, S.M. Mazza ^{id}136, E. Mazzeo ^{id}71a,71b, C. Mc Ginn ^{id}29, J.P. Mc Gowan ^{id}104, S.P. Mc Kee ^{id}106, E.F. McDonald ^{id}105, A.E. McDougall ^{id}114, J.A. Mcfayden ^{id}146, R.P. McGovern ^{id}128, G. Mchedlidze ^{id}149b, R.P. Mckenzie ^{id}33g, T.C. Mclachlan ^{id}48, D.J. McLaughlin ^{id}97, K.D. McLean ^{id}165, S.J. McMahon ^{id}134, P.C. McNamara ^{id}105, C.M. Mcpartland ^{id}93, R.A. McPherson ^{id}165,x, S. Mehlhase ^{id}109, A. Mehta ^{id}93, D. Melini ^{id}150, B.R. Mellado Garcia ^{id}33g, A.H. Melo ^{id}55, F. Meloni ^{id}48,

A.M. Mendes Jacques Da Costa ^{id102}, H.Y. Meng ^{id155}, L. Meng ^{id92}, S. Menke ^{id110}, M. Mentink ^{id36},
 E. Meoni ^{id43b,43a}, C. Merlassino ^{id126}, L. Merola ^{id72a,72b}, C. Meroni ^{id71a,71b}, G. Merz ^{id106},
 O. Meshkov ^{id37}, J. Metcalfe ^{id6}, A.S. Mete ^{id6}, C. Meyer ^{id68}, J-P. Meyer ^{id135}, R.P. Middleton ^{id134},
 L. Mijović ^{id52}, G. Mikenberg ^{id169}, M. Mikestikova ^{id131}, M. Mikuš ^{id94}, H. Mildner ^{id101}, A. Milic ^{id36},
 C.D. Milke ^{id44}, D.W. Miller ^{id39}, L.S. Miller ^{id34}, A. Milov ^{id169}, D.A. Milstead ^{id47a,47b}, T. Min ^{id14c},
 A.A. Minaenko ^{id37}, I.A. Minashvili ^{id149b}, L. Mince ^{id59}, A.I. Mincer ^{id117}, B. Mindur ^{id86a},
 M. Mineev ^{id38}, Y. Mino ^{id88}, L.M. Mir ^{id13}, M. Miralles Lopez ^{id163}, M. Mironova ^{id17a}, A. Mishima ^{id153},
 M.C. Missio ^{id113}, A. Mitra ^{id167}, V.A. Mitsou ^{id163}, Y. Mitsumori ^{id111}, O. Miu ^{id155}, P.S. Miyagawa ^{id95},
 T. Mkrtchyan ^{id63a}, M. Mlinarevic ^{id97}, T. Mlinarevic ^{id97}, M. Mlynarikova ^{id36}, S. Mobius ^{id19},
 P. Moder ^{id48}, P. Mogg ^{id109}, A.F. Mohammed ^{id14a,14e}, S. Mohapatra ^{id41}, G. Mokgatitwane ^{id33g},
 L. Moleri ^{id169}, B. Mondal ^{id141}, S. Mondal ^{id132}, K. Mönig ^{id48}, E. Monnier ^{id90b},
 L. Monsonis Romero ^{id163}, J. Montejo Berlingen ^{id13}, M. Montella ^{id119}, F. Montekali ^{id77a,77b},
 F. Monticelli ^{id91}, S. Monzani ^{id69a,69c}, N. Morange ^{id66}, A.L. Moreira De Carvalho ^{id130a},
 M. Moreno Llácer ^{id163}, C. Moreno Martinez ^{id56}, P. Moretini ^{id57b}, S. Morgenstern ^{id36}, M. Morii ^{id61},
 M. Morinaga ^{id153}, A.K. Morley ^{id36}, F. Morodei ^{id75a,75b}, L. Morvaj ^{id36}, P. Moschovakos ^{id36},
 B. Moser ^{id36}, M. Mosidze ^{id149b}, T. Moskalets ^{id54}, P. Moskvitina ^{id113}, J. Moss ^{id31,m}, E.J.W. Moyses ^{id103},
 O. Mtintsilana ^{id33g}, S. Muanza ^{id90b}, J. Mueller ^{id129}, D. Muenstermann ^{id92}, R. Müller ^{id19},
 G.A. Mullier ^{id161}, A.J. Mullin ^{id32}, J.J. Mullin ^{id128}, D.P. Mungo ^{id155}, D. Munoz Perez ^{id163},
 F.J. Munoz Sanchez ^{id102}, M. Murin ^{id102}, W.J. Murray ^{id167,134}, A. Murrone ^{id71a,71b}, J.M. Muse ^{id120},
 M. Muškinja ^{id17a}, C. Mwewa ^{id29}, A.G. Myagkov ^{id37,a}, A.J. Myers ^{id8}, A.A. Myers ^{id129}, G. Myers ^{id68},
 M. Myska ^{id132}, B.P. Nachman ^{id17a}, O. Nackenhorst ^{id49}, A. Nag ^{id50}, K. Nagai ^{id126}, K. Nagano ^{id84},
 J.L. Nagle ^{id29,aj}, E. Nagy ^{id90b}, A.M. Nairz ^{id36}, Y. Nakahama ^{id84}, K. Nakamura ^{id84}, K. Nakkalil ^{id5},
 H. Nanjo ^{id124}, R. Narayan ^{id44}, E.A. Narayanan ^{id112}, I. Naryshkin ^{id37}, M. Naseri ^{id34}, S. Nasri ^{id159},
 C. Nass ^{id24}, G. Navarro ^{id22a}, J. Navarro-Gonzalez ^{id163}, R. Nayak ^{id151}, A. Nayaz ^{id18},
 P.Y. Nechaeva ^{id37}, F. Nechansky ^{id48}, L. Nedic ^{id126}, T.J. Neep ^{id20}, A. Negri ^{id73a,73b}, M. Negrini ^{id23b},
 C. Nellist ^{id114}, C. Nelson ^{id104}, K. Nelson ^{id106}, S. Nemecek ^{id131}, M. Nessi ^{id36,h}, M.S. Neubauer ^{id162},
 F. Neuhaus ^{id101}, J. Neundorff ^{id48}, R. Newhouse ^{id164}, P.R. Newman ^{id20}, C.W. Ng ^{id129}, Y.W.Y. Ng ^{id48},
 B. Ngair ^{id35e}, H.D.N. Nguyen ^{id108}, R.B. Nickerson ^{id126}, R. Nicolaidou ^{id135}, J. Nielsen ^{id136},
 M. Niemeyer ^{id55}, J. Niermann ^{id55,36}, N. Nikiforou ^{id36}, V. Nikolaenko ^{id37,a}, I. Nikolic-Audit ^{id127},
 K. Nikolopoulos ^{id20}, P. Nilsson ^{id29}, I. Ninca ^{id48}, H.R. Nindhito ^{id56}, G. Ninio ^{id151}, A. Nisati ^{id75a},
 N. Nishu ^{id2}, R. Nisius ^{id110}, J-E. Nitschke ^{id50}, E.K. Nkadimeng ^{id33g}, S.J. Noacco Rosende ^{id91},
 T. Nobe ^{id153}, D.L. Noel ^{id32}, T. Nommensen ^{id147}, M.B. Norfolk ^{id139}, R.R.B. Norisam ^{id97},
 B.J. Norman ^{id34}, J. Novak ^{id94}, T. Novak ^{id48}, L. Novotny ^{id132}, R. Novotny ^{id112}, L. Nozka ^{id122},
 K. Ntekas ^{id160}, N.M.J. Nunes De Moura Junior ^{id83b}, E. Nurse ^{id97}, J. Ocariz ^{id127}, A. Ochi ^{id85},
 I. Ochoa ^{id130a}, S. Oerdek ^{id48}, J.T. Offermann ^{id39}, A. Ogrodnik ^{id133}, A. Oh ^{id102}, C.C. Ohm ^{id144},
 H. Oide ^{id84}, R. Oishi ^{id153}, M.L. Ojeda ^{id48}, M.W. O'Keefe ^{id93}, Y. Okumura ^{id153},
 L.F. Oleiro Seabra ^{id130a}, S.A. Olivares Pino ^{id137d}, D. Oliveira Damazio ^{id29}, D. Oliveira Goncalves ^{id83a},
 J.L. Oliver ^{id160}, A. Olszewski ^{id87}, Ö.O. Öncel ^{id54}, A.P. O'Neill ^{id19}, A. Onofre ^{id130a,130e},
 P.U.E. Onyisi ^{id11}, M.J. Oreglia ^{id39}, G.E. Orellana ^{id91}, D. Orestano ^{id77a,77b}, N. Orlando ^{id13},
 R.S. Orr ^{id155}, V. O'Shea ^{id59}, L.M. Osojnak ^{id128}, R. Ospanov ^{id62a}, G. Otero y Garzon ^{id30},
 H. Otono ^{id89}, P.S. Ott ^{id63a}, G.J. Ottino ^{id17a}, M. Ouchrif ^{id35d}, J. Ouellette ^{id29}, F. Ould-Saada ^{id125},
 M. Owen ^{id59}, R.E. Owen ^{id134}, K.Y. Oyulmaz ^{id21a}, V.E. Ozcan ^{id21a}, N. Ozturk ^{id8}, S. Ozturk ^{id82},
 H.A. Pacey ^{id32}, A. Pacheco Pages ^{id13}, C. Padilla Aranda ^{id13}, G. Padovano ^{id75a,75b},
 S. Pagan Griso ^{id17a}, G. Palacino ^{id68}, A. Palazzo ^{id70a,70b}, S. Palestini ^{id36}, J. Pan ^{id172}, T. Pan ^{id64a},
 D.K. Panchal ^{id11}, C.E. Pandini ^{id114}, J.G. Panduro Vazquez ^{id96}, H.D. Pandya ^{id1}, H. Pang ^{id14b},
 P. Pani ^{id48}, G. Panizzo ^{id69a,69c}, L. Paolozzi ^{id56}, C. Papadatos ^{id108}, S. Parajuli ^{id44}, A. Paramonov ^{id6},
 C. Paraskevopoulos ^{id10}, D. Paredes Hernandez ^{id64b}, T.H. Park ^{id155}, M.A. Parker ^{id32}, F. Parodi ^{id57b,57a},

E.W. Parrish ¹¹⁵, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁸,
 L. Pascual Dominguez ¹⁵¹, E. Pasqualucci ^{75a}, S. Passaggio ^{57b}, F. Pastore ⁹⁶, P. Pasuwan ^{47a,47b},
 P. Patel ⁸⁷, U.M. Patel ⁵¹, J.R. Pater ¹⁰², T. Pauly ³⁶, J. Pearkes ¹⁴³, M. Pedersen ¹²⁵,
 R. Pedro ^{130a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶, E.A. Pender ⁵², H. Peng ^{62a}, K.E. Penski ¹⁰⁹,
 M. Penzin ³⁷, B.S. Peralva ^{83d}, A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b},
 D.V. Perepelitsa ^{29,aj}, E. Perez Codina ^{156a}, M. Perganti ¹⁰, L. Perini ^{71a,71b,*}, H. Pernegger ³⁶,
 O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰², B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ^{90b},
 V. Petousis ¹³², C. Petridou ^{152,e}, A. Petrukhin ¹⁴¹, M. Pettee ^{17a}, N.E. Pettersson ³⁶,
 A. Petukhov ³⁷, K. Petukhova ¹³³, R. Pezoa ^{137f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷², T.M. Pham ¹⁷⁰,
 T. Pham ¹⁰⁵, P.W. Phillips ¹³⁴, G. Piacquadio ¹⁴⁵, E. Pianori ^{17a}, F. Piazza ^{71a,71b}, R. Piegai ³⁰,
 D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰², M. Pinamonti ^{69a,69c}, J.L. Pinfeld ²,
 B.C. Pinheiro Pereira ^{130a}, A.E. Pinto Pinoargote ¹³⁵, L. Pintucci ^{69a,69c}, K.M. Piper ¹⁴⁶,
 A. Pirttikoski ⁵⁶, D.A. Pizzi ³⁴, L. Pizzimento ^{64b}, A. Pizzini ¹¹⁴, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴,
 V. Pleskot ¹³³, E. Plotnikova ³⁸, G. Poddar ⁴, R. Poettgen ⁹⁹, L. Poggioli ¹²⁷, I. Pokharel ⁵⁵,
 S. Polacek ¹³³, G. Polesello ^{73a}, A. Poley ^{142,156a}, R. Polifka ¹³², A. Polini ^{23b}, C.S. Pollard ¹⁶⁷,
 Z.B. Pollock ¹¹⁹, V. Polychronakos ²⁹, E. Pompa Pacchi ^{75a,75b}, D. Ponomarenko ¹¹³,
 L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, A. Poreba ³⁶, D.M. Portillo Quintero ^{156a},
 S. Pospisil ¹³², M.A. Postill ¹³⁹, P. Postolache ^{27c}, K. Potamianos ¹⁶⁷, P.A. Potepa ^{86a},
 I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸, J. Poveda ¹⁶³, M.E. Pozo Astigarraga ³⁶,
 A. Prades Ibanez ¹⁶³, J. Pretel ⁵⁴, D. Price ¹⁰², M. Primavera ^{70a}, M.A. Principe Martin ¹⁰⁰,
 R. Privara ¹²², T. Procter ⁵⁹, M.L. Proffitt ¹³⁸, N. Proklova ¹²⁸, K. Prokofiev ^{64c}, G. Proto ¹¹⁰,
 S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{86a}, W.W. Przygoda ^{86b}, J.E. Puddefoot ¹³⁹,
 D. Pudzha ³⁷, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁶, D. Qichen ¹⁰², Y. Qin ¹⁰², T. Qiu ⁵²,
 A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰², G. Quetant ⁵⁶, R.P. Quinn ¹⁶⁴, G. Rabanal Bolanos ⁶¹,
 D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶, S. Rajagopalan ²⁹,
 E. Ramakoti ³⁷, K. Ran ^{48,14e}, N.P. Rapheeha ^{33g}, H. Rasheed ^{27b}, V. Raskina ¹²⁷,
 D.F. Rassloff ^{63a}, S. Rave ¹⁰¹, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁹, M. Raymond ³⁶, A.L. Read ¹²⁵,
 N.P. Readioff ¹³⁹, D.M. Rebuzzi ^{73a,73b}, G. Redlinger ²⁹, A.S. Reed ¹¹⁰, K. Reeves ²⁶,
 J.A. Reidelsturz ¹⁷¹, D. Reikher ¹⁵¹, A. Rej ¹⁴¹, C. Rembser ³⁶, A. Renardi ⁴⁸, M. Renda ^{27b},
 M.B. Rendel ¹¹⁰, F. Renner ⁴⁸, A.G. Rennie ¹⁶⁰, A.L. Rescia ⁴⁸, S. Resconi ^{71a},
 M. Ressegotti ^{57b,57a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁷, E. Reynolds ^{17a}, O.L. Rezanova ³⁷,
 P. Reznicek ¹³³, N. Ribaric ⁹², E. Ricci ^{78a,78b}, R. Richter ¹¹⁰, S. Richter ^{47a,47b},
 E. Richter-Was ^{86b}, M. Ridel ¹²⁷, S. Ridouani ^{35d}, P. Rieck ¹¹⁷, P. Riedler ³⁶,
 M. Rijssenbeek ¹⁴⁵, A. Rimoldi ^{73a,73b}, M. Rimoldi ⁴⁸, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹,
 M.P. Rinnagel ¹⁰⁹, G. Ripellino ¹⁶¹, I. Riu ¹³, P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁵,
 F. Rizatdinova ¹²¹, E. Rizvi ⁹⁵, B.A. Roberts ¹⁶⁷, B.R. Roberts ^{17a}, S.H. Robertson ^{104,x},
 D. Robinson ³², C.M. Robles Gajardo ^{137f}, M. Robles Manzano ¹⁰¹, A. Robson ⁵⁹, A. Rocchi ^{76a,76b},
 C. Roda ^{74a,74b}, S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴,
 A.M. Rodríguez Vera ^{156b}, S. Roe ³⁶, J.T. Roemer ¹⁶⁰, A.R. Roepe-Gier ¹³⁶, J. Roggel ¹⁷¹,
 O. Røhne ¹²⁵, R.A. Rojas ¹⁰³, C.P.A. Roland ⁶⁸, J. Roloff ²⁹, A. Romaniouk ³⁷,
 E. Romano ^{73a,73b}, M. Romano ^{23b}, A.C. Romero Hernandez ¹⁶², N. Rompotis ⁹³, L. Roos ¹²⁷,
 S. Rosati ^{75a}, B.J. Rosser ³⁹, E. Rossi ¹²⁶, E. Rossi ^{72a,72b}, L.P. Rossi ^{57b}, L. Rossini ⁵⁴,
 R. Rosten ¹¹⁹, M. Rotaru ^{27b}, B. Rottler ⁵⁴, C. Rougier ^{90a,ab}, D. Rousseau ⁶⁶, D. Rousso ³²,
 A. Roy ¹⁶², S. Roy-Garand ¹⁵⁵, A. Rozanov ^{90b}, Y. Rozen ¹⁵⁰, X. Ruan ^{33g},
 A. Rubio Jimenez ¹⁶³, A.J. Ruby ⁹³, V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, A. Ruggiero ¹²⁶,
 A. Ruiz-Martinez ¹⁶³, A. Rummler ³⁶, Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁵,
 G. Russo ^{75a,75b}, J.P. Rutherford ⁷, S. Rutherford Colmenares ³², K. Rybacki ⁹², M. Rybar ¹³³,

E.B. Rye ¹²⁵, A. Ryzhov ⁴⁴, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶³, L. Sabetta ^{75a,75b},
 H.F-W. Sadrozinski ¹³⁶, F. Safai Tehrani ^{75a}, B. Safarzadeh Samani ¹⁴⁶, M. Safdari ¹⁴³,
 S. Saha ¹⁶⁵, M. Sahinsoy ¹¹⁰, M. Saimpert ¹³⁵, M. Saito ¹⁵³, T. Saito ¹⁵³, D. Salamani ³⁶,
 A. Salnikov ¹⁴³, J. Salt ¹⁶³, A. Salvador Salas ¹³, D. Salvatore ^{43b,43a}, F. Salvatore ¹⁴⁶,
 A. Salzburger ³⁶, D. Sammel ⁵⁴, D. Sampsonidis ^{152,e}, D. Sampsonidou ¹²³, J. Sánchez ¹⁶³,
 A. Sanchez Pineda ⁴, V. Sanchez Sebastian ¹⁶³, H. Sandaker ¹²⁵, C.O. Sander ⁴⁸,
 J.A. Sandesara ¹⁰³, M. Sandhoff ¹⁷¹, C. Sandoval ^{22b}, D.P.C. Sankey ¹³⁴, T. Sano ⁸⁸,
 A. Sansoni ⁵³, L. Santi ^{75a,75b}, C. Santoni ⁴⁰, H. Santos ^{130a,130b}, S.N. Santpur ^{17a}, A. Santra ¹⁶⁹,
 K.A. Saoucha ¹³⁹, J.G. Saraiva ^{130a,130d}, J. Sardain ⁷, O. Sasaki ⁸⁴, K. Sato ¹⁵⁷, C. Sauer ^{63b},
 F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{155,ah}, R. Sawada ¹⁵³, C. Sawyer ¹³⁴, L. Sawyer ⁹⁸,
 I. Sayago Galvan ¹⁶³, C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁷, J. Schaarschmidt ¹³⁸,
 P. Schacht ¹¹⁰, D. Schaefer ³⁹, U. Schäfer ¹⁰¹, A.C. Schaffer ^{66,44}, D. Schaile ¹⁰⁹,
 R.D. Schamberger ¹⁴⁵, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷, D. Scheirich ¹³³,
 F. Schenck ¹⁸, M. Schernau ¹⁶⁰, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a}, E.J. Schioppa ^{70a,70b},
 M. Schioppa ^{43b,43a}, B. Schlag ^{143,o}, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, J. Schmeing ¹⁷¹,
 M.A. Schmidt ¹⁷¹, K. Schmieden ¹⁰¹, C. Schmitt ¹⁰¹, S. Schmitt ⁴⁸, L. Schoeffel ¹³⁵,
 A. Schoening ^{63b}, P.G. Scholer ⁵⁴, E. Schopf ¹²⁶, M. Schott ¹⁰¹, J. Schovancova ³⁶,
 S. Schramm ⁵⁶, F. Schroeder ¹⁷¹, T. Schroer ⁵⁶, H-C. Schultz-Coulon ^{63a}, M. Schumacher ⁵⁴,
 B.A. Schumm ¹³⁶, Ph. Schune ¹³⁵, A.J. Schuy ¹³⁸, H.R. Schwartz ¹³⁶, A. Schwartzman ¹⁴³,
 T.A. Schwarz ¹⁰⁶, Ph. Schwemling ¹³⁵, R. Schwienhorst ¹⁰⁷, A. Sciandra ¹³⁶, G. Sciolla ²⁶,
 F. Scuri ^{74a}, C.D. Sebastiani ⁹³, K. Sedlaczek ¹¹⁵, P. Seema ¹⁸, S.C. Seidel ¹¹², A. Seiden ¹³⁶,
 B.D. Seidlitz ⁴¹, C. Seitz ⁴⁸, J.M. Seixas ^{83b}, G. Sekhniaidze ^{72a}, S.J. Sekula ⁴⁴, L. Selem ⁶⁰,
 N. Semprini-Cesari ^{23b,23a}, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶³, L. Serin ⁶⁶, L. Serkin ^{69a,69b},
 M. Sessa ^{76a,76b}, H. Severini ¹²⁰, F. Sforza ^{57b,57a}, A. Sfyrla ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴⁴,
 J.D. Shahinian ¹²⁸, D. Shaked Renous ¹⁶⁹, L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ³⁶,
 A.S. Sharma ¹⁶⁴, P. Sharma ⁸⁰, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁶, S.M. Shaw ¹⁰²,
 A. Shcherbakova ³⁷, Q. Shen ^{62c,5}, P. Sherwood ⁹⁷, L. Shi ⁹⁷, X. Shi ^{14a}, C.O. Shimmin ¹⁷²,
 J.D. Shinner ⁹⁶, I.P.J. Shipsey ¹²⁶, S. Shirabe ^{56,h}, M. Shiyakova ^{38,v}, J. Shlomi ¹⁶⁹,
 M.J. Shochet ³⁹, J. Shojaii ¹⁰⁵, D.R. Shope ¹²⁵, B. Shrestha ¹²⁰, S. Shrestha ^{119,ak},
 E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁵, P. Sicho ¹³¹, A.M. Sickles ¹⁶², E. Sideras Haddad ^{33g},
 A. Sidoti ^{23b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{86a}, F. Sili ⁹¹, J.M. Silva ²⁰,
 M.V. Silva Oliveira ²⁹, S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹,
 H. Simpson ¹⁴⁶, L.R. Simpson ¹⁰⁶, N.D. Simpson ⁹⁹, S. Simsek ⁸², S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁵,
 S. Singh ¹⁵⁵, S. Sinha ⁴⁸, S. Sinha ¹⁰², M. Sioli ^{23b,23a}, I. Siral ³⁶, E. Sitnikova ⁴⁸,
 S.Yu. Sivoklokov ^{37,*}, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ²⁰, P. Skubic ¹²⁰, M. Slawinska ⁸⁷,
 V. Smakhtin ¹⁶⁹, B.H. Smart ¹³⁴, J. Smiesko ³⁶, S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷,
 L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁹, A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁶,
 J.L. Smith ⁹³, R. Smith ¹⁴³, M. Smizanska ⁹², K. Smolek ¹³², A.A. Snesarev ³⁷, S.R. Snider ¹⁵⁵,
 H.L. Snoek ¹¹⁴, S. Snyder ²⁹, R. Sobie ^{165,x}, A. Soffer ¹⁵¹, C.A. Solans Sanchez ³⁶,
 E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶³, A.A. Solodkov ³⁷, S. Solomon ²⁶, A. Soloshenko ³⁸,
 K. Solovieva ⁵⁴, O.V. Solovyanov ⁴⁰, V. Solovyev ³⁷, P. Sommer ³⁶, A. Sonay ¹³,
 W.Y. Song ^{156b}, J.M. Sonneveld ¹¹⁴, A. Sopczak ¹³², A.L. Soppio ⁹⁷, F. Sopkova ^{28b},
 V. Sothilingam ^{63a}, S. Sottocornola ⁶⁸, R. Soualah ^{116b}, Z. Soumami ^{35e}, D. South ⁴⁸,
 N. Soybelman ¹⁶⁹, S. Spagnolo ^{70a,70b}, M. Spalla ¹¹⁰, D. Sperlich ⁵⁴, G. Spigo ³⁶, S. Spinali ⁹²,
 D.P. Spiteri ⁵⁹, M. Spousta ¹³³, E.J. Staats ³⁴, A. Stabile ^{71a,71b}, R. Stamen ^{63a}, A. Stampekis ²⁰,
 M. Standke ²⁴, E. Stanecka ⁸⁷, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, B. Stapf ⁴⁸,
 E.A. Starchenko ³⁷, G.H. Stark ¹³⁶, J. Stark ^{90a,ab}, D.M. Starko ^{156b}, P. Staroba ¹³¹,

P. Starovoitov ^{63a}, S. Stärz ¹⁰⁴, R. Staszewski ⁸⁷, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶¹,
 P. Steinberg ²⁹, B. Stelzer ^{142,156a}, H.J. Stelzer ¹²⁹, O. Stelzer-Chilton ^{156a}, H. Stenzel ⁵⁸,
 T.J. Stevenson ¹⁴⁶, G.A. Stewart ³⁶, J.R. Stewart ¹²¹, M.C. Stockton ³⁶, G. Stoicea ^{27b},
 M. Stolarski ^{130a}, S. Stonjek ¹¹⁰, A. Straessner ⁵⁰, J. Strandberg ¹⁴⁴, S. Strandberg ^{47a,47b},
 M. Strauss ¹²⁰, T. Strebler ^{90b}, P. Strizenc ^{28b}, R. Ströhmer ¹⁶⁶, D.M. Strom ¹²³, L.R. Strom ⁴⁸,
 R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹²⁰, N.A. Styles ⁴⁸,
 D. Su ¹⁴³, S. Su ^{62a}, W. Su ^{62d}, X. Su ^{62a,66}, K. Sugizaki ¹⁵³, V.V. Sulim ³⁷, M.J. Sullivan ⁹³,
 D.M.S. Sultan ^{78a,78b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁸, S. Sun ¹⁰⁶, S. Sun ¹⁷⁰,
 O. Sunneborn Gudnadottir ¹⁶¹, N. Sur ^{90b}, M.R. Sutton ¹⁴⁶, H. Suzuki ¹⁵⁷, M. Svatos ¹³¹,
 M. Swiatlowski ^{156a}, T. Swirski ¹⁶⁶, I. Sykora ^{28a}, M. Sykora ¹³³, T. Sykora ¹³³, D. Ta ¹⁰¹,
 K. Tackmann ^{48,u}, A. Taffard ¹⁶⁰, R. Tafirout ^{156a}, J.S. Tafoya Vargas ⁶⁶, E.P. Takeva ⁵²,
 Y. Takubo ⁸⁴, M. Talby ^{90b}, A.A. Talyshev ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵¹, A. Tanaka ¹⁵³,
 J. Tanaka ¹⁵³, R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, Z. Tao ¹⁶⁴, S. Tapia Araya ^{137f},
 S. Tapprogge ¹⁰¹, A. Tarek Abouelfadl Mohamed ¹⁰⁷, S. Tarem ¹⁵⁰, K. Tariq ^{14a}, G. Tarna ^{90b,27b},
 G.F. Tartarelli ^{71a}, P. Tas ¹³³, M. Tasevsky ¹³¹, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶², G. Tateno ¹⁵³,
 Y. Tayalati ^{35e,w}, G.N. Taylor ¹⁰⁵, W. Taylor ^{156b}, H. Teagle ⁹³, A.S. Tee ¹⁷⁰,
 R. Teixeira De Lima ¹⁴³, P. Teixeira-Dias ⁹⁶, J.J. Teoh ¹⁵⁵, K. Terashi ¹⁵³, J. Terron ¹⁰⁰,
 S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{155,x}, A. Thaler ⁷⁹, O. Theiner ⁵⁶, N. Themistokleous ⁵²,
 T. Thevenaux-Pelzer ^{90b}, O. Thielmann ¹⁷¹, D.W. Thomas ⁹⁶, J.P. Thomas ²⁰, E.A. Thompson ^{17a},
 P.D. Thompson ²⁰, E. Thomson ¹²⁸, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷,
 S. Timoshenko ³⁷, D. Timoshyn ¹³³, E.X.L. Ting ¹, P. Tipton ¹⁷², S.H. Tlou ^{33g}, A. Tmourji ⁴⁰,
 K. Todome ¹⁵⁴, S. Todorova-Nova ¹³³, S. Todt ⁵⁰, M. Togawa ⁸⁴, J. Tojo ³⁹, S. Tokár ^{28a},
 K. Tokushuku ⁸⁴, O. Toldaiev ⁶⁸, R. Tombs ³², M. Tomoto ^{84,111}, L. Tompkins ^{143,o},
 K.W. Topolnicki ^{86b}, E. Torrence ¹²³, H. Torres ^{90a,ab}, E. Torró Pastor ¹⁶³, M. Toscani ³⁰,
 C. Toscirri ³⁹, M. Tost ¹¹, D.R. Tovey ¹³⁹, A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁶,
 A. Tricoli ²⁹, I.M. Trigger ^{156a}, S. Trincaz-Duvoid ¹²⁷, D.A. Trischuk ²⁶, B. Trocmé ⁶⁰,
 C. Troncon ^{71a}, L. Truong ^{33c}, M. Trzebinski ⁸⁷, A. Trzupek ⁸⁷, F. Tsai ¹⁴⁵, M. Tsai ¹⁰⁶,
 A. Tsiamis ^{152,e}, P.V. Tsiarehka ³⁷, S. Tsigaridas ^{156a}, A. Tsirigotis ^{152,s}, V. Tsiskaridze ¹⁵⁵,
 E.G. Tskhadadze ^{149a}, M. Tsopoulou ^{152,e}, Y. Tsujikawa ⁸⁸, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a},
 S. Tsuno ⁸⁴, O. Tsur ¹⁵⁰, K. Tsurii ¹¹⁸, D. Tsybychev ¹⁴⁵, Y. Tu ^{64b}, A. Tudorache ^{27b},
 V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ³⁸, I. Turk Cakir ^{3a}, R. Turra ^{71a},
 T. Turtuvshin ^{38,y}, P.M. Tuts ⁴¹, S. Tzamarias ^{152,e}, P. Tzani ¹⁰, E. Tzovara ¹⁰¹, F. Ukegawa ¹⁵⁷,
 P.A. Ulloa Poblete ^{137c,137b}, E.N. Umaka ²⁹, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁶⁰,
 J. Urban ^{28b}, P. Urquijo ¹⁰⁵, G. Usai ⁸, R. Ushioda ¹⁵⁴, M. Usman ¹⁰⁸, Z. Uysal ^{21b},
 L. Vacavant ^{90b}, V. Vacek ¹³², B. Vachon ¹⁰⁴, K.O.H. Vadla ¹²⁵, T. Vafeiadis ³⁶, A. Vaitkus ⁹⁷,
 C. Valderanis ¹⁰⁹, E. Valdes Santurio ^{47a,47b}, M. Valente ^{156a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶³,
 E. Valiente Moreno ¹⁶³, A. Vallier ^{90a,ab}, J.A. Valls Ferrer ¹⁶³, D.R. Van Arneman ¹¹⁴,
 T.R. Van Daalen ¹³⁸, A. Van Der Graaf ⁴⁹, P. Van Gemmeren ⁶, M. Van Rijnbach ^{125,36},
 S. Van Stroud ⁹⁷, I. Van Vulpen ¹¹⁴, M. Vanadia ^{76a,76b}, W. Vandelli ³⁶, M. Vandenbroucke ¹³⁵,
 E.R. Vandewall ¹²¹, D. Vannicola ¹⁵¹, L. Vannoli ^{57b,57a}, R. Vari ^{75a}, E.W. Varnes ⁷,
 C. Varni ^{17b}, T. Varol ¹⁴⁸, D. Varouchas ⁶⁶, L. Varriale ¹⁶³, K.E. Varvell ¹⁴⁷, M.E. Vasile ^{27b},
 L. Vaslin ⁴⁰, G.A. Vasquez ¹⁶⁵, A. Vasyukov ³⁸, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶,
 J. Veatch ³¹, V. Vecchio ¹⁰², M.J. Veen ¹⁰³, I. Veliscek ¹²⁶, L.M. Veloce ¹⁵⁵, F. Veloso ^{130a,130c},
 S. Veneziano ^{75a}, A. Ventura ^{70a,70b}, S. Ventura Gonzalez ¹³⁵, A. Verbytskyi ¹¹⁰,
 M. Verducci ^{74a,74b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{83b}, W. Verkerke ¹¹⁴,
 J.C. Vermeulen ¹¹⁴, C. Vernieri ¹⁴³, M. Vessella ¹⁰³, M.C. Vetterli ^{142,ah}, A. Vgenopoulos ^{152,e},
 N. Viaux Maira ^{137f}, T. Vickey ¹³⁹, O.E. Vickey Boeriu ¹³⁹, G.H.A. Viehhauser ¹²⁶, L. Vigani ^{63b},

M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶³, E.M. Villhauer⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, G.S. Virdee ²⁰, A. Vishwakarma ⁵², A. Visibile¹¹⁴, C. Vittori ³⁶, I. Vivarelli ¹⁴⁶, V. Vladimirov¹⁶⁷, E. Voevodina ¹¹⁰, F. Vogel ¹⁰⁹, P. Vokac ¹³², Yu. Volkotrub ^{86a}, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³³, K. Vorobev ³⁷, M. Vos ¹⁶³, K. Voss ¹⁴¹, J.H. Vossebeld ⁹³, M. Vozak ¹¹⁴, L. Vozdecky ⁹⁵, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹⁴, R. Vuillermet ³⁶, O. Vujanovic ¹⁰¹, I. Vukotic ³⁹, S. Wada ¹⁵⁷, C. Wagner¹⁰³, J.M. Wagner ^{17a}, W. Wagner ¹⁷¹, S. Wahdan ¹⁷¹, H. Wahlberg ⁹¹, M. Wakida ¹¹¹, J. Walder ¹³⁴, R. Walker ¹⁰⁹, W. Walkowiak ¹⁴¹, A. Wall ¹²⁸, T. Wamorkar ⁶, A.Z. Wang ¹⁷⁰, C. Wang ¹⁰¹, C. Wang ^{62c}, H. Wang ^{17a}, J. Wang ^{64a}, R.-J. Wang ¹⁰¹, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁸, S. Wang ^{62b}, T. Wang ^{62a}, W.T. Wang ⁸⁰, W. Wang ^{14a}, X. Wang ^{14c}, X. Wang ¹⁶², X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁶, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁶, A. Warburton ¹⁰⁴, R.J. Ward ²⁰, N. Warrack ⁵⁹, A.T. Watson ²⁰, H. Watson ⁵⁹, M.F. Watson ²⁰, E. Watton ^{59,134}, G. Watts ¹³⁸, B.M. Waugh ⁹⁷, C. Weber ²⁹, H.A. Weber ¹⁸, M.S. Weber ¹⁹, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁶, A.R. Weidberg ¹²⁶, E.J. Weik ¹¹⁷, J. Weingarten ⁴⁹, M. Weirich ¹⁰¹, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke¹¹⁰, N. Wermes ²⁴, M. Wessels ^{63a}, A.M. Wharton ⁹², A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁶⁰, L. Wickremasinghe ¹²⁴, W. Wiedenmann ¹⁷⁰, C. Wiel ⁵⁰, M. Wielers ¹³⁴, C. Wiglesworth ⁴², D.J. Wilbern¹²⁰, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams¹²⁸, S. Williams ³², S. Willocq ¹⁰³, B.J. Wilson ¹⁰², P.J. Windischhofer ³⁹, F.I. Winkel ³⁰, F. Winklmeier ¹²³, B.T. Winter ⁵⁴, J.K. Winter ¹⁰², M. Wittgen¹⁴³, M. Wobisch ⁹⁸, Z. Wolfs ¹¹⁴, R. Wölker ¹²⁶, J. Wollrath¹⁶⁰, M.W. Wolter ⁸⁷, H. Wolters ^{130a,130c}, A.F. Wongel ⁴⁸, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁷, K.W. Woźniak ⁸⁷, S. Wozniowski ⁵⁵, K. Wraight ⁵⁹, C. Wu ²⁰, J. Wu ^{14a,14e}, M. Wu ^{64a}, M. Wu ¹¹³, S.L. Wu ¹⁷⁰, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ¹³⁵, J. Wuerzinger ^{110,af}, T.R. Wyatt ¹⁰², B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, M. Xie ^{62a}, X. Xie ^{62a}, S. Xin ^{14a,14e}, J. Xiong ^{17a}, D. Xu ^{14a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁸, T. Xu ¹⁰⁶, Y. Xu ^{14b}, Z. Xu ⁵², Z. Xu ^{14a}, B. Yabsley ¹⁴⁷, S. Yacoob ^{33a}, Y. Yamaguchi ¹⁵⁴, E. Yamashita ¹⁵³, H. Yamauchi ¹⁵⁷, T. Yamazaki ^{17a}, Y. Yamazaki ⁸⁵, J. Yan ^{62c}, S. Yan ¹²⁶, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ^{62a}, X. Yang ^{14a}, Y. Yang ⁴⁴, Y. Yang ^{62a}, Z. Yang ^{62a}, W.-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, H. Ye ⁵⁵, J. Ye ⁴⁴, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁷, I. Yeletsikh ³⁸, B.K. Yeo ^{17b}, M.R. Yexley ⁹⁷, P. Yin ⁴¹, K. Yorita ¹⁶⁸, S. Younas ^{27b}, C.J.S. Young ³⁶, C. Young ¹⁴³, Y. Yu ^{62a}, M. Yuan ¹⁰⁶, R. Yuan ^{62b,k}, L. Yue ⁹⁷, M. Zaazoua ^{62a}, B. Zabinski ⁸⁷, E. Zaid⁵², T. Zakareishvili ^{149b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{137d,137b}, J. Zang ¹⁵³, D. Zanzi ⁵⁴, O. Zaplatilek ¹³², C. Zeitnitz ¹⁷¹, H. Zeng ^{14a}, J.C. Zeng ¹⁶², D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹⁵, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, M. Zhai ^{14a,14e}, B. Zhang ^{14c}, D.F. Zhang ¹³⁹, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14e}, L. Zhang ^{14c}, P. Zhang ^{14a,14e}, R. Zhang ¹⁷⁰, S. Zhang ¹⁰⁶, T. Zhang ¹⁵³, X. Zhang ^{62c}, X. Zhang ^{62b}, Y. Zhang ^{62c,5}, Y. Zhang ⁹⁷, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁸, P. Zhao ⁵¹, T. Zhao ^{62b}, Y. Zhao ¹³⁶, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, J. Zheng ^{14c}, K. Zheng ¹⁶², X. Zheng ^{62a}, Z. Zheng ¹⁴³, D. Zhong ¹⁶², B. Zhou¹⁰⁶, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou⁷, C.G. Zhu ^{62b}, J. Zhu ¹⁰⁶, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴¹, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁵⁶, T.G. Zorbas ¹³⁹, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

- ^{3(a)}Department of Physics, Ankara University, Ankara;^(b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.
- ⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.
- ⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.
- ⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.
- ⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.
- ⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.
- ¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.
- ¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.
- ¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.
- ^{14(a)}Institute of High Energy Physics, Chinese Academy of Sciences, Beijing;^(b)Physics Department, Tsinghua University, Beijing;^(c)Department of Physics, Nanjing University, Nanjing;^(d)School of Science, Shenzhen Campus of Sun Yat-sen University;^(e)University of Chinese Academy of Science (UCAS), Beijing; China.
- ¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.
- ¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.
- ^{17(a)}Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA;^(b)University of California, Berkeley CA; United States of America.
- ¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- ¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- ²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ^{21(a)}Department of Physics, Bogazici University, Istanbul;^(b)Department of Physics Engineering, Gaziantep University, Gaziantep;^(c)Department of Physics, Istanbul University, Istanbul; Türkiye.
- ^{22(a)}Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;^(b)Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ^{23(a)}Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;^(b)INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ^{27(a)}Transilvania University of Brasov, Brasov;^(b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;^(c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;^(d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;^(e)University Politehnica Bucharest, Bucharest;^(f)West University in Timisoara, Timisoara;^(g)Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ^{28(a)}Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;^(b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.

- ^{33(a)}Department of Physics, University of Cape Town, Cape Town;^(b)iThemba Labs, Western Cape;^(c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;^(d)National Institute of Physics, University of the Philippines Diliman (Philippines);^(e)University of South Africa, Department of Physics, Pretoria;^(f)University of Zululand, KwaDlangezwa;^(g)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ^{35(a)}Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;^(b)Faculté des Sciences, Université Ibn-Tofail, Kénitra;^(c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;^(d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;^(e)Faculté des sciences, Université Mohammed V, Rabat;^(f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ^{43(a)}Dipartimento di Fisica, Università della Calabria, Rende;^(b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ^{47(a)}Department of Physics, Stockholm University;^(b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ^{57(a)}Dipartimento di Fisica, Università di Genova, Genova;^(b)INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ^{62(a)}Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;^(b)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao;^(c)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;^(d)Tsung-Dao Lee Institute, Shanghai; China.
- ^{63(a)}Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg;^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ^{64(a)}Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;^(b)Department of

- Physics, University of Hong Kong, Hong Kong;^(c)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁹^(a)INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;^(b)ICTP, Trieste;^(c)Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁷⁰^(a)INFN Sezione di Lecce;^(b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷¹^(a)INFN Sezione di Milano;^(b)Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷²^(a)INFN Sezione di Napoli;^(b)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷³^(a)INFN Sezione di Pavia;^(b)Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷⁴^(a)INFN Sezione di Pisa;^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁵^(a)INFN Sezione di Roma;^(b)Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁶^(a)INFN Sezione di Roma Tor Vergata;^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- ⁷⁷^(a)INFN Sezione di Roma Tre;^(b)Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁸^(a)INFN-TIFPA;^(b)Università degli Studi di Trento, Trento; Italy.
- ⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸⁰University of Iowa, Iowa City IA; United States of America.
- ⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸²Istinye University, Sariyer, Istanbul; Türkiye.
- ⁸³^(a)Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;^(b)Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;^(c)Instituto de Física, Universidade de São Paulo, São Paulo;^(d)Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸⁴KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁵Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁶^(a)AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;^(b)Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁷Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁸Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁹⁰^(a)L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse;^(b)CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ⁹¹Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹²Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹³Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹⁴Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁵School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁶Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁷Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁸Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁹Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ¹⁰⁰Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰¹Institut für Physik, Universität Mainz, Mainz; Germany.

- ¹⁰²School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰³Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁴Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁵School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁶Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁷Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁸Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁹Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹⁰Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹¹Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹²Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹³Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹⁴Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁵Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁶^(a)New York University Abu Dhabi, Abu Dhabi; ^(b)University of Sharjah, Sharjah; United Arab Emirates.
- ¹¹⁷Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁸Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁹Ohio State University, Columbus OH; United States of America.
- ¹²⁰Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²¹Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²²Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²³Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁴Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁵Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁶Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁷LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁸Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁹Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³⁰^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c)Departamento de Física, Universidade de Coimbra, Coimbra; ^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e)Departamento de Física, Universidade do Minho, Braga; ^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³¹Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³²Czech Technical University in Prague, Prague; Czech Republic.
- ¹³³Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁴Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁵IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁶Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United

States of America.

^{137(a)}Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;^(d)Universidad Andres Bello, Department of Physics, Santiago;^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.

¹³⁸Department of Physics, University of Washington, Seattle WA; United States of America.

¹³⁹Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.

¹⁴⁰Department of Physics, Shinshu University, Nagano; Japan.

¹⁴¹Department Physik, Universität Siegen, Siegen; Germany.

¹⁴²Department of Physics, Simon Fraser University, Burnaby BC; Canada.

¹⁴³SLAC National Accelerator Laboratory, Stanford CA; United States of America.

¹⁴⁴Department of Physics, Royal Institute of Technology, Stockholm; Sweden.

¹⁴⁵Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.

¹⁴⁶Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.

¹⁴⁷School of Physics, University of Sydney, Sydney; Australia.

¹⁴⁸Institute of Physics, Academia Sinica, Taipei; Taiwan.

^{149(a)}E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c)University of Georgia, Tbilisi; Georgia.

¹⁵⁰Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.

¹⁵¹Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.

¹⁵²Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.

¹⁵³International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.

¹⁵⁴Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.

¹⁵⁵Department of Physics, University of Toronto, Toronto ON; Canada.

^{156(a)}TRIUMF, Vancouver BC;^(b)Department of Physics and Astronomy, York University, Toronto ON; Canada.

¹⁵⁷Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.

¹⁵⁸Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.

¹⁵⁹United Arab Emirates University, Al Ain; United Arab Emirates.

¹⁶⁰Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.

¹⁶¹Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.

¹⁶²Department of Physics, University of Illinois, Urbana IL; United States of America.

¹⁶³Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.

¹⁶⁴Department of Physics, University of British Columbia, Vancouver BC; Canada.

¹⁶⁵Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.

¹⁶⁶Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.

¹⁶⁷Department of Physics, University of Warwick, Coventry; United Kingdom.

¹⁶⁸Waseda University, Tokyo; Japan.

¹⁶⁹Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.

¹⁷⁰Department of Physics, University of Wisconsin, Madison WI; United States of America.

¹⁷¹Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität

Wuppertal, Wuppertal; Germany.

¹⁷²Department of Physics, Yale University, New Haven CT; United States of America.

^a Also Affiliated with an institute covered by a cooperation agreement with CERN.

^b Also at An-Najah National University, Nablus; Palestine.

^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^d Also at Center for High Energy Physics, Peking University; China.

^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.

^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.

^g Also at CERN, Geneva; Switzerland.

^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

^k Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

^l Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

^m Also at Department of Physics, California State University, Sacramento; United States of America.

ⁿ Also at Department of Physics, King's College London, London; United Kingdom.

^o Also at Department of Physics, Stanford University, Stanford CA; United States of America.

^p Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

^q Also at Department of Physics, University of Thessaly; Greece.

^r Also at Department of Physics, Westmont College, Santa Barbara; United States of America.

^s Also at Hellenic Open University, Patras; Greece.

^t Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.

^u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.

^v Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.

^w Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.

^x Also at Institute of Particle Physics (IPP); Canada.

^y Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.

^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

^{aa} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.

^{ab} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.

^{ac} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.

^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.

^{ae} Also at Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.

^{af} Also at Technical University of Munich, Munich; Germany.

^{ag} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.

^{ah} Also at TRIUMF, Vancouver BC; Canada.

^{ai} Also at Università di Napoli Parthenope, Napoli; Italy.

^{aj} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.

^{ak} Also at Washington College, Chestertown, MD; United States of America.

^{al} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.

* Deceased

Declaration of interests

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:

Journal Pre-proof